

COOLING CAPACITY:
18,000 - 57,000 BTU/H



Contents

Nomenclature.....	2
Product Specifications.....	3
Expanded Expanded Cooling Data	4
AHRI Ratings.....	20
Wiring Diagrams.....	82
Dimensions	84
Accessories	84

Standard Features

- High-efficiency Copeland® scroll compressor
- High-density foam compressor sound blanket
- Copeland CoreSense diagnostics
- Fully charged for 15' of tubing length
- Factory-installed filter drier
- Factory-installed high and low pressure switches
- Copper tube/ enhanced aluminum fin coil
- Sweat connection service valves with easy access to gauge ports
- AHRI Certified; ETL Listed

Cabinet Features

- Amana® brand sound control top design
- Wire fan discharge grille
- Steel louver coil guard
- Baked-on powder-paint finish
- Compact footprint
- Top and side maintenance access
- Single-panel access to controls with space provided for field-installed accessories
- When properly anchored, meets the 2010 Florida Building Code unit integrity requirements for hurricane-type winds (Anchor bracket kits available.)



ENERGY STAR® and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ENERGY STAR products are third-party certified by an EPA-recognized Certification Body. Products that earn the ENERGY STAR prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency.

Proper sizing and installation of equipment is critical to achieving optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov



* Complete warranty details available from your local dealer or at www.amana-hac.com. To receive the Lifetime Unit Replacement Limited Warranty (good for as long as you own your home) and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Québec.

	A	S	X	16	036	1	AA	
	1	2	3	4,5	6,7,8	9	10,11	
Brand	A		S		X		16	
A								
Product Category	S		N		X		16	
S								
N	X		Z		16		036	
X								
Z	13		14		16		18	
Efficiency	13 SEER		14 SEER		16 SEER		18 SEER	
13								
14	13 SEER		14 SEER		16 SEER		18 SEER	
16								
18	018		019		024		025	
018								
019	030		031		036		037	
030								
031	042		048		060		061	
042								
048	1 1/2 Tons		2 Tons		3 Tons		5 Tons	
060								
061	1 1/2 Tons		2 Tons		3 Tons		5 Tons	
061								

Engineering *

Major/ Minor Revisions

* Neither revision is used for order entry or inventory management.

Electrical

1 208/230 V, 1 Phase, 60 Hz

2 220/240 V, 1 Phase, 50 Hz

3 208/230 V, 3 Phase, 60 Hz

Nominal Capacity

018 1 1/2 Tons 030 2 1/2 Tons 042 3 1/2 Tons

019 1 1/2 Tons 031 2 1/2 Tons 048 4 Tons

024 2 Tons 036 3 Tons 060 5 Tons

025 2 Tons 037 3 Tons 061 5 Tons

	ASX16 0181F*	ASX16 0241F*	ASX16 0301F*	ASX16 0361F*	ASX16 0421F*	ASX16 0481F*	ASX16 0601F*	ASX16 0611F*
CAPACITIES								
Nominal Cooling (BTU/h)	18,000	23,600	29,000	34,800	42,000	45,500	54,000	57,000
Decibels	71.5	71.5	71.5	71.5	73	73	73	73
COMPRESSOR								
RLA	9.0	13.5	12.8	14.1	17.9	17.9	21.4	25
LRA	46	58.3	64	77	112	112	135	134
CONDENSER FAN MOTOR								
Horsepower (RPM)	1/6	1/6	1/6	1/6	1/6	1/4	1/3	1/4
FLA	1.10	1.10	1.10	1.10	1.10	1.50	2.80	1.50
REFRIGERATION SYSTEM								
Refrigerant Line Size ¹								
Liquid Line Size ("O.D.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Suction Line Size ("O.D.)	3/4"	3/4"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"
Refrigerant Connection Size								
Liquid Valve Size ("O.D.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Suction Valve Size ("O.D.)	3/4"	3/4"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"
Valve Type	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat
Refrigerant Charge	78	78	91	94	110	121	240	125
ELECTRICAL DATA								
Voltage-Phase (60 Hz)	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1
Minimum Circuit Ampacity ²	12.4	18.0	17.1	18.7	23.5	23.9	29.6	32.8
Max. Overcurrent Protection ³	20	30	25	30	40	40	50	50
Min / Max Volts	197/253	197/253	197/253	197/253	197/253	197/253	197/253	197/253
Electrical Conduit Size	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"
EQUIPMENT WEIGHT (LBS)	145	142	149	162	206	219	279	291
SHIP WEIGHT (LBS)	163	160	167	180	228	241	301	314
ENERGY STAR RATED	YES	YES	YES	YES	YES	NO	YES	NO

¹ Tested and rated in accordance with ARI Standard 210/240

² Wire size should be determined in accordance with National Electrical Codes; extensive wire runs will require larger wire sizes

³ Must use time-delay fuses or HACR-type circuit breakers of the same size as noted.

NOTES

- Always check the S&R plate for electrical data on the unit being installed.
- Installer will need to supply 7/8" to 1 1/2" adapters for suction line connections (5-ton units only).
- Unit is charged with refrigerant for 15' of 3/4" liquid line. System charge must be adjusted per Installation Instructions Final Charge Procedure.
- Installation of these units requires the specified TXV Kit to be installed on the indoor coil. THE SPECIFIED TXV IS DETERMINED BY THE OUTDOOR UNIT, NOT THE INDOOR COIL.

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																							
				65°F				75°F				85°F				95°F				105°F				115°F			
				ENTERING INDOOR WET BULB TEMPERATURE																							
70		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71		
	MBh	15.8	16.4	17.9	-	15.4	16.0	17.5	-	15.1	15.6	17.1	-	14.7	15.2	16.7	-	14.0	14.5	15.9	-	12.9	13.4	14.7	-		
	S/T	0.68	0.57	0.40	-	0.71	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.63	0.43	-	0.78	0.65	0.45	-	0.78	0.66	0.45	-		
	ΔT	19	16	12	-	19	17	13	-	19	17	13	-	19	17	13	-	19	16	13	-	18	15	12	-		
	kW	1.18	1.20	1.23	-	1.26	1.28	1.31	-	1.32	1.35	1.38	-	1.38	1.41	1.45	-	1.43	1.46	1.50	-	1.47	1.50	1.54	-		
	Amps	4.3	4.3	4.5	-	4.6	4.7	4.8	-	4.9	5.0	5.2	-	5.2	5.4	5.5	-	5.6	5.7	5.9	-	5.9	6.0	6.2	-		
	HI PR	199	214	226	-	223	240	254	-	254	273	289	-	289	311	329	-	326	350	370	-	360	387	409	-		
	LO PR	101	108	118	-	107	114	125	-	111	119	129	-	117	125	136	-	123	130	142	-	127	135	147	-		
		MBh	17.1	17.7	19.4	-	16.7	17.3	19.0	-	16.3	16.9	18.5	-	15.9	16.5	18.1	-	15.1	15.7	17.2	-	14.0	14.5	15.9	-	
		S/T	0.71	0.59	0.41	-	0.73	0.61	0.43	-	0.75	0.63	0.44	-	0.78	0.65	0.45	-	0.81	0.67	0.47	-	0.81	0.68	0.47	-	
	ΔT	17	15	11	-	17	15	11	-	17	15	11	-	18	15	12	-	17	15	11	-	16	14	11	-		
75		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71		
	MBh	16.1	16.5	17.9	19.2	15.7	16.2	17.5	18.8	15.3	15.8	17.1	18.3	15.0	15.4	16.7	17.9	14.2	14.6	15.8	17.0	13.2	13.5	14.7	15.7		
	S/T	0.78	0.69	0.53	0.34	0.81	0.72	0.55	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.58	0.37	0.88	0.79	0.60	0.39	0.89	0.80	0.60	0.39		
	ΔT	22	20	16	11	22	20	17	12	22	20	17	12	22	21	17	12	22	20	17	11	21	19	16	11		
	kW	1.19	1.21	1.24	1.28	1.27	1.29	1.32	1.36	1.33	1.36	1.39	1.43	1.39	1.42	1.46	1.50	1.44	1.47	1.51	1.55	1.48	1.51	1.56	1.60		
	Amps	4.3	4.4	4.5	4.7	4.6	4.7	4.9	5.0	5.0	5.1	5.2	5.4	5.3	5.4	5.6	5.8	5.6	5.7	5.9	6.1	5.9	6.1	6.3	6.5		
	HI PR	201	216	229	238	226	243	257	268	257	276	292	304	292	315	332	347	329	354	374	390	363	391	413	431		
	LO PR	103	109	119	127	108	115	126	134	113	120	131	139	118	126	137	146	124	132	144	153	128	136	149	159		
		MBh	17.4	17.9	19.4	20.8	17.0	17.5	19.0	20.3	16.6	17.1	18.5	19.9	16.2	16.7	18.1	19.4	15.4	15.8	17.2	18.4	14.3	14.7	15.9	17.1	
		S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40	
	ΔT	20	18	15	10	20	19	15	10	20	19	15	10	20	19	15	11	20	18	15	10	19	17	14	10		
75		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71		
	kW	1.21	1.24	1.27	1.30	1.29	1.32	1.35	1.39	1.36	1.39	1.42	1.46	1.42	1.45	1.49	1.53	1.47	1.50	1.54	1.59	1.52	1.55	1.59	1.64		
	Amps	4.4	4.5	4.6	4.8	4.7	4.8	5.0	5.2	5.1	5.2	5.4	5.6	5.4	5.6	5.7	5.9	5.8	5.9	6.1	6.3	6.1	6.2	6.4	6.7		
	HI PR	207	223	236	246	233	250	264	276	265	285	301	314	301	324	343	357	339	365	385	402	375	403	426	444		
	LO PR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	153	163		
		MBh	17.4	17.9	19.4	20.8	17.0	17.5	19.0	20.3	16.6	17.1	18.5	19.9	16.2	16.7	18.1	19.4	15.4	15.8	17.2	18.4	14.3	14.7	15.9	17.1	
		S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40	
		ΔT	19	18	14	10	19	18	15	10	19	18	15	10	20	19	15	10	19	18	15	10	18	17	14	9	
		kW	1.21	1.24	1.27	1.30	1.29	1.32	1.35	1.39	1.36	1.39	1.42	1.46	1.42	1.45	1.49	1.53	1.47	1.50	1.54	1.59	1.52	1.55	1.59	1.64	
		Amps	4.4	4.5	4.6	4.8	4.7	4.8	5.0	5.2	5.1	5.2	5.4	5.6	5.4	5.6	5.7	5.9	5.8	5.9	6.1	6.3	6.1	6.2	6.4	6.7	
	HI PR	207	223	236	246	233	250	264	276	265	285	301	314	301	324	343	357	339	365	385	402	375	403	426	444		
	LO PR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	153	163		
DB = Entering Indoor Dry Bulb Temperature High and low pressures are measured at the liquid and suction service valves.		Shaded area reflects ACCA (TVA) conditions																		Amps = outdoor unit amps (comp.+fan)							
		kW = Total system power																									

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)
kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	16.4	16.7	17.9	19.1	16.0	16.3	17.4	18.6	15.6	15.9	17.0	18.2	15.2	15.6	16.6	17.8	14.5	14.8	15.8	16.9	13.4	13.7	14.6	15.6
	S/T	0.85	0.80	0.65	0.5	0.88	0.83	0.67	0.50	0.91	0.85	0.69	0.5	0.93	0.88	0.71	0.53	0.97	0.91	0.74	0.6	0.98	0.92	0.75	0.56
	ΔT	24	23	20	16	25	24	21	16	25	24	21	16	25	24	21	17	25	24	20	16	23	22	19	15
	kW	1.20	1.22	1.25	1.3	1.27	1.30	1.33	1.37	1.34	1.37	1.40	1.4	1.40	1.43	1.47	1.51	1.45	1.48	1.52	1.6	1.49	1.52	1.57	1.61
	Amps	4.3	4.4	4.6	4.7	4.6	4.7	4.9	5.1	5.0	5.1	5.3	5.5	5.3	5.5	5.6	5.8	5.7	5.8	6.0	6.2	6.0	6.1	6.3	6.5
	HI PR	203	219	231	240.8	228	245	259	270	259	279	295	307.3	295	318	336	350	332	358	378	393.8	367	395	417	435
	LO PR	104	110	120	128.1	109	116	127	135	114	121	132	140.6	119	127	139	148	125	133	145	154.8	129	138	150	160
	MBh	17.7	18.1	19.4	20.7	17.3	17.7	18.9	20.2	16.9	17.3	18.5	19.7	16.5	16.8	18.0	19.2	15.7	16.0	17.1	18.3	14.5	14.8	15.8	16.9
	S/T	0.88	0.83	0.67	0.5	0.92	0.86	0.70	0.52	0.94	0.88	0.72	0.5	0.97	0.91	0.74	0.55	1.00	0.94	0.77	0.6	1.00	0.95	0.77	0.58
	ΔT	22	21	18	15	22	21	19	15	22	22	19	15	23	22	19	15	22	21	19	15	21	20	17	14
	kW	1.22	1.24	1.28	1.3	1.30	1.32	1.36	1.40	1.37	1.40	1.43	1.5	1.43	1.46	1.50	1.54	1.48	1.51	1.56	1.6	1.53	1.56	1.60	1.65
	Amps	4.4	4.5	4.7	4.8	4.8	4.9	5.0	5.2	5.1	5.3	5.4	5.6	5.5	5.6	5.8	6.0	5.8	5.9	6.1	6.4	6.1	6.3	6.5	6.7
	HI PR	209	225	238	248.3	235	253	267	279	267	288	304	316.9	304	328	346	361	343	369	389	406.0	378	407	430	449
	LO PR	107	114	124	132.0	113	120	131	140	117	125	136	145.0	123	131	143	152	129	137	150	159.6	133	142	155	165

85	MBh	16.6	17.0	17.8	19.0	16.3	16.6	17.4	18.5	15.9	16.2	16.9	18.1	15.5	15.8	16.5	17.6	14.7	15.0	15.7	16.8	13.6	13.9	14.5	15.5
	S/T	0.89	0.86	0.78	0.63	0.93	0.89	0.81	0.65	0.95	0.92	0.83	0.67	0.98	0.95	0.85	0.69	1.00	0.98	0.89	0.72	1.00	0.99	0.89	0.72
	ΔT	26	26	24	21	26	26	25	21	26	26	25	21	27	26	25	21	26	26	24	21	24	24	23	20
	kW	1.21	1.23	1.26	1.29	1.28	1.31	1.34	1.38	1.35	1.38	1.41	1.45	1.41	1.44	1.48	1.52	1.46	1.49	1.53	1.58	1.51	1.53	1.58	1.63
	Amps	4.4	4.5	4.6	4.7	4.7	4.8	4.9	5.1	5.1	5.2	5.3	5.5	5.4	5.5	5.7	5.9	5.7	5.8	6.0	6.2	6.0	6.2	6.4	6.6
	HI PR	205	221	233	243	230	248	262	273	262	282	298	310	298	321	339	354	336	361	381	398	371	399	421	439
	LO PR	105	111	121	129	110	118	128	137	115	122	133	142	121	128	140	149	126	134	147	156	131	139	152	162
	MBh	18.0	18.4	19.3	20.5	17.6	18.0	18.8	20.1	17.2	17.5	18.4	19.6	16.8	17.1	17.9	19.1	15.9	16.2	17.0	18.2	14.8	15.0	15.8	16.8
	S/T	0.93	0.89	0.81	0.65	0.96	0.93	0.84	0.68	0.98	0.95	0.86	0.70	1.00	0.98	0.89	0.72	1.00	1.00	0.92	0.75	1.00	1.00	0.93	0.75
	ΔT	24	23	22	19	24	24	22	19	24	24	22	19	24	24	22	19	23	23	22	19	21	21	21	18
	kW	1.23	1.25	1.29	1.32	1.31	1.33	1.37	1.41	1.38	1.41	1.44	1.49	1.44	1.47	1.51	1.55	1.49	1.52	1.57	1.61	1.54	1.57	1.62	1.66
	Amps	4.5	4.6	4.7	4.9	4.8	4.9	5.1	5.2	5.2	5.3	5.5	5.7	5.5	5.7	5.8	6.0	5.9	6.0	6.2	6.4	6.2	6.3	6.5	6.8
	HI PR	212	228	240	251	237	255	270	281	270	291	307	320	308	331	349	364	346	372	393	410	382	411	434	453
	LO PR	108	115	125	133	114	121	132	141	118	126	137	146	124	132	144	154	130	139	151	161	135	143	157	167

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI Rating conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
		ENTERING INDOOR WET BULB TEMPERATURE																																			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71								
70	700	MBh	22.1	22.9	25.1	-	21.6	22.4	24.5	-	21.1	21.9	23.9	-	20.6	21.3	23.4	-	19.5	20.3	22.2	-	18.1	18.8	20.6	-											
		S/T	0.69	0.58	0.40	-	0.72	0.60	0.42	-	0.74	0.61	0.43	-	0.76	0.63	0.44	-	0.79	0.66	0.46	-	0.80	0.66	0.46	-											
		ΔT	20	17	13	-	20	18	13	-	20	18	13	-	21	18	13	-	20	18	13	-	19	16	12	-											
		kW	1.54	1.57	1.61	-	1.64	1.67	1.72	-	1.74	1.77	1.82	-	1.82	1.86	1.91	-	1.89	1.93	1.99	-	1.95	1.99	2.05	-											
		Amps	5.7	5.8	6.0	-	6.1	6.3	6.5	-	6.6	6.8	7.0	-	7.1	7.3	7.5	-	7.5	7.7	8.0	-	8.0	8.2	8.4	-											
	750	HI PR	205	221	233	-	230	248	262	-	262	282	298	-	298	321	339	-	336	361	381	-	371	399	421	-											
		LO PR	103	109	119	-	109	116	126	-	113	120	131	-	119	126	138	-	124	132	144	-	129	137	149	-											
		MBh	22.5	23.3	25.5	-	21.9	22.7	24.9	-	21.4	22.2	24.3	-	20.9	21.6	23.7	-	19.8	20.6	22.5	-	18.4	19.1	20.9	-											
		S/T	0.72	0.60	0.42	-	0.74	0.62	0.43	-	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.82	0.68	0.47	-	0.82	0.69	0.48	-											
		ΔT	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	19	16	12	-											
900	kW	1.56	1.59	1.63	-	1.66	1.70	1.75	-	1.76	1.79	1.85	-	1.84	1.88	1.94	-	1.91	1.95	2.01	-	1.98	2.02	2.08	-												
	Amps	5.8	5.9	6.1	-	6.2	6.4	6.6	-	6.7	6.9	7.1	-	7.2	7.4	7.6	-	7.6	7.8	8.1	-	8.1	8.3	8.6	-												
	HI PR	209	225	237	-	234	252	266	-	267	287	303	-	304	327	345	-	342	368	388	-	377	406	429	-												
	LO PR	105	111	122	-	111	118	128	-	115	122	133	-	121	128	140	-	126	135	147	-	131	139	152	-												
		MBh	23.2	24.1	26.4	-	22.7	23.5	25.8	-	22.2	23.0	25.2	-	21.6	22.4	24.5	-	20.5	21.3	23.3	-	19.0	19.7	21.6	-											
S/T		0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.84	0.70	0.48	-	0.87	0.73	0.50	-	0.88	0.73	0.51	-												
ΔT		18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-												
kW		1.58	1.61	1.65	-	1.69	1.72	1.77	-	1.78	1.82	1.87	-	1.87	1.91	1.97	-	1.94	1.98	2.04	-	2.01	2.05	2.11	-												
Amps		5.9	6.0	6.2	-	6.3	6.5	6.7	-	6.9	7.0	7.3	-	7.3	7.5	7.7	-	7.8	8.0	8.2	-	8.2	8.4	8.7	-												
	HI PR	213	229	242	-	239	257	272	-	272	293	309	-	310	333	352	-	348	375	396	-	385	414	437	-												
	LO PR	107	114	124	-	113	120	131	-	117	125	136	-	123	131	143	-	129	137	150	-	133	142	155	-												
	75	700	MBh	22.5	23.2	25.1	26.9	22.0	22.6	24.5	26.3	21.4	22.1	23.9	25.6	20.9	21.5	23.3	25.0	19.9	20.5	22.1	23.8	18.4	19.0	20.5	22.0										
			S/T	0.79	0.70	0.53	0.34	0.82	0.73	0.55	0.36	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.38	0.90	0.80	0.61	0.39	0.90	0.81	0.61	0.39										
			ΔT	23	21	18	12	24	22	18	12	24	22	18	12	24	22	18	12	23	22	18	12	22	20	16	11										
kW			1.55	1.58	1.62	1.67	1.66	1.69	1.74	1.79	1.75	1.78	1.84	1.89	1.83	1.87	1.93	1.99	1.90	1.94	2.00	2.06	1.96	2.00	2.07	2.13											
Amps			5.7	5.9	6.1	6.3	6.2	6.3	6.5	6.8	6.7	6.9	7.1	7.3	7.2	7.3	7.6	7.8	7.6	7.8	8.0	8.3	8.0	8.2	8.5	8.8											
750		HI PR	207	223	236	246	233	250	264	276	265	285	301	314	301	324	343	357	339	365	385	402	375	403	426	444											
		LO PR	104	111	121	128	110	117	127	136	114	121	132	141	120	127	139	148	126	134	146	155	130	138	151	161											
		MBh	22.8	23.5	25.4	27.3	22.3	23.0	24.9	26.7	21.8	22.4	24.3	26.0	21.2	21.9	23.7	25.4	20.2	20.8	22.5	24.1	18.7	19.2	20.8	22.4											
		S/T	0.82	0.73	0.55	0.36	0.85	0.76	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.93	0.83	0.63	0.40	0.94	0.84	0.63	0.41											
		ΔT	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	21	20	16	11											
900	kW	1.57	1.60	1.64	1.69	1.68	1.71	1.76	1.81	1.77	1.81	1.86	1.92	1.86	1.89	1.95	2.01	1.93	1.97	2.03	2.09	1.99	2.03	2.09	2.16												
	Amps	5.8	6.0	6.1	6.4	6.3	6.4	6.6	6.9	6.8	7.0	7.2	7.5	7.3	7.4	7.7	8.0	7.7	7.9	8.2	8.5	8.2	8.4	8.6	9.0												
	HI PR	211	227	240	250	237	255	269	281	269	290	306	319	307	330	348	363	345	371	392	409	381	410	433	452												
	LO PR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	153	163												
	MBh	23.6	24.3	26.3	28.3	23.1	23.8	25.7	27.6	22.5	23.2	25.1	27.0	22.0	22.6	24.5	26.3	20.9	21.5	23.3	25.0	19.3	19.9	21.6	23.1												
	S/T	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.92	0.83	0.62	0.40	0.95	0.85	0.64	0.41	0.99	0.88	0.67	0.43	1.00	0.89	0.67	0.43												
	ΔT	21	19	16	11	21	20	16	11	21	20	16	11	21	20	16	11	21	19	16	11	20	18	15	10												
	kW	1.59	1.62	1.67	1.72	1.70	1.73	1.79	1.84	1.80	1.83	1.89	1.95	1.88	1.92	1.98	2.04	1.96	2.00	2.06	2.12	2.02	2.06	2.13	2.19												
	Amps	5.9	6.1	6.3	6.5	6.4	6.5	6.7	7.0	6.9	7.1	7.3	7.6	7.4	7.6	7.8	8.1	7.9	8.0	8.3	8.6	8.3	8.5	8.8	9.1												
	HI PR	215	232	245	255	241	260	274	286	275	296	312	326	313	337	355	371	352	379	400	417	389	418	442	461												
LO PR	108	115	125	133	114	121	132	141	118	126	137	146	124	132	144	154	130	139	151	161	135	143	157	167													
DB = Entering Indoor Dry Bulb Temperature		Shaded area reflects ACCA (TVA) conditions																								Amps = outdoor unit amps (comp.+fan)											
High and low pressures are measured at the liquid and suction service valves.																										kW = Total system power											

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	22.9	23.4	25.0	26.7	22.4	22.8	24.4	26.1	21.8	22.3	23.8	25.5	21.3	21.8	23.2	24.8	20.2	20.7	22.1	23.6	18.7	19.1	20.5	21.9
	S/T	0.86	0.81	0.66	0.5	0.90	0.84	0.68	0.51	0.92	0.86	0.70	0.5	0.95	0.89	0.72	0.54	0.98	0.92	0.75	0.6	0.99	0.93	0.76	0.57
	ΔT	26	25	22	17	26	25	22	18	26	25	22	18	27	25	22	18	26	25	22	17	24	23	20	16
	kW	1.56	1.59	1.63	1.7	1.67	1.70	1.75	1.80	1.76	1.80	1.85	1.9	1.85	1.88	1.94	2.00	1.92	1.96	2.02	2.1	1.98	2.02	2.08	2.15
	Amps	5.8	5.9	6.1	6.3	6.2	6.4	6.6	6.8	6.8	6.9	7.1	7.4	7.2	7.4	7.6	7.9	7.7	7.9	8.1	8.4	8.1	8.3	8.6	8.9
	HI PR	209	225	238	248.3	235	253	267	279	267	288	304	316.9	304	328	346	361	343	369	389	406.0	378	407	430	449
	LO PR	105	112	122	129.8	111	118	129	137	115	123	134	142.5	121	129	141	150	127	135	147	156.9	131	140	152	162
	MBh	23.2	23.7	25.4	27.1	22.7	23.2	24.8	26.5	22.2	22.6	24.2	25.9	21.6	22.1	23.6	25.2	20.5	21.0	22.4	24.0	19.0	19.4	20.8	22.2
	S/T	0.90	0.84	0.68	0.5	0.93	0.87	0.71	0.53	0.95	0.89	0.73	0.5	0.98	0.92	0.75	0.56	1.00	0.96	0.78	0.6	1.00	0.96	0.78	0.59
	ΔT	26	24	21	17	26	25	22	17	26	25	22	17	26	25	22	17	25	25	21	17	23	23	20	16
900	kW	1.58	1.61	1.65	1.7	1.69	1.72	1.77	1.83	1.79	1.82	1.88	1.9	1.87	1.91	1.97	2.03	1.94	1.98	2.04	2.1	2.01	2.05	2.11	2.18
	Amps	5.9	6.0	6.2	6.4	6.3	6.5	6.7	6.9	6.9	7.0	7.3	7.5	7.3	7.5	7.7	8.0	7.8	8.0	8.2	8.5	8.2	8.4	8.7	9.0
	HI PR	213	229	242	252.6	239	257	272	283	272	293	309	322.3	310	333	352	367	348	375	396	413.0	385	414	438	456
	LO PR	107	114	124	132.0	113	120	131	140	117	125	136	145.0	123	131	143	152	129	137	150	159.6	133	142	155	165
	MBh	24.1	24.6	26.3	28.1	23.5	24.0	25.6	27.4	22.9	23.4	25.0	26.8	22.4	22.9	24.4	26.1	21.3	21.7	23.2	24.8	19.7	20.1	21.5	23.0
	S/T	0.95	0.89	0.73	0.5	1.00	0.93	0.75	0.56	1.00	0.95	0.77	0.6	1.00	1.00	0.80	0.60	1.00	1.00	0.83	0.6	1.00	1.00	0.83	0.62
	ΔT	23	22	19	16	24	23	20	16	23	23	20	16	23	23	20	16	22	22	20	16	20	21	18	15
	kW	1.60	1.63	1.68	1.7	1.71	1.75	1.80	1.85	1.81	1.85	1.90	2.0	1.90	1.94	2.00	2.06	1.97	2.01	2.08	2.1	2.04	2.08	2.14	2.21
	Amps	6.0	6.1	6.3	6.5	6.4	6.6	6.8	7.1	7.0	7.2	7.4	7.7	7.5	7.6	7.9	8.2	7.9	8.1	8.4	8.7	8.4	8.6	8.9	9.2
	HI PR	217	234	247	257.6	244	262	277	289	277	299	315	328.8	316	340	359	374	355	383	404	421.3	393	423	446	465
	LO PR	109	116	126	134.7	115	122	134	142	120	127	139	147.9	126	134	146	155	132	140	153	162.8	136	145	158	168

700	MBh	23.3	23.7	24.9	26.5	22.7	23.2	24.3	25.9	22.2	22.6	23.7	25.3	21.7	22.1	23.1	24.7	20.6	21.0	22.0	23.4	19.1	19.4	20.4	21.7
	S/T	0.91	0.87	0.79	0.64	0.94	0.91	0.82	0.66	0.96	0.93	0.84	0.68	0.99	0.96	0.87	0.70	1.00	0.99	0.90	0.73	1.00	1.00	0.91	0.73
	ΔT	28	27	26	22	28	28	26	23	28	28	26	23	28	28	26	23	27	27	26	22	25	26	24	21
	kW	1.57	1.60	1.65	1.69	1.68	1.71	1.76	1.82	1.78	1.81	1.87	1.92	1.86	1.90	1.96	2.02	1.93	1.97	2.03	2.10	2.00	2.04	2.10	2.17
	Amps	5.8	6.0	6.2	6.4	6.3	6.4	6.6	6.9	6.8	7.0	7.2	7.5	7.3	7.5	7.7	8.0	7.7	7.9	8.2	8.5	8.2	8.4	8.7	9.0
	HI PR	212	228	240	251	237	255	270	281	270	291	307	320	308	331	349	365	346	372	393	410	382	411	434	453
	LO PR	106	113	123	131	112	119	130	139	116	124	135	144	122	130	142	151	128	136	149	158	133	141	154	164
	MBh	23.6	24.1	25.2	26.9	23.1	23.5	24.7	26.3	22.5	23.0	24.1	25.7	22.0	22.4	23.5	25.1	20.9	21.3	22.3	23.8	19.4	19.7	20.7	22.0
	S/T	0.94	0.91	0.82	0.66	0.97	0.94	0.85	0.69	1.00	0.96	0.87	0.71	1.00	0.99	0.90	0.73	1.00	1.00	0.93	0.76	1.00	1.00	0.94	0.76
	ΔT	27	27	25	22	28	27	26	22	28	27	26	22	27	27	26	22	26	26	25	22	24	24	24	21
750	kW	1.59	1.62	1.67	1.72	1.70	1.73	1.79	1.84	1.80	1.83	1.89	1.95	1.89	1.92	1.98	2.04	1.96	2.00	2.06	2.12	2.02	2.06	2.13	2.20
	Amps	5.9	6.1	6.3	6.5	6.4	6.5	6.7	7.0	6.9	7.1	7.3	7.6	7.4	7.6	7.8	8.1	7.9	8.0	8.3	8.6	8.3	8.5	8.8	9.1
	HI PR	215	232	245	255	242	260	274	286	275	296	312	326	313	337	356	371	352	379	400	417	389	418	442	461
	LO PR	108	115	125	133	114	121	132	141	118	126	137	146	124	132	144	154	130	139	151	161	135	143	157	167
	MBh	24.5	24.9	26.1	27.9	23.9	24.4	25.5	27.2	23.3	23.8	24.9	26.6	22.8	23.2	24.3	25.9	21.6	22.0	23.1	24.6	20.0	20.4	21.4	22.8
	S/T	1.00	0.96	0.87	0.71	1.00	1.00	0.90	0.73	1.00	1.00	0.92	0.75	1.00	1.00	0.95	0.77	1.00	1.00	0.99	0.80	1.00	1.00	1.00	0.81
	ΔT	25	25	23	20	24	25	23	20	24	24	24	20	23	24	24	20	22	23	23	20	20	21	22	19
	kW	1.61	1.64	1.69	1.74	1.73	1.76	1.81	1.87	1.83	1.86	1.92	1.98	1.91	1.95	2.01	2.08	1.99	2.03	2.09	2.16	2.05	2.10	2.16	2.23
	Amps	6.0	6.2	6.4	6.6	6.5	6.7	6.9	7.1	7.1	7.2	7.5	7.7	7.5	7.7	8.0	8.3	8.0	8.2	8.5	8.8	8.5	8.7	9.0	9.3
	HI PR	220	236	249	260	246	265	280	292	280	302	318	332	319	343	363	378	359	386	408	426	397	427	451	470
	LO PR	110	117	128	136	116	124	135	144	121	128	140	149	127	135	147	157	133	141	154	164	137	146	160	170

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI Rating conditions

Amps = outdoor unit amps (comp.+fan)
kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																								
		65°F				75°F				85°F				95°F				105°F				115°F				
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	
70	875	MBh	25.5	26.4	28.9	-	24.9	25.8	28.2	-	24.3	25.2	27.6	-	23.7	24.6	26.9	-	22.5	23.3	25.6	-	20.8	21.6	23.7	-
		S/T	0.70	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.62	0.43	-	0.77	0.64	0.45	-	0.80	0.67	0.46	-	0.81	0.67	0.47	-
		ΔT	19	16	12	-	19	16	12	-	19	16	13	-	19	17	13	-	19	16	12	-	18	15	12	-
		kW	1.87	1.90	1.96	-	2.00	2.04	2.10	-	2.11	2.15	2.22	-	2.21	2.26	2.32	-	2.30	2.34	2.41	-	2.37	2.42	2.49	-
		Amps	6.8	6.9	7.1	-	7.3	7.5	7.7	-	7.9	8.1	8.4	-	8.5	8.7	9.0	-	9.0	9.2	9.5	-	9.5	9.8	10.1	-
		HI PR	214	230	243	-	240	258	272	-	272	293	310	-	310	334	353	-	349	376	397	-	386	415	438	-
	LO PR	104	110	120	-	109	116	127	-	114	121	132	-	119	127	139	-	125	133	145	-	130	138	150	-	
	1000	MBh	27.6	28.6	31.3	-	26.9	27.9	30.6	-	26.3	27.3	29.9	-	25.7	26.6	29.1	-	24.4	25.3	27.7	-	22.6	23.4	25.6	-
		S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-
		ΔT	18	16	12	-	19	16	12	-	19	16	12	-	19	16	12	-	19	16	12	-	17	15	11	-
kW		1.91	1.95	2.00	-	2.04	2.08	2.14	-	2.16	2.20	2.27	-	2.26	2.31	2.38	-	2.35	2.40	2.47	-	2.43	2.48	2.55	-	
1125	Amps	6.9	7.1	7.3	-	7.5	7.7	7.9	-	8.2	8.3	8.6	-	8.7	8.9	9.2	-	9.3	9.5	9.8	-	9.8	10.1	10.4	-	
	HI PR	220	237	250	-	247	266	281	-	281	302	319	-	320	344	364	-	360	387	409	-	398	428	452	-	
	LO PR	107	114	124	-	113	120	131	-	117	125	136	-	123	131	143	-	129	137	150	-	134	142	155	-	
	MBh	28.4	29.5	32.3	-	27.8	28.8	31.5	-	27.1	28.1	30.8	-	26.4	27.4	30.0	-	25.1	26.0	28.5	-	23.3	24.1	26.4	-	
	S/T	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.84	0.70	0.48	-	0.87	0.73	0.50	-	0.88	0.73	0.51	-	
	ΔT	18	15	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	15	12	-	17	14	11	-	
	kW	1.92	1.96	2.02	-	2.06	2.10	2.16	-	2.18	2.22	2.29	-	2.28	2.33	2.40	-	2.37	2.42	2.49	-	2.45	2.50	2.57	-	
	Amps	7.0	7.2	7.4	-	7.6	7.8	8.0	-	8.2	8.4	8.7	-	8.8	9.0	9.3	-	9.4	9.6	9.9	-	9.9	10.1	10.5	-	
	HI PR	222	239	253	-	249	268	283	-	284	305	322	-	323	348	367	-	364	391	413	-	402	432	456	-	
	LO PR	108	115	125	-	114	121	132	-	118	126	138	-	124	132	145	-	130	139	151	-	135	143	157	-	

75	MBh	25.9	26.7	28.9	31.0	25.3	26.0	28.2	30.3	24.7	25.4	27.5	29.5	24.1	24.8	26.8	28.8	22.9	23.6	25.5	27.4	21.2	21.8	23.6	25.4
	S/T	0.80	0.71	0.54	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.57	0.37	0.88	0.78	0.59	0.38	0.91	0.81	0.62	0.40	0.92	0.82	0.62	0.40
	ΔT	22	20	16	11	22	20	17	11	22	20	17	11	22	20	16	11	22	20	16	11	20	19	15	11
	kW	1.88	1.92	1.97	2.03	2.01	2.05	2.11	2.17	2.13	2.17	2.23	2.30	2.23	2.27	2.34	2.41	2.31	2.36	2.43	2.51	2.39	2.44	2.51	2.59
	Amps	6.8	7.0	7.2	7.5	7.4	7.5	7.8	8.1	8.0	8.2	8.5	8.8	8.5	8.8	9.0	9.4	9.1	9.3	9.6	10.0	9.6	9.9	10.2	10.6
	HI PR	216	232	245	256	242	260	275	287	275	296	313	326	314	337	356	372	353	380	401	418	390	419	443	462
	LO PR	105	111	122	129	111	118	128	137	115	122	133	142	121	128	140	149	127	135	147	156	131	139	152	162
	MBh	28.1	28.9	31.3	33.6	27.4	28.2	30.5	32.8	26.8	27.5	29.8	32.0	26.1	26.9	29.1	31.2	24.8	25.5	27.6	29.7	23.0	23.6	25.6	27.5
	S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41
	ΔT	21	20	16	11	22	20	16	11	22	20	16	11	22	20	16	11	21	20	16	11	20	18	15	10
1125	kW	1.92	1.96	2.02	2.08	2.06	2.10	2.16	2.22	2.18	2.22	2.29	2.36	2.28	2.33	2.40	2.47	2.37	2.42	2.49	2.57	2.45	2.50	2.57	2.66
	Amps	7.0	7.2	7.4	7.7	7.6	7.8	8.0	8.3	8.2	8.4	8.7	9.0	8.8	9.0	9.3	9.7	9.4	9.6	9.9	10.3	9.9	10.2	10.5	10.9
	HI PR	222	239	253	264	250	269	284	296	284	305	322	336	323	348	367	383	364	391	413	431	402	432	457	476
	LO PR	108	115	125	133	114	121	132	141	118	126	138	147	124	132	145	154	130	139	151	161	135	144	157	167
	MBh	28.9	29.8	32.2	34.6	28.2	29.1	31.5	33.8	27.6	28.4	30.7	33.0	26.9	27.7	30.0	32.2	25.5	26.3	28.5	30.5	23.7	24.4	26.4	28.3
	S/T	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.92	0.82	0.62	0.40	0.95	0.85	0.64	0.41	0.99	0.88	0.67	0.43	1.00	0.89	0.67	0.43
	ΔT	20	19	15	11	21	19	16	11	21	19	16	11	21	19	16	11	21	19	16	11	19	18	15	10
	kW	1.94	1.97	2.03	2.09	2.07	2.11	2.18	2.24	2.19	2.24	2.30	2.37	2.30	2.35	2.42	2.49	2.39	2.44	2.51	2.59	2.47	2.52	2.60	2.68
	Amps	7.1	7.2	7.5	7.8	7.6	7.8	8.1	8.4	8.3	8.5	8.8	9.1	8.9	9.1	9.4	9.7	9.4	9.7	10.0	10.4	10.0	10.2	10.6	11.0
	HI PR	225	242	255	266	252	271	286	299	287	308	326	340	326	351	371	387	367	395	417	435	406	437	461	481
	LO PR	109	116	127	135	115	122	134	142	120	127	139	148	126	134	146	155	132	140	153	163	136	145	158	169

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	26.4	26.9	28.8	30.8	25.7	26.3	28.1	30.0	25.1	25.7	27.4	29.3	24.5	25.1	26.8	28.6	23.3	23.8	25.4	27.2	21.6	22.0	23.6	25.2
	S/T	0.88	0.82	0.67	0.5	0.91	0.85	0.69	0.52	0.93	0.87	0.71	0.5	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.6	1.00	0.94	0.77	0.57
	ΔT	24	23	20	16	25	24	20	16	25	24	20	16	25	24	21	16	23	23	20	16	23	22	19	15
	kW	1.90	1.93	1.99	2.0	2.03	2.07	2.13	2.19	2.14	2.19	2.25	2.3	2.25	2.29	2.36	2.43	2.33	2.38	2.45	2.5	2.41	2.46	2.53	2.61
	Amps	6.9	7.0	7.3	7.5	7.4	7.6	7.9	8.2	8.1	8.3	8.5	8.9	8.6	8.8	9.1	9.5	9.2	9.4	9.7	10.1	9.7	10.0	10.3	10.7
	HI PR	218	234	248	258.2	244	263	278	290	278	299	316	329.6	317	341	360	375	356	383	405	422.3	394	424	447	467
	LO PR	106	112	123	130.8	112	119	130	138	116	123	135	143.6	122	130	142	151	128	136	148	158.1	132	141	154	163
	MBh	28.6	29.2	31.2	33.3	27.9	28.5	30.5	32.6	27.2	27.8	29.7	31.8	26.6	27.1	29.0	31.0	25.2	25.8	27.6	29.5	23.4	23.9	25.5	27.3
	S/T	0.91	0.85	0.69	0.5	0.94	0.88	0.72	0.54	0.96	0.90	0.74	0.6	1.00	0.93	0.76	0.57	1.00	0.97	0.79	0.6	1.00	0.98	0.80	0.59
	ΔT	24	23	20	16	24	23	20	16	24	23	20	16	24	23	20	16	23	23	20	16	21	21	19	15
1125	kW	1.94	1.97	2.03	2.1	2.07	2.11	2.18	2.24	2.19	2.24	2.30	2.4	2.30	2.35	2.42	2.49	2.39	2.44	2.51	2.6	2.47	2.52	2.60	2.68
	Amps	7.1	7.2	7.5	7.8	7.6	7.8	8.1	8.4	8.3	8.5	8.8	9.1	8.9	9.1	9.4	9.7	9.4	9.7	10.0	10.4	10.0	10.2	10.6	11.0
	HI PR	225	242	255	266.2	252	271	286	299	287	308	326	339.7	326	351	371	387	367	395	417	435.3	406	437	461	481
	LO PR	109	116	127	134.8	115	123	134	142	120	127	139	148.0	126	134	146	155	132	140	153	163.0	136	145	158	169
	MBh	29.4	30.1	32.1	34.3	28.7	29.4	31.4	33.5	28.0	28.7	30.6	32.7	27.4	28.0	29.9	31.9	26.0	26.6	28.4	30.3	24.1	24.6	26.3	28.1
	S/T	0.95	0.89	0.73	0.5	1.00	0.93	0.75	0.56	1.00	0.95	0.77	0.6	1.00	1.00	0.80	0.60	1.00	1.00	0.83	0.6	1.00	1.00	0.83	0.62
	ΔT	23	22	19	15	23	22	19	15	23	22	19	15	22	23	19	16	21	22	19	15	20	20	18	14
	kW	1.95	1.99	2.05	2.1	2.09	2.13	2.19	2.26	2.21	2.25	2.32	2.4	2.32	2.36	2.44	2.51	2.41	2.46	2.53	2.6	2.48	2.54	2.62	2.70
	Amps	7.1	7.3	7.5	7.8	7.7	7.9	8.2	8.5	8.4	8.6	8.9	9.2	9.0	9.2	9.5	9.8	9.5	9.8	10.1	10.5	10.1	10.3	10.7	11.1
	HI PR	227	244	258	268.9	255	274	289	302	290	312	329	343.1	330	355	375	391	371	399	422	439.7	410	441	466	486
	LO PR	110	117	128	136.2	116	124	135	144	121	129	140	149.5	127	135	147	157	133	142	155	164.6	138	146	160	170

85	MBh	26.8	27.3	28.6	30.5	26.2	26.7	28.0	29.8	25.6	26.1	27.3	29.1	24.9	25.4	26.6	28.4	23.7	24.2	25.3	27.0	22.0	22.4	23.4	25.0
	S/T	0.92	0.89	0.80	0.65	0.95	0.92	0.83	0.67	0.98	0.94	0.85	0.69	1.00	0.97	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.92	0.74
	ΔT	26	25	24	21	26	26	24	21	26	26	24	21	26	26	25	21	25	25	24	21	23	24	23	20
	kW	1.91	1.95	2.00	2.06	2.04	2.08	2.14	2.21	2.16	2.20	2.27	2.34	2.26	2.31	2.38	2.45	2.35	2.40	2.47	2.55	2.43	2.48	2.55	2.63
	Amps	6.9	7.1	7.3	7.6	7.5	7.7	7.9	8.2	8.1	8.3	8.6	8.9	8.7	8.9	9.2	9.6	9.3	9.5	9.8	10.2	9.8	10.1	10.4	10.8
	HI PR	220	237	250	261	247	266	281	293	281	302	319	333	320	344	363	379	360	387	409	426	398	428	452	471
	LO PR	107	114	124	132	113	120	131	140	117	125	136	145	123	131	143	152	129	137	150	160	133	142	155	165
	MBh	29.1	29.6	31.0	33.1	28.4	28.9	30.3	32.3	27.7	28.2	29.6	31.6	27.0	27.6	28.9	30.8	25.7	26.2	27.4	29.2	23.8	24.2	25.4	27.1
	S/T	0.95	0.92	0.83	0.67	0.99	0.95	0.86	0.70	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.77	1.00	1.00	0.95	0.77
	ΔT	25	25	24	20	26	25	24	21	25	25	24	21	25	25	24	21	24	24	24	21	22	22	22	19
1125	kW	1.95	1.99	2.05	2.11	2.09	2.13	2.19	2.26	2.21	2.25	2.32	2.39	2.32	2.36	2.44	2.51	2.41	2.46	2.53	2.61	2.48	2.54	2.62	2.70
	Amps	7.1	7.3	7.5	7.8	7.7	7.9	8.2	8.5	8.4	8.6	8.9	9.2	9.0	9.2	9.5	9.8	9.5	9.8	10.1	10.5	10.1	10.3	10.7	11.1
	HI PR	227	244	258	269	255	274	289	302	290	312	329	343	330	355	375	391	371	399	422	440	410	441	466	486
	LO PR	110	117	128	136	116	124	135	144	121	129	140	150	127	135	147	157	133	142	155	165	138	146	160	170
	MBh	29.9	30.5	31.9	34.1	29.2	29.8	31.2	33.3	28.5	29.1	30.5	32.5	27.8	28.4	29.7	31.7	26.4	27.0	28.2	30.1	24.5	25.0	26.2	27.9
	S/T	1.00	0.96	0.87	0.70	1.00	1.00	0.90	0.73	1.00	1.00	0.92	0.75	1.00	1.00	0.95	0.77	1.00	1.00	0.99	0.80	1.00	1.00	1.00	0.81
	ΔT	24	24	23	20	24	24	23	20	23	24	23	20	23	23	23	20	22	22	23	20	20	20	21	18
	kW	1.97	2.00	2.06	2.12	2.10	2.15	2.21	2.28	2.23	2.27	2.34	2.41	2.33	2.38	2.45	2.53	2.43	2.48	2.55	2.63	2.50	2.56	2.64	2.72
	Amps	7.2	7.4	7.6	7.9	7.8	8.0	8.2	8.5	8.5	8.7	8.9	9.3	9.0	9.3	9.6	9.9	9.6	9.9	10.2	10.6	10.2	10.4	10.8	11.2
	HI PR	229	247	260	272	257	277	292	305	292	315	332	347	333	358	378	395	375	403	426	444	414	445	470	491
	LO PR	111	118	129	138	117	125	136	145	122	130	142	151	128	136	149	159	134	143	156	166	139	148	161	172

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI Rating conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																														
		65°F				75°F				85°F				95°F				105°F				115°F										
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71							
70	MBh	30.6	31.7	34.7	-	29.8	30.9	33.9	-	29.1	30.2	33.1	-	28.4	29.5	32.3	-	27.0	28.0	30.7	-	25.0	25.9	28.4	-							
	S/T	0.71	0.59	0.41	-	0.74	0.62	0.43	-	0.76	0.63	0.44	-	0.78	0.65	0.45	-	0.81	0.68	0.47	-	0.82	0.68	0.47	-							
	ΔT	19	16	13	-	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	18	15	12	-							
	kW	2.23	2.27	2.34	-	2.39	2.44	2.51	-	2.53	2.58	2.66	-	2.65	2.70	2.79	-	2.75	2.81	2.90	-	2.84	2.90	2.99	-							
	Amps	8.1	8.3	8.5	-	8.7	8.9	9.2	-	9.5	9.7	10.0	-	10.1	10.4	10.7	-	10.8	11.1	11.4	-	11.5	11.7	12.1	-							
	HI PR	219	236	249	-	246	265	280	-	280	301	318	-	319	343	362	-	359	386	407	-	396	426	450	-							
	LO PR	103	109	120	-	109	116	126	-	113	120	131	-	119	126	138	-	124	132	144	-	129	137	149	-							
	MBh	33.1	34.3	37.6	-	32.3	33.5	36.7	-	31.6	32.7	35.8	-	30.8	31.9	35.0	-	29.3	30.3	33.2	-	27.1	28.1	30.8	-							
	S/T	0.74	0.62	0.43	-	0.76	0.64	0.44	-	0.78	0.65	0.45	-	0.81	0.68	0.47	-	0.84	0.70	0.49	-	0.85	0.71	0.49	-							
	ΔT	19	16	12	-	19	16	12	-	19	16	12	-	19	17	13	-	19	16	12	-	18	15	12	-							
	kW	2.28	2.33	2.39	-	2.44	2.49	2.57	-	2.59	2.64	2.72	-	2.71	2.77	2.85	-	2.82	2.88	2.97	-	2.91	2.97	3.07	-							
	75	Amps	8.3	8.5	8.8	-	9.0	9.2	9.5	-	9.8	10.0	10.3	-	10.4	10.7	11.1	-	11.1	11.4	11.8	-	11.8	12.1	12.5	-						
HI PR		226	243	257	-	254	273	288	-	288	310	328	-	329	354	373	-	370	398	420	-	408	440	464	-							
LO PR		106	113	123	-	112	119	130	-	116	124	135	-	122	130	142	-	128	136	149	-	133	141	154	-							
MBh		34.1	35.3	38.7	-	33.3	34.5	37.8	-	32.5	33.7	36.9	-	31.7	32.9	36.0	-	30.1	31.2	34.2	-	27.9	28.9	31.7	-							
S/T		0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-							
ΔT		18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-							
kW		2.30	2.34	2.41	-	2.46	2.51	2.59	-	2.61	2.66	2.74	-	2.73	2.79	2.88	-	2.84	2.90	2.99	-	2.94	3.00	3.09	-							
Amps		8.4	8.6	8.9	-	9.1	9.3	9.6	-	9.9	10.1	10.4	-	10.5	10.8	11.2	-	11.2	11.5	11.9	-	11.9	12.2	12.6	-							
HI PR		228	246	259	-	256	276	291	-	291	314	331	-	332	357	377	-	373	402	424	-	413	444	469	-							
LO PR		107	114	124	-	113	120	131	-	118	125	137	-	124	131	144	-	130	138	150	-	134	143	156	-							
1050		MBh	31.1	32.0	34.6	37.2	30.4	31.3	33.8	36.3	29.6	30.5	33.0	35.4	28.9	29.8	32.2	34.6	27.5	28.3	30.6	32.8	25.4	26.2	28.4	30.4						
		S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.89	0.79	0.60	0.39	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40						
	ΔT	22	20	17	11	22	21	17	12	22	21	17	12	22	21	17	12	22	20	17	12	21	19	16	11							
	kW	2.25	2.29	2.36	2.43	2.41	2.45	2.53	2.60	2.55	2.60	2.68	2.76	2.67	2.73	2.81	2.90	2.78	2.83	2.92	3.01	2.87	2.93	3.02	3.11							
	Amps	8.1	8.3	8.6	8.9	8.8	9.0	9.3	9.7	9.6	9.8	10.1	10.5	10.2	10.5	10.9	11.3	10.9	11.2	11.6	12.0	11.6	11.9	12.3	12.7							
	HI PR	222	238	252	263	249	267	282	295	283	304	321	335	322	346	366	382	362	390	412	429	400	431	455	474							
	LO PR	104	111	121	129	110	117	128	136	114	121	133	141	120	128	139	148	126	134	146	155	130	138	151	161							
	MBh	33.7	34.7	37.5	40.3	32.9	33.9	36.6	39.3	32.1	33.1	35.8	38.4	31.3	32.2	34.9	37.5	29.8	30.6	33.2	35.6	27.6	28.4	30.7	33.0							
	S/T	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.89	0.80	0.60	0.39	0.92	0.82	0.62	0.40	0.95	0.85	0.65	0.42	0.96	0.86	0.65	0.42							
	ΔT	22	20	16	11	22	20	17	11	22	20	17	11	22	20	17	11	22	20	16	11	20	19	15	11							
	kW	2.30	2.34	2.41	2.48	2.46	2.51	2.59	2.67	2.61	2.66	2.74	2.83	2.73	2.79	2.88	2.97	2.84	2.90	2.99	3.09	2.94	3.00	3.09	3.19							
	1200	Amps	8.4	8.6	8.9	9.2	9.1	9.3	9.6	10.0	9.9	10.1	10.4	10.8	10.5	10.8	11.2	11.6	11.2	11.5	11.9	12.3	11.9	12.2	12.6	13.1						
HI PR		228	246	260	271	256	276	291	304	291	314	331	345	332	357	377	393	373	402	424	443	413	444	469	489							
LO PR		107	114	124	133	113	120	131	140	118	125	137	146	124	131	144	153	130	138	150	160	134	143	156	166							
MBh		34.7	35.7	38.6	41.5	33.9	34.9	37.7	40.5	33.1	34.0	36.9	39.6	32.3	33.2	36.0	38.6	30.6	31.6	34.2	36.7	28.4	29.2	31.6	34.0							
S/T		0.88	0.79	0.60	0.38	0.91	0.81	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44							
ΔT		21	19	16	11	21	19	16	11	21	19	16	11	21	20	16	11	21	19	16	11	19	18	15	10							
kW		2.32	2.36	2.43	2.50	2.48	2.53	2.61	2.69	2.63	2.68	2.76	2.85	2.76	2.81	2.90	2.99	2.86	2.93	3.02	3.11	2.96	3.02	3.12	3.22							
Amps		8.5	8.7	8.9	9.3	9.1	9.4	9.7	10.0	9.9	10.2	10.5	10.9	10.6	10.9	11.3	11.7	11.3	11.6	12.0	12.5	12.0	12.3	12.7	13.2							
HI PR		231	248	262	273	259	279	294	307	294	317	334	349	335	361	381	397	377	406	429	447	417	448	474	494							
LO PR		108	115	126	134	114	122	133	141	119	126	138	147	125	133	145	154	131	139	152	162	135	144	157	167							
DB = Entering Indoor Dry Bulb Temperature High and low pressures are measured at the liquid and suction service valves.																								Shaded area reflects ACCA (TVA) conditions				Amps = outdoor unit amps (comp.+fan) kW = Total system power				

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																								
		65°F				75°F				85°F				95°F				105°F				115°F				
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	
80	1050	MBh	31.6	32.3	34.5	36.9	30.9	31.6	33.7	36.1	30.2	30.8	32.9	35.2	29.4	30.1	32.1	34.3	28.0	28.6	30.5	32.6	25.9	26.5	28.3	30.2
		S/T	0.89	0.83	0.68	0.51	0.92	0.86	0.70	0.52	0.94	0.88	0.72	0.54	0.97	0.91	0.74	0.55	1.01	0.95	0.77	0.58	1.02	0.95	0.78	0.58
		ΔT	25	24	20	16	25	24	21	17	25	24	21	17	25	24	21	17	25	24	21	16	23	22	19	15
		kW	2.26	2.31	2.38	2.45	2.42	2.47	2.55	2.62	2.57	2.62	2.70	2.78	2.69	2.75	2.83	2.92	2.80	2.86	2.94	3.04	2.89	2.95	3.04	3.14
		Amps	8.2	8.4	8.7	9.0	8.9	9.1	9.4	9.8	9.7	9.9	10.2	10.6	10.3	10.6	11.0	11.4	11.0	11.3	11.7	12.1	11.7	12.0	12.4	12.8
		Hi PR	224	241	254	265	251	270	285	298	286	307	324	338	325	350	370	385	366	394	416	434	404	435	459	479
		Lo PR	105	112	122	130	111	118	129	137	115	123	134	143	121	129	141	150	127	135	147	157	131	140	152	162
		MBh	34.3	35.0	37.4	40.0	33.5	34.2	36.5	39.1	32.7	33.4	35.7	38.1	31.9	32.6	34.8	37.2	30.3	30.9	33.1	35.3	28.1	28.7	30.6	32.7
		S/T	0.92	0.86	0.70	0.52	0.95	0.89	0.73	0.54	0.98	0.92	0.75	0.56	1.00	0.95	0.77	0.58	1.00	0.98	0.80	0.60	1.00	0.99	0.81	0.60
		ΔT	24	23	20	16	24	23	20	16	24	23	20	16	24	24	21	16	23	23	20	16	21	22	19	15
1200	kW	2.32	2.36	2.43	2.50	2.48	2.53	2.61	2.69	2.63	2.68	2.76	2.85	2.76	2.81	2.90	2.99	2.87	2.93	3.02	3.11	2.96	3.02	3.12	3.22	
	Amps	8.5	8.7	8.9	9.3	9.1	9.4	9.7	10.0	9.9	10.2	10.5	10.9	10.6	10.9	11.3	11.7	11.3	11.6	12.0	12.5	12.0	12.3	12.7	13.2	
	Hi PR	231	248	262	273	259	279	294	307	294	317	335	349	335	361	381	397	377	406	429	447	417	448	474	494	
	Lo PR	108	115	126	134	114	122	133	141	119	126	138	147	125	133	145	154	131	139	152	162	135	144	157	167	
	MBh	35.3	36.1	38.5	41.2	34.5	35.2	37.6	40.2	33.7	34.4	36.7	39.3	32.8	33.5	35.8	38.3	31.2	31.9	34.1	36.4	28.9	29.5	31.5	33.7	
	S/T	0.96	0.90	0.74	0.55	1.00	0.94	0.76	0.57	1.00	0.96	0.78	0.58	1.00	1.00	0.81	0.60	1.00	1.00	0.84	0.63	1.00	1.00	0.84	0.63	
	ΔT	23	22	19	15	23	22	20	16	23	23	20	16	22	23	20	16	21	22	19	16	20	20	18	15	
	kW	2.33	2.38	2.45	2.52	2.50	2.55	2.63	2.71	2.65	2.70	2.78	2.87	2.78	2.84	2.92	3.02	2.89	2.95	3.04	3.14	2.98	3.05	3.14	3.24	
	Amps	8.5	8.7	9.0	9.4	9.2	9.5	9.8	10.1	10.0	10.3	10.6	11.0	10.7	11.0	11.4	11.8	11.4	11.7	12.1	12.6	12.1	12.4	12.8	13.3	
	Hi PR	233	251	265	276	261	281	297	310	297	320	338	352	339	364	385	401	381	410	433	452	421	453	478	499	
Lo PR	109	116	127	135	116	123	134	143	120	128	139	148	126	134	146	156	132	141	153	163	137	145	159	169		
85	1050	MBh	32.2	32.8	34.4	36.7	31.4	32.0	33.6	35.8	30.7	31.3	32.8	34.9	29.9	30.5	32.0	34.1	28.4	29.0	30.4	32.4	26.3	26.9	28.1	30.0
		S/T	0.93	0.90	0.81	0.66	0.96	0.93	0.84	0.68	0.99	0.95	0.86	0.70	1.00	0.98	0.89	0.72	1.00	1.00	0.92	0.75	1.00	1.00	0.93	0.75
		ΔT	26	26	24	21	27	26	25	21	27	26	25	21	26	26	25	22	25	25	25	21	23	24	23	20
		kW	2.28	2.33	2.39	2.46	2.44	2.49	2.57	2.64	2.59	2.64	2.72	2.80	2.71	2.77	2.85	2.94	2.82	2.88	2.97	3.06	2.91	2.97	3.07	3.16
		Amps	8.3	8.5	8.8	9.1	9.0	9.2	9.5	9.9	9.8	10.0	10.3	10.7	10.4	10.7	11.1	11.5	11.1	11.4	11.8	12.2	11.8	12.1	12.5	13.0
		Hi PR	226	243	257	268	254	273	288	301	288	310	328	342	328	353	373	389	370	398	420	438	408	439	464	484
		Lo PR	106	113	123	131	112	119	130	139	116	124	135	144	122	130	142	151	128	136	149	159	133	141	154	164
	1200	MBh	34.9	35.5	37.2	39.7	34.1	34.7	36.4	38.8	33.2	33.9	35.5	37.9	32.4	33.1	34.6	36.9	30.8	31.4	32.9	35.1	28.5	29.1	30.5	32.5
		S/T	0.96	0.93	0.84	0.68	1.00	0.96	0.87	0.71	1.00	0.99	0.89	0.72	1.00	1.00	0.92	0.75	1.00	1.00	0.96	0.78	1.00	1.00	0.96	0.78
		ΔT	26	25	24	21	26	26	24	21	25	26	24	21	25	25	24	21	24	24	24	21	22	22	22	19
		kW	2.33	2.38	2.45	2.52	2.50	2.55	2.63	2.71	2.65	2.70	2.78	2.87	2.78	2.84	2.92	3.02	2.89	2.95	3.04	3.14	2.98	3.05	3.14	3.24
		Amps	8.5	8.7	9.0	9.4	9.2	9.5	9.8	10.1	10.0	10.3	10.6	11.0	10.7	11.0	11.4	11.8	11.4	11.7	12.1	12.6	12.1	12.4	12.8	13.3
		Hi PR	233	251	265	276	261	281	297	310	297	320	338	352	339	364	385	401	381	410	433	452	421	453	478	499
		Lo PR	109	116	127	135	116	123	134	143	120	128	139	148	126	134	146	156	132	141	153	163	137	145	159	169
1350	MBh	35.9	36.6	38.3	40.9	35.1	35.8	37.4	40.0	34.2	34.9	36.6	39.0	33.4	34.1	35.7	38.0	31.7	32.4	33.9	36.1	29.4	30.0	31.4	33.5	
	S/T	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.76	1.00	1.00	0.97	0.78	1.00	1.00	1.00	0.81	1.00	1.00	1.00	0.82	
	ΔT	24	24	23	20	24	24	23	20	23	24	23	20	23	23	23	20	22	22	23	20	20	20	21	19	
	kW	2.35	2.40	2.47	2.54	2.52	2.57	2.65	2.73	2.67	2.72	2.81	2.89	2.80	2.86	2.95	3.04	2.91	2.97	3.07	3.16	3.01	3.07	3.17	3.27	
	Amps	8.6	8.8	9.1	9.5	9.3	9.5	9.9	10.2	10.1	10.4	10.7	11.1	10.8	11.1	11.5	11.9	11.5	11.8	12.2	12.7	12.2	12.5	13.0	13.5	
	Hi PR	235	253	267	279	264	284	300	313	300	323	341	356	342	368	389	405	385	414	437	456	425	457	483	504	
	Lo PR	110	117	128	137	117	124	135	144	121	129	141	150	127	135	148	158	133	142	155	165	138	147	160	171	

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
70	MBh	36.9	38.2	41.9	-	36.0	37.3	40.9	-	35.2	36.4	39.9	-	34.3	35.6	39.0	-	32.6	33.8	37.0	-	30.2	31.3	34.3	-
	S/T	0.70	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.62	0.43	-	0.77	0.64	0.45	-	0.80	0.67	0.46	-	0.81	0.67	0.47	-
	ΔT	19	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	18	16	12	-
	kW	2.70	2.76	2.83	-	2.89	2.95	3.03	-	3.06	3.12	3.21	-	3.20	3.27	3.37	-	3.33	3.39	3.50	-	3.43	3.50	3.61	-
	Amps	9.9	10.1	10.4	-	10.7	10.9	11.3	-	11.6	11.8	12.2	-	12.3	12.6	13.1	-	13.1	13.4	13.9	-	13.9	14.2	14.7	-
	HI PR	220	237	250	-	247	265	280	-	281	302	319	-	320	344	363	-	359	387	409	-	397	427	451	-
	LO PR	102	109	119	-	108	115	125	-	112	119	130	-	118	125	137	-	124	131	143	-	128	136	148	-
	MBh	40.0	41.4	45.4	-	39.0	40.5	44.3	-	38.1	39.5	43.3	-	37.2	38.5	42.2	-	35.3	36.6	40.1	-	32.7	33.9	37.1	-
	S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-
	ΔT	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	18	16	12	-
1400	kW	2.76	2.82	2.90	-	2.96	3.02	3.10	-	3.13	3.19	3.29	-	3.28	3.34	3.45	-	3.40	3.48	3.58	-	3.51	3.59	3.70	-
	Amps	10.1	10.4	10.7	-	10.9	11.2	11.6	-	11.9	12.2	12.6	-	12.7	13.0	13.4	-	13.5	13.8	14.3	-	14.3	14.6	15.1	-
	HI PR	227	244	258	-	254	274	289	-	289	311	329	-	329	355	374	-	371	399	421	-	409	441	465	-
	LO PR	105	112	122	-	111	118	129	-	116	123	134	-	122	129	141	-	127	135	148	-	132	140	153	-
	MBh	41.2	42.7	46.7	-	40.2	41.7	45.7	-	39.2	40.7	44.6	-	38.3	39.7	43.5	-	36.4	37.7	41.3	-	33.7	34.9	38.3	-
	S/T	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.84	0.70	0.48	-	0.87	0.73	0.50	-	0.88	0.73	0.51	-
	ΔT	18	16	12	-	19	16	12	-	19	16	12	-	19	16	12	-	18	16	12	-	17	15	11	-
	kW	2.78	2.84	2.92	-	2.98	3.04	3.13	-	3.15	3.21	3.31	-	3.30	3.37	3.47	-	3.43	3.50	3.61	-	3.54	3.62	3.73	-
	Amps	10.2	10.5	10.8	-	11.0	11.3	11.7	-	12.0	12.3	12.7	-	12.8	13.1	13.6	-	13.6	14.0	14.4	-	14.4	14.8	15.3	-
	HI PR	229	246	260	-	257	276	292	-	292	314	332	-	333	358	378	-	374	403	425	-	414	445	470	-
LO PR	106	113	124	-	112	120	131	-	117	124	136	-	123	131	143	-	129	137	149	-	133	142	155	-	
75	MBh	37.5	38.6	41.8	44.9	36.6	37.7	40.8	43.8	35.8	36.8	39.9	42.8	34.9	35.9	38.9	41.7	33.1	34.1	36.9	39.6	30.7	31.6	34.2	36.7
	S/T	0.80	0.71	0.54	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.57	0.37	0.88	0.78	0.59	0.38	0.91	0.81	0.62	0.40	0.92	0.82	0.62	0.40
	ΔT	22	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	21	19	16	11
	kW	2.72	2.78	2.86	2.94	2.91	2.97	3.06	3.15	3.08	3.14	3.23	3.33	3.23	3.29	3.39	3.50	3.35	3.42	3.53	3.64	3.46	3.53	3.64	3.76
	Amps	10.0	10.2	10.5	10.9	10.8	11.0	11.4	11.8	11.7	11.9	12.3	12.8	12.5	12.8	13.2	13.7	13.3	13.6	14.0	14.6	14.0	14.4	14.9	15.4
	HI PR	222	239	252	263	249	268	283	295	283	305	322	336	323	347	367	383	363	391	413	430	401	432	456	476
	LO PR	103	110	120	128	109	116	127	135	113	121	132	140	119	127	138	147	125	133	145	154	129	137	150	160
	MBh	40.6	41.8	45.3	48.6	39.7	40.9	44.2	47.5	38.7	39.9	43.2	46.3	37.8	38.9	42.1	45.2	35.9	37.0	40.0	43.0	33.3	34.2	37.1	39.8
	S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41
	ΔT	22	20	17	12	22	21	17	12	22	21	17	12	23	21	17	12	22	20	17	12	21	19	16	11
1400	kW	2.78	2.84	2.92	3.01	2.98	3.04	3.13	3.22	3.15	3.21	3.31	3.41	3.30	3.37	3.47	3.58	3.43	3.50	3.61	3.72	3.54	3.62	3.73	3.85
	Amps	10.2	10.5	10.8	11.2	11.0	11.3	11.7	12.1	12.0	12.3	12.7	13.2	12.8	13.1	13.6	14.1	13.6	14.0	14.4	15.0	14.4	14.8	15.3	15.9
	HI PR	229	246	260	271	257	276	292	305	292	314	332	346	333	358	378	394	374	403	425	444	414	445	470	490
	LO PR	106	113	124	132	112	120	131	139	117	124	136	145	123	131	143	152	129	137	149	159	133	142	155	165
	MBh	41.9	43.1	46.6	50.1	40.9	42.1	45.6	48.9	39.9	41.1	44.5	47.7	38.9	40.1	43.4	46.6	37.0	38.1	41.2	44.2	34.3	35.3	38.2	41.0
	S/T	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.92	0.82	0.62	0.40	0.95	0.85	0.64	0.41	0.99	0.88	0.67	0.43	1.00	0.89	0.67	0.43
	ΔT	21	20	16	11	21	20	16	11	21	20	16	11	22	20	16	11	21	20	16	11	20	18	15	10
	kW	2.80	2.86	2.94	3.03	3.00	3.06	3.15	3.25	3.17	3.24	3.34	3.44	3.33	3.40	3.50	3.61	3.46	3.53	3.64	3.75	3.57	3.65	3.76	3.88
	Amps	10.3	10.6	10.9	11.3	11.1	11.4	11.8	12.2	12.1	12.4	12.8	13.3	12.9	13.2	13.7	14.2	13.8	14.1	14.6	15.1	14.6	14.9	15.4	16.0
	HI PR	231	249	263	274	259	279	295	308	295	318	335	350	336	362	382	398	378	407	430	448	418	450	475	495
LO PR	107	114	125	133	114	121	132	140	118	126	137	146	124	132	144	153	130	138	151	161	134	143	156	166	

DB = Entering Indoor Dry Bulb Temperature
High and low pressures are measured at the liquid and suction service valves.

Amps = outdoor unit amps (comp.+fan)
kW = Total system power

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	38.2	39.0	41.7	44.5	37.3	38.1	40.7	43.5	36.4	37.2	39.7	42.5	35.5	36.3	38.8	41.4	33.7	34.5	36.8	39.4	31.2	31.9	34.1	36.5
	S/T	0.88	0.82	0.67	0.5	0.91	0.85	0.69	0.52	0.93	0.87	0.71	0.5	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.6	1.00	0.94	0.77	0.57
	ΔT	25	24	21	17	25	24	21	17	25	24	21	17	26	25	21	17	25	24	21	17	24	23	20	16
	kW	2.74	2.80	2.88	3.0	2.93	2.99	3.08	3.17	3.10	3.17	3.26	3.4	3.25	3.32	3.42	3.52	3.38	3.45	3.55	3.7	3.49	3.56	3.67	3.79
	Amps	10.0	10.3	10.6	11.0	10.8	11.1	11.5	11.9	11.8	12.1	12.5	12.9	12.6	12.9	13.3	13.8	13.4	13.7	14.2	14.7	14.2	14.5	15.0	15.6
	Hi PR	224	241	255	265.9	252	271	286	298	286	308	325	339.3	326	351	371	386	367	395	417	434.8	405	436	461	480
	LO PR	104	111	121	129.0	110	117	128	136	114	122	133	141.6	120	128	140	149	126	134	146	155.9	130	139	151	161
	MBh	41.4	42.3	45.2	48.3	40.4	41.3	44.1	47.1	39.4	40.3	43.1	46.0	38.5	39.3	42.0	44.9	36.5	37.3	39.9	42.7	33.9	34.6	37.0	39.5
	S/T	0.91	0.85	0.69	0.5	0.94	0.88	0.72	0.54	0.96	0.90	0.74	0.6	1.00	0.93	0.76	0.57	1.00	0.97	0.79	0.6	1.00	0.98	0.80	0.59
	ΔT	25	24	21	16	25	24	21	17	25	24	21	17	25	24	21	17	24	24	21	17	22	22	19	15
85	kW	2.80	2.86	2.94	3.0	3.00	3.06	3.15	3.25	3.18	3.24	3.34	3.4	3.33	3.40	3.50	3.61	3.46	3.53	3.64	3.8	3.57	3.65	3.76	3.88
	Amps	10.3	10.6	10.9	11.3	11.1	11.4	11.8	12.2	12.1	12.4	12.8	13.3	12.9	13.2	13.7	14.2	13.8	14.1	14.6	15.1	14.6	14.9	15.4	16.0
	Hi PR	231	249	263	274.1	260	279	295	308	295	318	335	349.8	336	362	382	398	378	407	430	448.2	418	450	475	495
	LO PR	107	114	125	133.0	114	121	132	140	118	126	137	146.0	124	132	144	153	130	138	151	160.7	134	143	156	166
	MBh	42.6	43.5	46.5	49.7	41.6	42.5	45.4	48.6	40.6	41.5	44.3	47.4	39.6	40.5	43.3	46.2	37.6	38.5	41.1	43.9	34.9	35.6	38.1	40.7
	S/T	0.95	0.89	0.73	0.5	1.00	0.93	0.75	0.56	1.00	0.95	0.77	0.6	1.00	1.00	0.80	0.60	1.00	1.00	0.83	0.6	1.00	1.00	0.83	0.62
	ΔT	24	23	20	16	24	23	20	16	24	23	20	16	23	24	20	16	22	22	20	16	20	21	19	15
	kW	2.82	2.88	2.96	3.1	3.02	3.08	3.17	3.27	3.20	3.26	3.36	3.5	3.35	3.42	3.53	3.64	3.49	3.56	3.67	3.8	3.60	3.67	3.79	3.91
	Amps	10.4	10.7	11.0	11.4	11.2	11.5	11.9	12.3	12.2	12.5	12.9	13.4	13.0	13.4	13.8	14.3	13.9	14.2	14.7	15.2	14.7	15.1	15.6	16.2
	Hi PR	234	251	265	276.9	262	282	298	311	298	321	339	353.3	340	365	386	402	382	411	434	452.7	422	454	480	500
LO PR	109	116	126	134.3	115	122	133	142	119	127	138	147.5	125	133	145	155	131	140	152	162.3	136	144	158	168	

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI Rating conditions

Amps = outdoor unit amps (comp.+fan)
kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71				
70	MBh	42.6	44.2	48.4	-	41.6	43.2	47.3	-	40.7	42.1	46.2	-	39.7	41.1	45.0	-	37.7	39.1	42.8	-	34.9	36.2	39.6	-	34.9	36.2	39.6	-	34.9	36.2	39.6	-				
	S/T	0.70	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.62	0.43	-	0.77	0.64	0.45	-	0.80	0.67	0.46	-	0.81	0.67	0.47	-	0.81	0.67	0.47	-	0.81	0.67	0.47	-				
	ΔT	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	18	16	12	-	18	16	12	-	18	16	12	-				
	kW	2.95	3.01	3.09	-	3.16	3.22	3.32	-	3.34	3.41	3.51	-	3.50	3.57	3.68	-	3.64	3.71	3.83	-	3.76	3.84	3.95	-	3.76	3.84	3.95	-	3.76	3.84	3.95	-				
	Amps	10.8	11.0	11.4	-	11.7	11.9	12.3	-	12.7	13.0	13.4	-	13.5	13.9	14.3	-	14.4	14.7	15.2	-	15.3	15.6	16.2	-	15.3	15.6	16.2	-	15.3	15.6	16.2	-				
	HI PR	221	238	251	-	248	267	282	-	282	304	321	-	321	346	365	-	361	389	411	-	399	430	454	-	399	430	454	-	399	430	454	-				
	LO PR	105	112	122	-	111	118	129	-	115	123	134	-	121	129	141	-	127	135	147	-	131	140	152	-	131	140	152	-	131	140	152	-				
	MBh	43.3	44.9	49.2	-	42.3	43.8	48.0	-	41.3	42.8	46.9	-	40.3	41.7	45.7	-	38.3	39.6	43.4	-	35.4	36.7	40.2	-	35.4	36.7	40.2	-	35.4	36.7	40.2	-				
	S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-	0.84	0.70	0.48	-	0.84	0.70	0.48	-				
	ΔT	19	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	19	17	13	-	18	16	12	-	18	16	12	-	18	16	12	-				
	kW	2.99	3.05	3.13	-	3.20	3.26	3.36	-	3.38	3.45	3.56	-	3.55	3.62	3.73	-	3.69	3.76	3.88	-	3.81	3.89	4.01	-	3.81	3.89	4.01	-	3.81	3.89	4.01	-				
	Amps	11.0	11.2	11.6	-	11.8	12.1	12.5	-	12.9	13.2	13.6	-	13.7	14.1	14.5	-	14.6	15.0	15.5	-	15.5	15.9	16.4	-	15.5	15.9	16.4	-	15.5	15.9	16.4	-				
	HI PR	225	242	256	-	252	272	287	-	287	309	326	-	327	352	371	-	368	396	418	-	406	437	462	-	406	437	462	-	406	437	462	-				
	LO PR	107	114	124	-	113	120	131	-	117	125	136	-	123	131	143	-	129	137	150	-	134	142	155	-	134	142	155	-	134	142	155	-				
	MBh	44.8	46.4	50.9	-	43.8	45.4	49.7	-	42.7	44.3	48.5	-	41.7	43.2	47.3	-	39.6	41.0	45.0	-	36.7	38.0	41.6	-	36.7	38.0	41.6	-	36.7	38.0	41.6	-				
	S/T	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-	0.89	0.74	0.51	-	0.89	0.74	0.51	-				
	ΔT	18	15	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	15	12	-	17	14	11	-	17	14	11	-	17	14	11	-				
	kW	3.03	3.09	3.18	-	3.25	3.31	3.41	-	3.44	3.51	3.61	-	3.60	3.68	3.79	-	3.75	3.82	3.94	-	3.87	3.95	4.07	-	3.87	3.95	4.07	-	3.87	3.95	4.07	-				
	Amps	11.2	11.4	11.8	-	12.1	12.3	12.8	-	13.1	13.4	13.9	-	14.0	14.3	14.8	-	14.9	15.3	15.8	-	15.8	16.2	16.7	-	15.8	16.2	16.7	-	15.8	16.2	16.7	-				
	HI PR	229	247	261	-	257	277	292	-	293	315	333	-	333	359	379	-	375	404	426	-	414	446	471	-	414	446	471	-	414	446	471	-				
LO PR	109	116	127	-	115	122	134	-	120	127	139	-	126	134	146	-	132	140	153	-	136	145	158	-	136	145	158	-	136	145	158	-					
	MBh	43.4	44.6	48.3	51.9	42.4	43.6	47.2	50.7	41.3	42.6	46.1	49.5	40.3	41.5	45.0	48.2	38.3	39.5	42.7	45.8	35.5	36.5	39.6	42.5	35.5	36.5	39.6	42.5	35.5	36.5	39.6	42.5				
	S/T	0.80	0.71	0.54	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.57	0.37	0.88	0.78	0.59	0.38	0.91	0.81	0.62	0.40	0.92	0.82	0.62	0.40	0.92	0.82	0.62	0.40	0.92	0.82	0.62	0.40				
	ΔT	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	21	20	16	11	21	20	16	11	21	20	16	11				
	kW	2.97	3.03	3.12	3.21	3.18	3.25	3.34	3.44	3.37	3.43	3.54	3.65	3.53	3.60	3.71	3.83	3.67	3.74	3.86	3.98	3.79	3.87	3.99	4.11	3.79	3.87	3.99	4.11	3.79	3.87	3.99	4.11				
	Amps	10.9	11.2	11.5	11.9	11.8	12.0	12.4	12.9	12.8	13.1	13.5	14.0	13.7	14.0	14.5	15.0	14.5	14.9	15.4	16.0	15.4	15.8	16.3	16.9	15.4	15.8	16.3	16.9	15.4	15.8	16.3	16.9				
	HI PR	223	240	254	265	251	270	285	297	285	307	324	338	325	349	369	385	365	393	415	433	403	434	458	478	403	434	458	478	403	434	458	478				
	LO PR	106	113	123	131	112	119	130	139	116	124	135	144	122	130	142	151	128	136	149	159	133	141	154	164	133	141	154	164	133	141	154	164				
	MBh	44.0	45.3	49.1	52.7	43.0	44.3	47.9	51.4	42.0	43.2	46.8	50.2	41.0	42.2	45.6	49.0	38.9	40.1	43.4	46.5	36.0	37.1	40.2	43.1	36.0	37.1	40.2	43.1	36.0	37.1	40.2	43.1				
	S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41	0.95	0.85	0.64	0.41	0.95	0.85	0.64	0.41				
	ΔT	22	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	22	21	17	12	21	19	16	11	21	19	16	11	21	19	16	11				
	kW	3.01	3.07	3.16	3.25	3.22	3.29	3.38	3.49	3.41	3.48	3.59	3.70	3.58	3.65	3.76	3.88	3.72	3.79	3.91	4.04	3.84	3.92	4.04	4.17	3.84	3.92	4.04	4.17	3.84	3.92	4.04	4.17				
	Amps	11.1	11.3	11.7	12.1	12.0	12.2	12.6	13.1	13.0	13.3	13.7	14.3	13.9	14.2	14.7	15.2	14.8	15.1	15.6	16.2	15.6	16.0	16.6	17.2	15.6	16.0	16.6	17.2	15.6	16.0	16.6	17.2				
	HI PR	227	244	258	269	255	274	290	302	290	312	329	344	330	355	375	391	371	400	422	440	410	442	466	486	410	442	466	486	410	442	466	486				
	LO PR	108	115	125	133	114	121	132	141	118	126	138	147	124	132	145	154	130	139	151	161	135	144	157	167	135	144	157	167	135	144	157	167				
	MBh	45.6	46.9	50.8	54.5	44.5	45.8	49.6	53.2	43.4	44.7	48.4	52.0	42.4	43.6	47.2	50.7	40.3	41.5	44.9	48.2	37.3	38.4	41.6	44.6	37.3	38.4	41.6	44.6	37.3	38.4	41.6	44.6				
	S/T	0.88	0.79	0.60	0.38	0.91	0.82	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44				
	ΔT	20	19	15	11	21	19	16	11	21	19	16	11	21	19	16	11	21	19	16	11	19	18	15	10	19	18	15	10	19	18	15	10				
	kW	3.05	3.11	3.20	3.30	3.27	3.34	3.44	3.54	3.46	3.53	3.64	3.75	3.63	3.71	3.82	3.94	3.78	3.85	3.97	4.10	3.90	3.98	4.11	4.24	3.90	3.98	4.11	4.24	3.90	3.98	4.11	4.24				
	Amps	11.3	11.5	11.9	12.3	12.2	12.5	12.9	13.4	13.2	13.5	14.0	14.5	14.1	14.5	15.0	15.5																				

www.amana-hac.com

15

DB = Entering Indoor Dry Bulb Temperature
 Shaded area reflects AHRI Rating conditions
 Amps = outdoor unit amps (comp.+fan)
 kW = Total system power

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																							
				65°F				75°F				85°F				95°F				105°F				115°F			
				ENTERING INDOOR WET BULB TEMPERATURE																							
				59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
70	1750	Mbh	51.9	53.8	58.9	-	50.7	52.5	57.6	-	49.5	51.3	56.2	-	48.3	50.0	54.8	-	45.9	47.5	52.1	-	42.5	44.0	48.2	-	
		S/T	0.74	0.62	0.43	-	0.77	0.64	0.45	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.85	0.71	0.49	-	0.85	0.71	0.49	-	
		ΔT	20	18	13	-	20	18	13	-	21	18	14	-	21	18	14	-	20	18	13	-	19	16	12	-	
		kW	3.55	3.62	3.73	-	3.80	3.88	3.99	-	4.03	4.11	4.23	-	4.22	4.31	4.44	-	4.39	4.48	4.62	-	4.53	4.63	4.77	-	
		Amps	13.2	13.5	14.0	-	14.3	14.6	15.1	-	15.5	15.9	16.4	-	16.6	17.0	17.5	-	17.6	18.0	18.6	-	18.6	19.1	19.7	-	
	1625	HI PR	217	233	246	-	243	262	276	-	276	297	314	-	315	339	358	-	354	381	403	-	391	421	445	-	
		LO PR	103	109	119	-	109	115	126	-	113	120	131	-	118	126	138	-	124	132	144	-	128	137	149	-	
		Mbh	51.4	53.2	58.3	-	50.2	52.0	57.0	-	49.0	50.8	55.6	-	47.8	49.5	54.3	-	45.4	47.1	51.6	-	42.1	43.6	47.8	-	
		S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-	
		ΔT	21	18	14	-	21	19	14	-	21	19	14	-	22	19	14	-	21	18	14	-	20	17	13	-	
2250	kW	3.55	3.61	3.72	-	3.80	3.87	3.99	-	4.02	4.10	4.22	-	4.21	4.30	4.43	-	4.38	4.47	4.61	-	4.52	4.61	4.76	-		
	Amps	13.2	13.5	13.9	-	14.2	14.6	15.1	-	15.5	15.8	16.3	-	16.5	16.9	17.5	-	17.6	18.0	18.6	-	18.6	19.0	19.7	-		
	HI PR	216	232	245	-	242	261	275	-	276	297	313	-	314	338	357	-	353	380	401	-	390	420	443	-		
	LO PR	102	109	119	-	108	115	126	-	112	120	131	-	118	126	137	-	124	132	144	-	128	136	149	-		
	Mbh	53.2	55.1	60.4	-	51.9	53.8	59.0	-	50.7	52.5	57.6	-	49.5	51.3	56.2	-	47.0	48.7	53.4	-	43.5	45.1	49.4	-		
75	1750	S/T	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-	
		ΔT	17	15	11	-	17	15	11	-	17	15	11	-	17	15	11	-	17	15	11	-	16	14	10	-	
		kW	3.60	3.67	3.77	-	3.85	3.93	4.05	-	4.08	4.16	4.29	-	4.28	4.36	4.50	-	4.44	4.54	4.68	-	4.59	4.69	4.83	-	
		Amps	13.4	13.7	14.2	-	14.5	14.8	15.3	-	15.7	16.1	16.6	-	16.8	17.2	17.8	-	17.9	18.3	18.9	-	18.9	19.4	20.0	-	
		HI PR	220	237	250	-	247	266	281	-	281	303	319	-	320	345	364	-	360	388	409	-	398	428	452	-	
	1625	LO PR	104	111	121	-	110	117	128	-	115	122	133	-	120	128	140	-	126	134	147	-	131	139	152	-	
		Mbh	52.8	54.3	58.8	63.1	51.5	53.1	57.4	61.6	50.3	51.8	56.1	60.2	49.1	50.5	54.7	58.7	46.6	48.0	52.0	55.8	43.2	44.5	48.1	51.7	
		S/T	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.93	0.83	0.63	0.40	0.96	0.86	0.65	0.42	0.97	0.87	0.66	0.42	
		ΔT	23	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	22	20	17	11	
		kW	3.58	3.65	3.76	3.87	3.83	3.91	4.03	4.15	4.06	4.14	4.26	4.40	4.25	4.34	4.48	4.62	4.42	4.51	4.65	4.80	4.57	4.66	4.81	4.96	
2250	Amps	13.4	13.7	14.1	14.6	14.4	14.8	15.2	15.8	15.6	16.0	16.5	17.2	16.7	17.1	17.7	18.3	17.8	18.2	18.8	19.5	18.8	19.3	19.9	20.7		
	HI PR	219	235	249	259	246	264	279	291	279	301	317	331	318	342	361	377	358	385	407	424	395	425	449	469		
	LO PR	104	110	121	128	110	117	127	136	114	121	132	141	120	127	139	148	125	133	146	155	130	138	151	160		
	Mbh	52.2	53.8	58.2	62.5	51.0	52.5	56.9	61.0	49.8	51.3	55.5	59.6	48.6	50.0	54.2	58.1	46.2	47.5	51.5	55.2	42.8	44.0	47.7	51.2		
	S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41		
1625	ΔT	24	23	18	13	25	23	19	13	25	23	19	13	25	23	19	13	25	23	19	13	23	21	17	12		
	kW	3.57	3.64	3.75	3.86	3.82	3.90	4.02	4.14	4.05	4.13	4.25	4.39	4.24	4.33	4.46	4.60	4.41	4.50	4.64	4.79	4.56	4.65	4.80	4.95		
	Amps	13.3	13.6	14.1	14.6	14.4	14.7	15.2	15.8	15.6	16.0	16.5	17.1	16.7	17.1	17.6	18.3	17.7	18.2	18.8	19.5	18.8	19.2	19.9	20.6		
	HI PR	218	235	248	259	245	263	278	290	278	300	316	330	317	341	360	376	357	384	405	423	394	424	448	467		
	LO PR	103	110	120	128	109	116	127	135	114	121	132	141	119	127	139	148	125	133	145	155	129	138	150	160		
2250	Mbh	54.1	55.7	60.3	64.7	52.8	54.4	58.9	63.2	51.6	53.1	57.5	61.7	50.3	51.8	56.1	60.2	47.8	49.2	53.3	57.2	44.3	45.6	49.3	52.9		
	S/T	0.88	0.79	0.60	0.38	0.91	0.82	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44		
	ΔT	19	18	15	10	20	18	15	10	20	18	15	10	20	18	15	10	20	18	15	10	18	17	14	10		
	kW	3.62	3.69	3.80	3.92	3.88	3.96	4.08	4.20	4.11	4.19	4.32	4.45	4.31	4.40	4.53	4.68	4.48	4.57	4.72	4.87	4.63	4.73	4.87	5.03		
	Amps	13.6	13.9	14.3	14.8	14.6	15.0	15.5	16.0	15.9	16.3	16.8	17.4	17.0	17.4	17.9	18.6	18.0	18.5	19.1	19.8	19.1	19.6	20.2	21.0		
2250	HI PR	223	239	253	264	250	269	284	296	284	306	323	337	323	348	368	383	364	392	414	431	402	433	457	477		
	LO PR	106	112	123	131	111	119	129	138	116	123	135	143	122	129	141	151	128	136	148	158	132	140	153	163		

DB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																								
		65°F				75°F				85°F				95°F				105°F				115°F				
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	
80	1750	MBh	53.7	54.9	58.6	62.7	52.5	53.6	57.3	61.2	51.2	52.3	55.9	59.8	50.0	51.0	54.5	58.3	47.5	48.5	51.8	55.4	44.0	44.9	48.0	51.3
		S/T	0.93	0.87	0.71	0.5	0.96	0.90	0.73	0.55	0.98	0.92	0.75	0.6	1.00	0.95	0.78	0.58	1.00	0.99	0.80	0.6	1.00	1.00	0.81	0.61
		ΔT	26	25	22	17	26	25	22	18	26	25	22	18	26	26	22	18	25	25	22	17	23	24	20	16
		kW	3.61	3.68	3.78	3.9	3.86	3.94	4.06	4.18	4.09	4.17	4.30	4.4	4.29	4.38	4.51	4.65	4.46	4.55	4.69	4.8	4.60	4.70	4.85	5.00
		Amps	13.5	13.8	14.2	14.8	14.5	14.9	15.4	15.9	15.8	16.2	16.7	17.3	16.9	17.3	17.8	18.5	17.9	18.4	19.0	19.7	19.0	19.5	20.1	20.9
		HI PR	221	238	251	262.0	248	267	282	294	282	304	321	334.3	321	346	365	381	361	389	411	428.4	399	430	454	473
	LO PR	105	112	122	129.7	111	118	129	137	115	122	134	142.4	121	129	140	150	127	135	147	156.7	131	139	152	162	
	1625	MBh	53.2	54.3	58.1	62.1	51.9	53.1	56.7	60.6	50.7	51.8	55.4	59.2	49.5	50.5	54.0	57.7	47.0	48.0	51.3	54.8	43.5	44.5	47.5	50.8
		S/T	0.91	0.85	0.69	0.5	0.94	0.88	0.72	0.54	0.96	0.90	0.74	0.6	1.00	0.93	0.76	0.57	1.00	0.97	0.79	0.6	1.00	0.98	0.80	0.59
		ΔT	27	26	23	18	28	26	23	18	28	27	23	18	28	27	23	19	27	26	23	18	25	25	21	17
kW		3.60	3.67	3.77	3.9	3.85	3.93	4.05	4.17	4.08	4.16	4.29	4.4	4.28	4.37	4.50	4.64	4.45	4.54	4.68	4.8	4.59	4.69	4.84	4.99	
2250	Amps	13.4	13.8	14.2	14.7	14.5	14.8	15.3	15.9	15.7	16.1	16.7	17.3	16.8	17.2	17.8	18.5	17.9	18.3	18.9	19.6	18.9	19.4	20.1	20.8	
	HI PR	220	237	250	261.2	247	266	281	293	281	303	320	333.3	320	345	364	380	360	388	410	427.1	398	428	452	472	
	LO PR	105	111	121	129.3	110	117	128	137	115	122	133	141.9	121	128	140	149	126	134	147	156.3	131	139	152	162	
	MBh	55.0	56.2	60.1	64.2	53.8	54.9	58.7	62.7	52.5	53.6	57.3	61.2	51.2	52.3	55.9	59.7	48.6	49.7	53.1	56.8	45.1	46.0	49.2	52.6	
	S/T	0.96	0.90	0.74	0.6	1.00	0.94	0.76	0.57	1.00	0.96	0.78	0.6	1.00	1.00	0.81	0.60	1.00	1.00	0.84	0.6	1.00	1.00	0.85	0.63	
	ΔT	22	21	18	14	22	21	18	15	21	21	18	15	21	21	18	15	20	20	18	15	18	19	17	14	
	kW	3.65	3.72	3.83	3.9	3.91	3.99	4.11	4.23	4.14	4.23	4.35	4.5	4.34	4.43	4.57	4.72	4.52	4.61	4.75	4.9	4.66	4.76	4.91	5.07	
	Amps	13.7	14.0	14.4	15.0	14.8	15.1	15.6	16.2	16.0	16.4	17.0	17.6	17.1	17.5	18.1	18.8	18.2	18.7	19.3	20.0	19.3	19.8	20.4	21.2	
	HI PR	225	242	255	266.4	252	271	287	299	287	309	326	340.0	327	352	371	387	368	396	418	435.7	406	437	462	481	
	LO PR	107	113	124	131.9	113	120	131	139	117	125	136	144.8	123	131	143	152	129	137	150	159.4	133	142	155	165	

85	1750	MBh	54.6	55.7	58.3	62.2	53.4	54.4	57.0	60.8	52.1	53.1	55.6	59.3	50.8	51.8	54.3	57.9	48.3	49.2	51.6	55.0	44.7	45.6	47.8	50.9
		S/T	0.97	0.94	0.85	0.69	1.00	0.97	0.88	0.71	1.00	1.00	0.90	0.73	1.00	1.00	0.93	0.75	1.00	1.00	0.96	0.78	1.00	1.00	0.97	0.79
		ΔT	28	27	26	22	28	28	26	23	27	28	26	23	27	27	26	23	25	26	26	23	23	24	24	21
		kW	3.63	3.70	3.81	3.93	3.89	3.97	4.09	4.21	4.12	4.20	4.33	4.47	4.32	4.41	4.55	4.69	4.49	4.59	4.73	4.88	4.64	4.74	4.89	5.04
		Amps	13.6	13.9	14.4	14.9	14.7	15.0	15.5	16.1	15.9	16.3	16.8	17.5	17.0	17.4	18.0	18.7	18.1	18.5	19.2	19.9	19.2	19.6	20.3	21.1
		HI PR	223	240	254	265	251	270	285	297	285	307	324	338	324	349	369	385	365	393	415	433	403	434	458	478
		LO PR	106	113	123	131	112	119	130	138	116	124	135	144	122	130	142	151	128	136	149	158	132	141	154	164
		MBh	54.1	55.1	57.8	61.6	52.8	53.9	56.4	60.2	51.6	52.6	55.1	58.8	50.3	51.3	53.7	57.3	47.8	48.7	51.0	54.5	44.3	45.1	47.3	50.4
		S/T	0.95	0.92	0.83	0.67	0.99	0.95	0.86	0.70	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.77	1.00	1.00	0.95	0.77
		ΔT	29	29	27	23	29	29	27	24	29	29	27	24	28	29	28	24	27	28	27	24	25	26	25	22
		kW	3.62	3.70	3.80	3.92	3.88	3.96	4.08	4.20	4.11	4.19	4.32	4.46	4.31	4.40	4.54	4.68	4.48	4.57	4.72	4.87	4.63	4.73	4.87	5.03
		Amps	13.6	13.9	14.3	14.8	14.6	15.0	15.5	16.0	15.9	16.3	16.8	17.4	17.0	17.4	18.0	18.6	18.0	18.5	19.1	19.8	19.1	19.6	20.2	21.0
		HI PR	223	240	253	264	250	269	284	296	284	306	323	337	324	348	368	383	364	392	414	431	402	433	457	477
		LO PR	106	112	123	131	112	119	130	138	116	123	135	143	122	130	141	151	128	136	148	158	132	140	153	163
		MBh	56.0	57.1	59.8	63.8	54.7	55.8	58.4	62.3	53.4	54.4	57.0	60.8	52.1	53.1	55.6	59.3	49.5	50.4	52.8	56.4	45.8	46.7	48.9	52.2
		S/T	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.76	1.00	1.00	0.97	0.78	1.00	1.00	0.94	0.81	1.00	1.00	0.95	0.82
		ΔT	23	23	22	19	22	23	22	19	22	22	22	19	21	22	22	19	20	21	22	19	19	19	20	17
	2250	kW	3.68	3.75	3.86	3.98	3.94	4.02	4.14	4.27	4.17	4.26	4.39	4.53	4.38	4.47	4.61	4.75	4.55	4.65	4.79	4.95	4.70	4.80	4.95	5.11
		Amps	13.8	14.1	14.6	15.1	14.9	15.3	15.8	16.3	16.2	16.6	17.1	17.7	17.3	17.7	18.3	19.0	18.4	18.8	19.5	20.2	19.5	19.9	20.6	21.4
		HI PR	227	244	258	269	255	274	289	302	290	312	329	343	330	355	375	391	371	400	422	440	410	441	466	486
		LO PR	108	115	125	133	114	121	132	141	118	126	137	146	124	132	144	154	130	138	151	161	135	143	156	167

IDB = Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI Rating conditions

Amps = outdoor unit amps (comp.+fan)
kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
		ENTERING INDOOR WET BULB TEMPERATURE																																			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71				
70	1550	MBh	54.2	56.2	61.6	-	53.0	54.9	60.1	-	51.7	53.6	58.7	-	50.4	52.3	57.3	-	47.9	49.7	54.4	-	44.4	46.0	50.4	-	44.4	46.0	50.4	-	44.4	46.0	50.4	-			
		S/T	0.66	0.55	0.38	-	0.68	0.57	0.39	-	0.70	0.58	0.40	-	0.72	0.60	0.42	-	0.75	0.62	0.43	-	0.75	0.63	0.44	-	0.75	0.63	0.44	-	0.75	0.63	0.44	-			
		ΔT	21	18	14	-	21	19	14	-	21	19	14	-	22	19	14	-	21	18	14	-	20	17	13	-	20	17	13	-	20	17	13	-			
		kW	3.75	3.83	3.95	-	4.04	4.13	4.27	-	4.31	4.40	4.55	-	4.54	4.64	4.79	-	4.73	4.84	5.00	-	4.90	5.01	5.18	-	4.90	5.01	5.18	-	4.90	5.01	5.18	-			
		Amps	13.4	13.8	14.3	-	14.6	15.0	15.5	-	16.0	16.4	17.0	-	17.2	17.6	18.3	-	18.4	18.8	19.5	-	19.5	20.0	20.8	-	19.5	20.0	20.8	-	19.5	20.0	20.8	-			
		Hi PR	227	244	248	-	257	276	280	-	292	314	318	-	333	358	363	-	359	386	392	-	426	458	464	-	426	458	464	-	426	458	464	-			
		Lo PR	113	116	127	-	116	120	131	-	120	124	135	-	123	127	139	-	126	130	141	-	129	133	145	-	129	133	145	-	129	133	145	-			
	1750	MBh	55.9	57.9	63.4	-	54.6	56.5	62.0	-	53.3	55.2	60.5	-	52.0	53.9	59.0	-	49.4	51.2	56.1	-	45.7	47.4	51.9	-	45.7	47.4	51.9	-	45.7	47.4	51.9	-			
		S/T	0.69	0.58	0.40	-	0.71	0.60	0.41	-	0.73	0.61	0.42	-	0.76	0.63	0.44	-	0.78	0.66	0.45	-	0.79	0.66	0.46	-	0.79	0.66	0.46	-	0.79	0.66	0.46	-			
		ΔT	20	18	13	-	20	18	13	-	20	18	13	-	21	18	14	-	20	18	13	-	19	16	12	-	19	16	12	-	19	16	12	-			
		kW	3.78	3.86	3.99	-	4.08	4.17	4.31	-	4.34	4.44	4.59	-	4.57	4.68	4.83	-	4.77	4.88	5.05	-	4.94	5.06	5.23	-	4.94	5.06	5.23	-	4.94	5.06	5.23	-			
Amps		13.6	13.9	14.4	-	14.8	15.1	15.7	-	16.1	16.6	17.2	-	17.3	17.8	18.4	-	18.5	19.0	19.7	-	19.7	20.2	21.0	-	19.7	20.2	21.0	-	19.7	20.2	21.0	-				
Hi PR		229	247	250	-	259	279	283	-	295	317	322	-	336	361	366	-	363	390	396	-	430	462	469	-	430	462	469	-	430	462	469	-				
Lo PR		114	117	128	-	117	121	132	-	121	125	136	-	124	128	140	-	127	131	143	-	130	134	146	-	130	134	146	-	130	134	146	-				
2000	MBh	56.1	58.2	63.7	-	54.8	56.8	62.3	-	53.5	55.5	60.8	-	52.2	54.1	59.3	-	49.6	51.4	56.3	-	45.9	47.6	52.2	-	45.9	47.6	52.2	-	45.9	47.6	52.2	-				
	S/T	0.70	0.58	0.40	-	0.72	0.60	0.42	-	0.74	0.62	0.43	-	0.77	0.64	0.44	-	0.80	0.66	0.46	-	0.80	0.67	0.46	-	0.80	0.67	0.46	-	0.80	0.67	0.46	-				
	ΔT	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-	17	15	11	-	17	15	11	-				
	kW	3.81	3.89	4.02	-	4.11	4.20	4.34	-	4.38	4.48	4.63	-	4.61	4.72	4.88	-	4.81	4.92	5.09	-	4.98	5.10	5.27	-	4.98	5.10	5.27	-	4.98	5.10	5.27	-				
	Amps	13.7	14.1	14.6	-	14.9	15.3	15.8	-	16.3	16.7	17.3	-	17.5	18.0	18.6	-	18.7	19.2	19.9	-	19.9	20.4	21.2	-	19.9	20.4	21.2	-	19.9	20.4	21.2	-				
	Hi PR	232	249	253	-	262	282	286	-	298	320	325	-	339	365	370	-	366	394	400	-	434	467	474	-	434	467	474	-	434	467	474	-				
	Lo PR	115	119	129	-	118	122	133	-	122	126	138	-	126	130	141	-	128	132	144	-	131	135	148	-	131	135	148	-	131	135	148	-				
75	1550	MBh	55.1	56.8	61.5	66.0	53.9	55.5	60.0	64.4	52.6	54.1	58.6	62.9	51.3	52.8	57.2	61.4	48.7	50.2	54.3	58.3	45.1	46.5	50.3	54.0	48.7	50.2	54.3	58.3	45.1	46.5	50.3	54.0			
		S/T	0.75	0.67	0.51	0.33	0.77	0.69	0.52	0.34	0.79	0.71	0.54	0.35	0.82	0.73	0.55	0.36	0.85	0.76	0.58	0.37	0.86	0.77	0.58	0.37	0.85	0.76	0.58	0.37	0.86	0.77	0.58	0.37			
		ΔT	24	23	18	13	25	23	19	13	25	23	19	13	25	23	19	13	25	23	19	13	23	21	17	12	25	23	19	13	23	21	17	12			
		kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41	4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36			
		Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2	16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6			
		Hi PR	227	244	248	253	257	276	280	286	292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475	359	386	392	400	426	458	464	475			
		Lo PR	113	116	127	135	116	120	131	139	120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154	126	130	141	151	129	133	145	154			
	1750	MBh	56.8	58.5	63.3	67.9	55.5	57.1	61.8	66.4	54.2	55.8	60.4	64.8	52.8	54.4	58.9	63.2	50.2	51.7	55.9	60.0	46.5	47.9	51.8	55.6	50.2	51.7	55.9	60.0	46.5	47.9	51.8	55.6			
		S/T	0.78	0.70	0.53	0.34	0.81	0.73	0.55	0.35	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.89	0.80	0.60	0.39	0.90	0.80	0.61	0.39	0.89	0.80	0.60	0.39	0.90	0.80	0.61	0.39			
		ΔT	23	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	22	20	17	11	24	22	18	12	22	20	17	11			
		kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45	4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41			
Amps		13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3	16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8				
Hi PR		229	247	250	256	259	279	283	289	295	317	322	329	336	361	366	374	363	390	396	404	430	462	469	479	363	390	396	404	430	462	469	479				
Lo PR		114	117	128	137	117	121	132	141	121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156	127	131	143	152	130	134	146	156				
2000	MBh	57.1	58.8	63.6	68.3	55.8	57.4	62.1	66.7	54.4	56.0	60.7	65.1	53.1	54.7	59.2	63.5	50.4	51.9	56.2	60.3	46.7	48.1	52.1	55.9	50.4	51.9	56.2	60.3	46.7	48.1	52.1	55.9				
	S/T	0.79	0.71	0.54	0.35	0.82	0.74	0.56	0.36	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.81	0.61	0.39	0.91	0.82	0.62	0.40	0.90	0.81	0.61	0.39	0.91	0.82	0.62	0.40				
	ΔT	21	19	16	11	21	19	16	11	21	19	16	11	21	20	16	11	21	19	16	11	20	18	15	10	21	19	16	11	20	18	15	10				
	kW	3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49	4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46				
	Amps	13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5	16.3	16.7	17.3	18.																								

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71				
80	MBh	56.1	57.4	61.3	65.5	54.8	56.0	59.9	64.0	53.5	54.7	58.4	62.5	52.2	53.4	57.0	60.9	49.6	50.7	54.2	57.9	45.9	46.9	50.2	53.6	45.9	46.9	50.2	53.6	45.9	46.9	50.2	53.6				
	S/T	0.82	0.77	0.63	0.47	0.85	0.80	0.65	0.48	0.87	0.82	0.66	0.50	0.90	0.84	0.69	0.51	0.93	0.87	0.71	0.53	0.94	0.88	0.72	0.54	0.94	0.88	0.72	0.54	0.94	0.88	0.72	0.54				
	ΔT	27	26	23	18	28	26	23	18	28	26	23	18	28	27	23	19	27	26	23	18	26	25	21	17	26	25	21	17	26	25	21	17				
	kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41	4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36	4.90	5.01	5.18	5.36	4.90	5.01	5.18	5.36				
	Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2	16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6	19.5	20.0	20.8	21.6	19.5	20.0	20.8	21.6				
	Hi PR	227	244	248	253	257	276	280	286	292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475	426	458	464	475	426	458	464	475				
	Lo PR	113	116	127	135	116	120	131	139	120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154	129	133	145	154	129	133	145	154				
	MBh	57.8	59.1	63.1	67.5	56.5	57.7	61.6	65.9	55.1	56.3	60.2	64.3	53.8	55.0	58.7	62.8	51.1	52.2	55.8	59.6	47.3	48.4	51.7	55.2	47.3	48.4	51.7	55.2	47.3	48.4	51.7	55.2				
1750	S/T	0.86	0.81	0.66	0.49	0.89	0.84	0.68	0.51	0.91	0.86	0.70	0.52	0.94	0.88	0.72	0.54	1.00	0.92	0.75	0.56	1.00	0.93	0.75	0.56	1.00	0.93	0.75	0.56	1.00	0.93	0.75	0.56				
	ΔT	26	25	22	17	26	25	22	18	26	25	22	18	27	26	22	18	27	25	22	17	25	24	20	16	27	25	24	20	16	27	25	24	20	16		
	kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45	4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41	4.94	5.06	5.23	5.41	4.94	5.06	5.23	5.41				
	Amps	13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3	16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8	19.7	20.2	21.0	21.8	19.7	20.2	21.0	21.8				
	Hi PR	229	247	250	256	259	279	283	289	295	317	322	329	336	361	366	374	363	390	396	404	430	462	469	479	430	462	469	479	430	462	469	479				
	Lo PR	114	117	128	137	117	121	132	141	121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156	130	134	146	156	130	134	146	156				
	MBh	58.1	59.4	63.4	67.8	56.7	58.0	61.9	66.2	55.4	56.6	60.5	64.6	54.0	55.2	59.0	63.1	51.3	52.5	56.0	59.9	47.6	48.6	51.9	55.5	47.6	48.6	51.9	55.5	47.6	48.6	51.9	55.5				
	2000	S/T	0.87	0.82	0.66	0.50	0.90	0.85	0.69	0.51	0.93	0.87	0.71	0.53	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.57	1.00	0.94	0.76	0.57	1.00	0.94	0.76	0.57	1.00	0.94	0.76	0.57			
ΔT		23	22	19	15	24	23	20	16	24	23	20	16	24	23	20	16	24	22	19	16	22	21	18	15	22	21	18	15	22	21	18	15				
kW		3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49	4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46	4.98	5.10	5.27	5.46	4.98	5.10	5.27	5.46				
Amps		13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5	16.3	16.7	17.3	18.0	17.5	18.0	18.6	19.4	18.7	19.2	19.9	20.7	19.9	20.4	21.2	22.0	19.9	20.4	21.2	22.0	19.9	20.4	21.2	22.0				
Hi PR		232	249	253	258	262	282	286	292	298	320	325	332	339	365	370	378	366	394	400	408	434	467	474	484	434	467	474	484	434	467	474	484				
Lo PR		115	119	129	138	118	122	133	142	122	126	138	147	126	130	141	151	128	132	144	154	131	135	148	157	131	135	148	157	131	135	148	157				

85	1550	MBh	57.1	58.2	61.0	65.0	55.8	56.9	59.6	63.5	54.5	55.5	58.1	62.0	53.1	54.2	56.7	60.5	50.5	51.4	53.9	57.5	46.7	47.7	49.9	53.2
		S/T	0.86	0.83	0.75	0.61	0.89	0.86	0.78	0.63	0.91	0.88	0.80	0.65	0.94	0.91	0.82	0.67	0.98	0.94	0.85	0.69	0.99	0.95	0.86	0.70
		ΔT	29	29	27	23	29	29	27	24	29	29	27	24	30	29	28	24	29	29	27	24	27	27	25	22
		kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41	4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36
		Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2	16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6
		Hi PR	227	244	248	253	257	276	280	286	292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475
		Lo PR	113	116	127	135	116	120	131	139	120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154
	1750	MBh	58.8	60.0	62.8	67.0	57.5	58.6	61.3	65.4	56.1	57.2	59.9	63.9	54.7	55.8	58.4	62.3	52.0	53.0	55.5	59.2	48.2	49.1	51.4	54.8
		S/T	0.90	0.87	0.78	0.64	0.93	0.90	0.81	0.66	0.96	0.92	0.83	0.68	0.99	0.95	0.86	0.70	1.00	0.99	0.89	0.72	1.00	1.00	0.90	0.73
		ΔT	28	27	26	22	28	28	26	23	28	28	26	23	28	28	26	23	27	28	26	23	25	26	24	21
		kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45	4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41
		Amps	13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3	16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8
		Hi PR	229	247	250	256	259	279	283	289	295	317	322	329	336	361	366	374	363	390	396	404	430	462	469	479
		Lo PR	114	117	128	137	117	121	132	141	121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156
2000	MBh	59.1	60.3	63.1	67.3	57.7	58.8	61.6	65.8	56.4	57.4	60.2	64.2	55.0	56.0	58.7	62.6	52.2	53.2	55.8	59.5	48.4	49.3	51.7	55.1	
	S/T	0.91	0.88	0.80	0.65	0.95	0.91	0.82	0.67	0.97	0.94	0.84	0.69	1.00	0.97	0.87	0.71	1.00	1.00	0.91	0.73	1.00	1.00	0.91	0.74	
	ΔT	25	24	23	20	25	25	23	20	25	25	23	20	25	25	24	20	24	24	23	20	22	23	22	19	
	kW	3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49	4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46	
	Amps	13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5	16.3	16.7	17.3	18.0	17.5	18.0	18.6	19.4	18.7	19.2	19.9	20.7	19.9	20.4	21.2	22.0	
	Hi PR	232	249	253	258	262	282	286	292	298	320	325	332	339	365	370	378	366	394	400	408	434	467	474	484	
	Lo PR	115	119	129	138	118	122	133	142	122	126	138	147	126	130	141	151	128	132	144	154	131	135	148	157	

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F*	ACNF18XX16D*		17,200	12,700	14.00	12.00	600	6107297
	ACNF24XX16D*		17,600	13,000	14.00	12.00	650	6107298
	ARPT24B14A*		17,600	13,000	14.00	12.00	600	5987869
	ASPT24B14A*		17,600	13,000	16.00	13.00	600	5756179
	ASPT30C14A*		18,000	13,300	16.00	13.00	580	5987870
	ASUF29B14A*		17,000	12,600	15.00	12.50	600	5987871
	ASUF29B14A*+TXV		17,000	12,600	16.00	13.00	600	5987872
	AVPTC24B14A*		17,600	13,000	16.00	13.00	530	5924382
	AWUF31XX16A*		17,600	13,000	15.00	12.50	600	5753219
	AWUF31XX16A*+TXV		17,600	13,000	15.00	12.50	600	5753091
	AWUF32XX16A*		17,600	13,000	15.00	12.50	640	5753220
	AWUF32XX16A*+TXV		17,600	13,000	15.00	12.50	640	5753092
	CA*F3131*6D*	G*VC950714CXB*	17,600	13,000	15.50	12.50	650	5987829
	CA*F3131*6D*	G*VM960603BXB*	17,600	13,000	14.50	12.00	650	5987835
	CA*F3131*6D*	AMEH960603BXA*	17,600	13,000	14.50	12.00	600	6945873
	CA*F3131*6D*	AMEH960403BXA*	17,600	13,000	14.50	12.00	600	6945872
	CA*F3131*6D*	A*VC950714CXB*	17,600	13,000	15.50	12.50	650	5988780
	CA*F3131*6D*	A*EH800603B*A*	17,600	13,000	14.50	12.00	620	6945871
	CA*F3131*6D*	GME950603BXA*	17,600	13,000	14.50	12.00	600	5987859
	CA*F3131*6D*	A*VM960603BXB*	17,600	13,000	14.50	12.00	650	5988786
	CA*F3131*6D*	A*VC950453BXB*	17,600	13,000	14.50	12.00	600	5988758
	CA*F3131*6D*	GME950403BXA*	17,600	13,000	14.50	12.00	600	5987851
	CA*F3131*6D*	A*VC950704CXB*	17,600	13,000	14.50	12.00	630	5988768
	CA*F3131*6D*	G*VC950704CXB*	17,600	13,000	14.50	12.00	630	5987817
	CA*F3131*6D*	G*E80603B*B*	17,600	13,000	14.50	12.00	620	5987795
	CA*F3131*6D*	G*VC950453BXB*	17,600	13,000	14.50	12.00	600	5987805
	CA*F3131*6D*+EEP+TXV		17,600	13,000	14.00	12.00	650	5987774
	CA*F3131*6D*+MBVC1200**-1A*		17,600	13,000	14.50	12.00	615	5987775
	CA*F3131*6D*+MBVC1200**-1A*+TXV		17,600	13,000	15.00	12.50	615	5987776
	CA*F3131*6D*+TXV	A*VC950714CXB*	17,600	13,000	15.00	12.50	650	5988781
	CA*F3131*6D*+TXV	G*VC80604B*B*	17,600	13,000	15.00	12.50	620	5987802
	CA*F3131*6D*+TXV	GME950603BXA*	17,600	13,000	15.00	12.50	600	5987860
	CA*F3131*6D*+TXV	A*VM960604CXB*	17,600	13,000	15.00	12.50	650	5988796
	CA*F3131*6D*+TXV	A*VM960603BXB*	17,600	13,000	15.00	12.50	650	5988787
	CA*F3131*6D*+TXV	G*VC950714CXB*	17,600	13,000	15.00	12.50	650	5987830
	CA*F3131*6D*+TXV	G*VM960604CXB*	17,600	13,000	15.00	12.50	650	5987845
	CA*F3131*6D*+TXV	A*VC950704CXB*	17,600	13,000	15.00	12.50	630	5988769
	CA*F3131*6D*+TXV	AMEH960403BXA*	17,600	13,000	15.00	12.50	600	6945875
	CA*F3131*6D*+TXV	G*VC950453BXB*	17,600	13,000	15.00	12.50	600	5987806
	CA*F3131*6D*+TXV	A*VC950453BXB*	17,600	13,000	15.00	12.50	600	5988759
	CA*F3131*6D*+TXV	G*VM960603BXB*	17,600	13,000	15.00	12.50	650	5987836
	CA*F3131*6D*+TXV	G*E80603B*B*	17,600	13,000	15.00	12.50	620	5987796
	CA*F3131*6D*+TXV	G*VC950704CXB*	17,600	13,000	15.00	12.50	630	5987818
	CA*F3131*6D*+TXV	GME950403BXA*	17,600	13,000	15.00	12.50	600	5987852
	CA*F3131*6D*+TXV	AMEH960603BXA*	17,600	13,000	15.00	12.50	600	6945876
	CA*F3131*6D*+TXV	A*EH800603B*A*	17,600	13,000	15.00	12.50	620	6945874
	CA*F3131*6D*+TXV	A*VC80604B*B*	17,600	13,000	15.00	12.50	620	5988755
	CA*F3636*6D*	A*VC950453BXB*	18,000	13,300	15.00	12.50	600	5988760
	CA*F3636*6D*	G*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367615
	CA*F3636*6D*	A*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367779
	CA*F3636*6D*	A*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367765
	CA*F3636*6D*	G*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367601
	CA*F3636*6D*	A*VC950714CXB*	18,000	13,300	15.50	12.50	650	5988782
	CA*F3636*6D*	AMEH960403BXA*	18,000	13,300	15.50	12.50	600	6945878
	CA*F3636*6D*	A*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367772
	CA*F3636*6D*	GME950603BXA*	18,000	13,300	14.50	12.00	600	5987861
	CA*F3636*6D*	G*VC960803BNA*	18,000	13,300	15.00	12.50	625	7361699

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CA*F3636*6D*	G*E80603B*B*	18,000	13,300	15.50	12.50	620	5987797
	CA*F3636*6D*	A*VC960403BNA*	18,000	13,300	15.00	12.50	625	7362090
	CA*F3636*6D*	G*VM970803BNA*	18,000	13,300	15.00	12.50	625	7361911
	CA*F3636*6D*	G*VC950704CXB*	18,000	13,300	15.00	12.50	630	5987819
	CA*F3636*6D*	A*VC950704CXB*	18,000	13,300	15.00	12.50	630	5988770
	CA*F3636*6D*	G*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367594
	CA*F3636*6D*	A*VC960603BNA*	18,000	13,300	15.00	12.50	625	7362100
	CA*F3636*6D*	A*VM960603BXB*	18,000	13,300	15.20	12.50	650	5988788
	CA*F3636*6D*	G*VM960603BXB*	18,000	13,300	15.20	12.50	650	5987837
	CA*F3636*6D*	A*VM970603BNA*	18,000	13,300	15.00	12.50	625	7362312
	CA*F3636*6D*	A*VC960803BNA*	18,000	13,300	15.00	12.50	625	7362110
	CA*F3636*6D*	G*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367608
	CA*F3636*6D*	G*VC950714CXB*	18,000	13,300	15.50	12.50	650	5987831
	CA*F3636*6D*	G*VC960603BNA*	18,000	13,300	15.00	12.50	625	7361689
	CA*F3636*6D*	AMEH960603BXA*	18,000	13,300	14.50	12.00	600	6945879
	CA*F3636*6D*	A*EH800603B*A*	18,000	13,300	15.50	12.50	620	6945877
	CA*F3636*6D*	ADV80603B*B*	18,000	13,300	15.50	12.50	620	5987849
	CA*F3636*6D*	G*VM970603BNA*	18,000	13,300	15.00	12.50	625	7361901
	CA*F3636*6D*	GME950403BXA*	18,000	13,300	15.50	12.50	600	5987853
	CA*F3636*6D*	A*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367758
	CA*F3636*6D*	G*VC960403BNA*	18,000	13,300	15.00	12.50	625	7361679
	CA*F3636*6D*	G*VC950453BXB*	18,000	13,300	15.00	12.50	600	5987807
	CA*F3636*6D*	A*VM970803BNA*	18,000	13,300	15.00	12.50	625	7362322
	CA*F3636*6D*+EEP		18,000	13,300	14.00	12.00	650	5987777
	CA*F3636*6D*+EEP+TXV		18,000	13,300	14.50	12.00	650	5753083
	CA*F3636*6D*+MBVC1200**-1A*		18,000	13,300	15.50	12.50	615	5987778
	CA*F3636*6D*+MBVC1200**-1A*+TXV		18,000	13,300	16.00	13.00	615	5987779
	CA*F3636*6D*+TXV	A*VC960403BNA*	18,000	13,300	16.00	13.00	625	7362089
	CA*F3636*6D*+TXV	A*VC960803BNA*	18,000	13,300	16.00	13.00	625	7362109
	CA*F3636*6D*+TXV	G*VM970603BNA*	18,000	13,300	16.00	13.00	625	7361900
	CA*F3636*6D*+TXV	A*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367766
	CA*F3636*6D*+TXV	A*VC950714CXB*	18,000	13,300	16.00	13.00	650	5988783
	CA*F3636*6D*+TXV	A*VM970603BNA*	18,000	13,300	16.00	13.00	625	7362311
	CA*F3636*6D*+TXV	A*VC950453BXB*	18,000	13,300	15.50	12.50	600	5753089
	CA*F3636*6D*+TXV	G*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367602
	CA*F3636*6D*+TXV	G*VC80604B*B*	18,000	13,300	16.00	13.00	600	6107834
	CA*F3636*6D*+TXV	G*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367616
	CA*F3636*6D*+TXV	GME950403BXA*	18,000	13,300	16.00	13.00	575	6090087
	CA*F3636*6D*+TXV	G*VM960603BXB*	18,000	13,300	15.50	12.50	650	5987838
	CA*F3636*6D*+TXV	GME950603BXA*	18,000	13,300	16.00	13.00	600	5987862
	CA*F3636*6D*+TXV	G*VC950453BXB*	18,000	13,300	15.50	12.50	600	5987808
	CA*F3636*6D*+TXV	ADV80603B*B*	18,000	13,300	16.00	13.00	620	5987850
	CA*F3636*6D*+TXV	A*VM960603BXB*	18,000	13,300	15.50	12.50	650	5988789
	CA*F3636*6D*+TXV	A*VC80604B*B*	18,000	13,300	16.00	13.00	600	5753087
	CA*F3636*6D*+TXV	A*VM970803BNA*	18,000	13,300	16.00	13.00	625	7362321
	CA*F3636*6D*+TXV	A*VC960603BNA*	18,000	13,300	16.00	13.00	625	7362099
	CA*F3636*6D*+TXV	A*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367773
	CA*F3636*6D*+TXV	A*VC950704CXB*	18,000	13,300	15.50	12.50	630	5988771
	CA*F3636*6D*+TXV	G*VC950704CXB*	18,000	13,300	15.50	12.50	630	5987820
	CA*F3636*6D*+TXV	G*VM970803BNA*	18,000	13,300	16.00	13.00	625	7361910
	CA*F3636*6D*+TXV	AMEH960403BXA*	18,000	13,300	16.00	13.00	575	6945881
	CA*F3636*6D*+TXV	G*VC960803BNA*	18,000	13,300	16.00	13.00	625	7361698
	CA*F3636*6D*+TXV	G*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367595
	CA*F3636*6D*+TXV	G*E80603B*B*	18,000	13,300	16.00	13.00	600	6107823
	CA*F3636*6D*+TXV	A*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367780
	CA*F3636*6D*+TXV	G*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367609
	CA*F3636*6D*+TXV	G*VC960603BNA*	18,000	13,300	16.00	13.00	625	7361688

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CA*F3636*6D*+TXV	AMEH960603BXA*	18,000	13,300	16.00	13.00	600	6945882
	CA*F3636*6D*+TXV	G*VC950714CXB*	18,000	13,300	16.00	13.00	650	5987832
	CA*F3636*6D*+TXV	A*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367759
	CA*F3636*6D*+TXV	G*VC960403BNA*	18,000	13,300	16.00	13.00	625	7361678
	CA*F3636*6D*+TXV	A*EH800603B*A*	18,000	13,300	16.00	13.00	600	6945880
	CA*F3743*6D*	G*VC960403BNA*	18,400	13,600	15.50	12.50	625	7361681
	CA*F3743*6D*	G*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367603
	CA*F3743*6D*	G*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367617
	CA*F3743*6D*	G*VM970803BNA*	18,400	13,600	15.50	12.50	625	7361913
	CA*F3743*6D*	A*VC960603BNA*	18,400	13,600	15.50	12.50	625	7362102
	CA*F3743*6D*	G*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367596
	CA*F3743*6D*	G*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367610
	CA*F3743*6D*	A*VC960403BNA*	18,400	13,600	15.50	12.50	625	7362092
	CA*F3743*6D*	A*VC960803BNA*	18,400	13,600	15.50	12.50	625	7362112
	CA*F3743*6D*	A*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367781
	CA*F3743*6D*	G*VC960603BNA*	18,400	13,600	15.50	12.50	625	7361691
	CA*F3743*6D*	A*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367760
	CA*F3743*6D*	A*VM970603BNA*	18,400	13,600	15.50	12.50	625	7362314
	CA*F3743*6D*	A*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367774
	CA*F3743*6D*	G*VC960803BNA*	18,400	13,600	15.50	12.50	625	7361701
	CA*F3743*6D*	A*VM970803BNA*	18,400	13,600	15.50	12.50	625	7362324
	CA*F3743*6D*	A*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367767
	CA*F3743*6D*	G*VM970603BNA*	18,400	13,600	15.50	12.50	625	7361903
	CA*F3743*6D*+EEP+TXV		18,400	13,600	15.00	12.50	600	5753084
	CA*F3743*6D*+TXV	AMEH960403BXA*	18,000	13,300	16.00	13.00	600	6945883
	CA*F3743*6D*+TXV	A*VM970803BNA*	18,400	13,600	16.00	13.00	625	7362323
	CA*F3743*6D*+TXV	G*VC960403BNA*	18,400	13,600	16.00	13.00	625	7361680
	CA*F3743*6D*+TXV	G*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367597
	CA*F3743*6D*+TXV	A*VC960803BNA*	18,400	13,600	16.00	13.00	625	7362111
	CA*F3743*6D*+TXV	A*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367775
	CA*F3743*6D*+TXV	G*VC950453BXB*	18,000	13,300	16.00	13.00	600	5987809
	CA*F3743*6D*+TXV	G*VM960603BXB*	18,000	13,300	16.00	13.00	650	5987839
	CA*F3743*6D*+TXV	A*VC960403BNA*	18,400	13,600	16.00	13.00	625	7362091
	CA*F3743*6D*+TXV	A*VC950704CXB*	18,000	13,300	16.00	13.00	630	5988772
	CA*F3743*6D*+TXV	G*VM960604CXB*	18,000	13,300	16.00	13.00	650	5987846
	CA*F3743*6D*+TXV	GME950403BXA*	18,000	13,300	16.00	13.00	600	5987854
	CA*F3743*6D*+TXV	A*VC950714CXB*	18,000	13,300	16.00	13.00	650	5988784
	CA*F3743*6D*+TXV	A*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367761
	CA*F3743*6D*+TXV	A*VM960603BXB*	18,000	13,300	16.00	13.00	650	5988790
	CA*F3743*6D*+TXV	G*VM970603BNA*	18,400	13,600	16.00	13.00	625	7361902
	CA*F3743*6D*+TXV	A*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367768
	CA*F3743*6D*+TXV	G*VC960803BNA*	18,400	13,600	16.00	13.00	625	7361700
	CA*F3743*6D*+TXV	A*VC960603BNA*	18,400	13,600	16.00	13.00	625	7362101
	CA*F3743*6D*+TXV	A*VC950453BXB*	18,000	13,300	16.00	13.00	600	5988761
	CA*F3743*6D*+TXV	A*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367782
	CA*F3743*6D*+TXV	AMEH960603BXA*	18,000	13,300	16.00	13.00	600	6945884
	CA*F3743*6D*+TXV	G*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367604
	CA*F3743*6D*+TXV	G*VC960603BNA*	18,400	13,600	16.00	13.00	625	7361690
	CA*F3743*6D*+TXV	GME950603BXA*	18,000	13,300	16.00	13.00	600	5987863
	CA*F3743*6D*+TXV	A*VM960604CXB*	18,000	13,300	16.00	13.00	650	5988797
	CA*F3743*6D*+TXV	G*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367611
	CA*F3743*6D*+TXV	G*VC950704CXB*	18,000	13,300	16.00	13.00	630	5987821
	CA*F3743*6D*+TXV	G*VC950714CXB*	18,000	13,300	16.00	13.00	650	5987833
	CA*F3743*6D*+TXV	A*VM970603BNA*	18,400	13,600	16.00	13.00	625	7362313
	CA*F3743*6D*+TXV	G*VM970803BNA*	18,400	13,600	16.00	13.00	625	7361912
	CA*F3743*6D*+TXV	G*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367618
	CAPT3131*4A*	A*EH800603B*A*	17,600	13,000	15.00	12.50	620	6945885

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CAPT3131*4A*	ADVC80603B*B*	17,600	13,000	15.20	12.50	625	6345892
	CAPT3131*4A*	A*EC960603BNA*	17,000	12,600	15.00	12.50	550	7367771
	CAPT3131*4A*	A*VC960803BNA*	17,600	13,000	15.00	12.00	625	7362113
	CAPT3131*4A*	G*VC80604B*B*	17,600	13,000	15.00	12.50	620	5987803
	CAPT3131*4A*	A*VM960603BxB*	17,600	13,000	15.00	12.50	650	5988791
	CAPT3131*4A*	G*VM970803BNA*	17,600	13,000	15.00	12.00	625	7361914
	CAPT3131*4A*	A*VM970603BNA*	17,600	13,000	15.00	12.00	625	7362315
	CAPT3131*4A*	A*EC960803BNA*	17,000	12,600	15.00	12.50	550	7367778
	CAPT3131*4A*	GME950403BXA*	17,600	13,000	15.00	12.50	600	5987855
	CAPT3131*4A*	G*VM960604CXB*	17,600	13,000	15.00	12.50	650	5987847
	CAPT3131*4A*	AMEH960603BXA*	17,600	13,000	15.00	12.50	600	6945887
	CAPT3131*4A*	G*E80603B*B*	17,600	13,000	15.00	12.50	620	5987798
	CAPT3131*4A*	G*VC950714CXB*	17,600	13,000	15.00	12.50	650	5987834
	CAPT3131*4A*	G*VM960603BxB*	17,600	13,000	15.00	12.50	650	5987840
	CAPT3131*4A*	G*EC960302BNA*	17,600	13,000	15.00	12.50	600	7367593
	CAPT3131*4A*	G*VM970603BNA*	17,600	13,000	15.00	12.00	625	7361904
	CAPT3131*4A*	G*VC960803BNA*	17,600	13,000	15.00	12.00	625	7361702
	CAPT3131*4A*	GME950603BXA*	17,600	13,000	15.00	12.50	600	5987864
	CAPT3131*4A*	A*VC80604B*B*	17,600	13,000	15.00	12.50	620	5988756
	CAPT3131*4A*	A*VM970803BNA*	17,600	13,000	15.00	12.00	625	7362325
	CAPT3131*4A*	G*VC950704CXB*	17,600	13,000	15.00	12.50	630	5987822
	CAPT3131*4A*	A*VC960403BNA*	17,600	13,000	15.00	12.00	625	7362093
	CAPT3131*4A*	A*VC960603BNA*	17,600	13,000	15.00	12.00	625	7362103
	CAPT3131*4A*	A*VC950704CXB*	17,600	13,000	15.00	12.50	630	5988773
	CAPT3131*4A*	A*VC950453BxB*	17,600	13,000	15.00	12.50	600	5988762
	CAPT3131*4A*	A*VC950714CXB*	17,600	13,000	15.00	12.50	650	5988785
	CAPT3131*4A*	A*VM960604CXB*	17,600	13,000	15.00	12.50	650	5988798
	CAPT3131*4A*	G*EC960803BNA*	17,000	12,600	15.00	12.50	550	7367614
	CAPT3131*4A*	G*VC960403BNA*	17,600	13,000	15.00	12.00	625	7361682
	CAPT3131*4A*	G*EC960603BNA*	17,000	12,600	15.00	12.50	550	7367607
	CAPT3131*4A*	G*EC960402BNA*	17,600	13,000	15.00	12.50	600	7367600
	CAPT3131*4A*	AMEH960403BXA*	17,600	13,000	15.00	12.50	600	6945886
	CAPT3131*4A*	A*EC960402BNA*	17,600	13,000	15.00	12.50	600	7367764
	CAPT3131*4A*	G*VC950453BxB*	17,600	13,000	15.00	12.50	600	5987810
	CAPT3131*4A*	G*VC960603BNA*	17,600	13,000	15.00	12.00	625	7361692
	CAPT3131*4A*	A*EC960302BNA*	17,600	13,000	15.00	12.50	600	7367757
	CAPT3131*4A*+EEP		17,600	13,000	14.00	12.00	650	5987780
	CAPT3131*4A*+MBVC1200**-1A*		17,600	13,000	15.00	12.50	615	5987781
	CAPT3743*4A*+EEP		18,000	13,300	15.00	12.50	650	5987782
	CHPF2430B6C*	A*VC950453BxB*	17,600	13,000	14.50	12.00	600	5988763
	CHPF2430B6C*	AMEH960603BXA*	17,600	13,000	14.50	12.00	600	6945890
	CHPF2430B6C*	AMEH960403BXA*	17,600	13,000	14.50	12.00	600	6945889
	CHPF2430B6C*	GME950603BXA*	17,600	13,000	14.50	12.00	600	5987865
	CHPF2430B6C*	GME950403BXA*	17,600	13,000	14.50	12.00	600	5987856
	CHPF2430B6C*	G*E80603B*B*	17,600	13,000	14.50	12.00	620	5987799
	CHPF2430B6C*	A*VM960603BxB*	17,400	12,900	14.50	12.00	650	5988792
	CHPF2430B6C*	G*VC950704CXB*	17,400	12,900	14.50	12.00	630	5987823
	CHPF2430B6C*	G*VM960603BxB*	17,400	12,900	14.50	12.00	650	5987841
	CHPF2430B6C*	G*VC950453BxB*	17,600	13,000	14.50	12.00	600	5987811
	CHPF2430B6C*	A*VC950704CXB*	17,400	12,900	14.50	12.00	630	5988774
	CHPF2430B6C*	A*EH800603B*A*	17,600	13,000	14.50	12.00	620	6945888
	CHPF2430B6C*+EEP		17,600	13,000	13.50	11.50	650	5987783
	CHPF2430B6C*+EEP+TXV		17,600	13,000	14.00	12.00	650	5987784
	CHPF2430B6C*+MBVC1200**-1A*		17,600	13,000	14.50	12.00	615	5987785
	CHPF2430B6C*+MBVC1200**-1A*+TXV		17,600	13,000	15.00	12.50	615	5987786
	CHPF2430B6C*+TXV	G*VC950453BxB*	17,600	13,000	15.00	12.50	600	5987812
	CHPF2430B6C*+TXV	A*VC950453BxB*	17,600	13,000	15.00	12.50	600	5988764

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CHPF2430B6C*+TXV	GME950603BXA*	17,600	13,000	15.00	12.50	600	5987866
	CHPF2430B6C*+TXV	G*VM960603BxB*	17,600	13,000	15.00	12.50	650	5987842
	CHPF2430B6C*+TXV	A*EH800603B*A*	17,600	13,000	15.00	12.50	620	6945891
	CHPF2430B6C*+TXV	G*E80603B*B*	17,600	13,000	15.00	12.50	620	5987800
	CHPF2430B6C*+TXV	A*VM960604CXB*	17,600	13,000	15.00	12.50	650	5988799
	CHPF2430B6C*+TXV	G*VC950704CXB*	17,600	13,000	15.00	12.50	630	5987824
	CHPF2430B6C*+TXV	G*VC80604B*B*	17,600	13,000	15.00	12.50	620	5987804
	CHPF2430B6C*+TXV	A*VC80604B*B*	17,600	13,000	15.00	12.50	620	5988757
	CHPF2430B6C*+TXV	AMEH960603BXA*	17,600	13,000	15.00	12.50	600	6945893
	CHPF2430B6C*+TXV	AMEH960403BXA*	17,600	13,000	15.00	12.50	600	6945892
	CHPF2430B6C*+TXV	A*VM960603BxB*	17,600	13,000	15.00	12.50	650	5988793
	CHPF2430B6C*+TXV	GME950403BXA*	17,600	13,000	15.00	12.50	600	5987857
	CHPF2430B6C*+TXV	A*VC950704CXB*	17,600	13,000	15.00	12.50	630	5988775
	CHPF2430B6C*+TXV	G*VM960604CXB*	17,600	13,000	15.00	12.50	650	5987848
	CHPF3636B6C*	A*VM970803BNA*	18,000	13,300	15.00	12.50	625	7362326
	CHPF3636B6C*	GME950603BXA*	18,000	13,300	15.50	12.50	600	5987867
	CHPF3636B6C*	GME950403BXA*	18,000	13,300	15.50	12.50	600	5987858
	CHPF3636B6C*	AMEH960603BXA*	18,000	13,300	15.50	12.50	600	6945896
	CHPF3636B6C*	A*VC950704CXB*	18,000	13,300	15.20	12.50	630	5988776
	CHPF3636B6C*	A*VC950453BxB*	18,000	13,300	14.50	12.00	600	5988765
	CHPF3636B6C*	A*VM970603BNA*	18,000	13,300	15.00	12.50	625	7362316
	CHPF3636B6C*	G*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367605
	CHPF3636B6C*	G*VC950453BxB*	18,000	13,300	14.50	12.00	600	5987813
	CHPF3636B6C*	A*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367762
	CHPF3636B6C*	A*EC960402BNA*	18,000	13,300	15.00	12.50	600	7367769
	CHPF3636B6C*	A*VC960603BNA*	18,000	13,300	15.00	12.50	625	7362104
	CHPF3636B6C*	AMEH960403BXA*	18,000	13,300	15.50	12.50	600	6945895
	CHPF3636B6C*	A*VC960403BNA*	18,000	13,300	15.00	12.50	625	7362094
	CHPF3636B6C*	A*EH800603B*A*	18,000	13,300	15.00	12.50	620	6945894
	CHPF3636B6C*	G*VC960603BNA*	18,000	13,300	15.00	12.50	625	7361693
	CHPF3636B6C*	G*VM960603BxB*	18,000	13,300	15.20	12.50	650	5987843
	CHPF3636B6C*	G*VC960403BNA*	18,000	13,300	15.00	12.50	625	7361683
	CHPF3636B6C*	G*VC950704CXB*	18,000	13,300	15.20	12.50	630	5987825
	CHPF3636B6C*	A*VC960803BNA*	18,000	13,300	15.00	12.50	625	7362114
	CHPF3636B6C*	G*E80603B*B*	18,000	13,300	15.00	12.50	620	5987801
	CHPF3636B6C*	G*EC960302BNA*	18,000	13,300	15.00	12.50	600	7367598
	CHPF3636B6C*	A*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367783
	CHPF3636B6C*	G*VM970803BNA*	18,000	13,300	15.00	12.50	625	7361915
	CHPF3636B6C*	G*VM970603BNA*	18,000	13,300	15.00	12.50	625	7361905
	CHPF3636B6C*	G*VC960803BNA*	18,000	13,300	15.00	12.50	625	7361703
	CHPF3636B6C*	A*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367776
	CHPF3636B6C*	A*VM960603BxB*	18,000	13,300	15.20	12.50	650	5988794
	CHPF3636B6C*	G*EC960803BNA*	17,400	12,900	15.00	12.50	550	7367619
	CHPF3636B6C*	G*EC960603BNA*	17,400	12,900	15.00	12.50	550	7367612
	CHPF3636B6C*+EEP		18,000	13,300	14.00	12.00	650	5987787
	CHPF3636B6C*+EEP+TXV		18,000	13,300	14.50	12.00	600	5753085
	CHPF3636B6C*+MBVC1200**-1A*		18,000	13,300	14.50	12.00	615	5987788
	CHPF3636B6C*+MBVC1200**-1A*+TXV		18,000	13,300	15.00	12.50	615	5987789
	CHPF3636B6C*+TXV	A*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367763
	CHPF3636B6C*+TXV	A*VM970603BNA*	18,000	13,300	16.00	13.00	625	7362317
	CHPF3636B6C*+TXV	A*VM970803BNA*	18,000	13,300	16.00	13.00	625	7362327
	CHPF3636B6C*+TXV	G*VC960603BNA*	18,000	13,300	16.00	13.00	625	7361694
	CHPF3636B6C*+TXV	AMEH960403BXA*	18,000	13,300	16.00	13.00	575	6945898
	CHPF3636B6C*+TXV	A*VC960603BNA*	18,000	13,300	16.00	13.00	625	7362105
	CHPF3636B6C*+TXV	G*EC960302BNA*	18,000	13,300	16.00	13.00	600	7367599
	CHPF3636B6C*+TXV	A*VM960603BxB*	18,000	13,300	15.50	12.50	650	5988795
	CHPF3636B6C*+TXV	G*VM960603BxB*	18,000	13,300	15.50	12.50	650	5987844

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CHPF3636B6C*+TXV	A*VC960803BNA*	18,000	13,300	16.00	13.00	625	7362115
	CHPF3636B6C*+TXV	A*EH800603B*A*	18,000	13,300	16.00	13.00	600	6945897
	CHPF3636B6C*+TXV	G*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367606
	CHPF3636B6C*+TXV	A*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367777
	CHPF3636B6C*+TXV	G*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367620
	CHPF3636B6C*+TXV	GME950603BXA*	18,000	13,300	16.00	13.00	600	5987868
	CHPF3636B6C*+TXV	AMEH960603BXA*	18,000	13,300	16.00	13.00	600	6945899
	CHPF3636B6C*+TXV	A*EC960803BNA*	17,400	12,900	16.00	13.00	550	7367784
	CHPF3636B6C*+TXV	G*VC950704CXB*	18,000	13,300	15.50	12.50	630	5987826
	CHPF3636B6C*+TXV	G*EC960603BNA*	17,400	12,900	16.00	13.00	550	7367613
	CHPF3636B6C*+TXV	A*VC80604B*B*	18,000	13,300	16.00	13.00	600	5753088
	CHPF3636B6C*+TXV	G*E80603B*B*	18,000	13,300	16.00	13.00	600	6107824
	CHPF3636B6C*+TXV	G*VC960403BNA*	18,000	13,300	16.00	13.00	625	7361684
	CHPF3636B6C*+TXV	G*VC80604B*B*	18,000	13,300	16.00	13.00	600	6107835
	CHPF3636B6C*+TXV	A*EC960402BNA*	18,000	13,300	16.00	13.00	600	7367770
	CHPF3636B6C*+TXV	A*VC950453BXB*	18,000	13,300	15.00	12.50	600	5753090
	CHPF3636B6C*+TXV	G*VC950453BXB*	18,000	13,300	15.00	12.50	600	5987814
	CHPF3636B6C*+TXV	GME950403BXA*	18,000	13,300	16.00	13.00	575	6090092
	CHPF3636B6C*+TXV	A*VC960403BNA*	18,000	13,300	16.00	13.00	625	7362095
	CHPF3636B6C*+TXV	A*VC950704CXB*	18,000	13,300	15.50	12.50	630	5988777
	CHPF3636B6C*+TXV	G*VC960803BNA*	18,000	13,300	16.00	13.00	625	7361704
	CHPF3636B6C*+TXV	G*VM970603BNA*	18,000	13,300	16.00	13.00	625	7361906
	CHPF3636B6C*+TXV	G*VM970803BNA*	18,000	13,300	16.00	13.00	625	7361916
	CHPF3743C6B*+EEP		18,000	13,300	14.00	12.00	650	5987790
	CHPF3743C6B*+EEP+TXV		18,200	13,500	15.00	12.50	600	5753086
	CSCF3036N6D*	A*VC950453BXB*	18,000	13,300	14.50	12.00	600	5988766
	CSCF3036N6D*	A*VC950704CXB*	17,400	12,900	14.50	12.00	630	5988778
	CSCF3036N6D*	G*VC950453BXB*	18,000	13,300	14.50	12.00	600	5987815
	CSCF3036N6D*	G*VC950704CXB*	17,400	12,900	14.50	12.00	630	5987827
	CSCF3036N6D*+EEP		17,800	13,200	13.50	11.50	650	5987791
	CSCF3036N6D*+EEP+TXV		18,000	13,300	14.00	12.00	650	5987792
	CSCF3036N6D*+TXV	A*VM970803BNA*	18,000	13,300	15.00	12.50	625	7362328
	CSCF3036N6D*+TXV	G*VC960603BNA*	18,000	13,300	15.00	12.50	625	7361695
	CSCF3036N6D*+TXV	A*VC950704CXB*	18,000	13,300	15.00	12.50	630	5988779
	CSCF3036N6D*+TXV	G*VC950453BXB*	18,000	13,300	15.00	12.50	600	5987816
	CSCF3036N6D*+TXV	A*VC960403BNA*	18,000	13,300	15.00	12.50	625	7362096
	CSCF3036N6D*+TXV	G*VC960803BNA*	18,000	13,300	15.00	12.50	625	7361705
	CSCF3036N6D*+TXV	G*VC960403BNA*	18,000	13,300	15.00	12.50	625	7361685
	CSCF3036N6D*+TXV	G*VM970803BNA*	18,000	13,300	15.00	12.50	625	7361917
	CSCF3036N6D*+TXV	G*VC950704CXB*	18,000	13,300	15.00	12.50	630	5987828
	CSCF3036N6D*+TXV	G*VM970603BNA*	18,000	13,300	15.00	12.50	625	7361907
	CSCF3036N6D*+TXV	A*VC950453BXB*	18,000	13,300	15.00	12.50	600	5988767
	CSCF3036N6D*+TXV	A*VC960603BNA*	18,000	13,300	15.00	12.50	625	7362106
	CSCF3036N6D*+TXV	A*VC960803BNA*	18,000	13,300	15.00	12.50	625	7362116
	CSCF3036N6D*+TXV	A*VM970603BNA*	18,000	13,300	15.00	12.50	625	7362318
	CSCF3642N6D*	A*VC960603BNA*	18,400	13,600	15.00	12.50	625	7362107
	CSCF3642N6D*	A*VC960403BNA*	18,400	13,600	15.00	12.50	625	7362097
	CSCF3642N6D*	G*VC960403BNA*	18,400	13,600	15.00	12.50	625	7361686
	CSCF3642N6D*	G*VM970803BNA*	18,400	13,600	15.00	12.50	625	7361918
	CSCF3642N6D*	G*VC960603BNA*	18,400	13,600	15.00	12.50	625	7361696
	CSCF3642N6D*	A*VC960803BNA*	18,400	13,600	15.00	12.50	625	7362117
	CSCF3642N6D*	A*VM970603BNA*	18,400	13,600	15.00	12.50	625	7362319
	CSCF3642N6D*	A*VM970803BNA*	18,400	13,600	15.00	12.50	625	7362329
	CSCF3642N6D*	G*VC960803BNA*	18,400	13,600	15.00	12.50	625	7361706
	CSCF3642N6D*	G*VM970603BNA*	18,400	13,600	15.00	12.50	625	7361908
	CSCF3642N6D*+EEP		18,000	13,300	13.50	11.50	650	5987793
	CSCF3642N6D*+EEP+TXV		18,000	13,300	14.50	12.00	650	5987794

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0181F* (cont.)	CSCF3642N6D*+TXV	A*VM970803BNA*	18,400	13,600	16.00	13.00	625	7362330
	CSCF3642N6D*+TXV	G*VM970603BNA*	18,400	13,600	16.00	13.00	625	7361909
	CSCF3642N6D*+TXV	G*VC960803BNA*	18,400	13,600	16.00	13.00	625	7361707
	CSCF3642N6D*+TXV	G*VC960403BNA*	18,400	13,600	16.00	13.00	625	7361687
	CSCF3642N6D*+TXV	A*VC960403BNA*	18,400	13,600	16.00	13.00	625	7362098
	CSCF3642N6D*+TXV	A*VC960603BNA*	18,400	13,600	16.00	13.00	625	7362108
	CSCF3642N6D*+TXV	A*VM970603BNA*	18,400	13,600	16.00	13.00	625	7362320
	CSCF3642N6D*+TXV	G*VM970803BNA*	18,400	13,600	16.00	13.00	625	7361919
	CSCF3642N6D*+TXV	A*VC960803BNA*	18,400	13,600	16.00	13.00	625	7362118
	CSCF3642N6D*+TXV	G*VC960603BNA*	18,400	13,600	16.00	13.00	625	7361697
ASX16 0241F*	ACNF24XX16D*		23,000	17,200	14.00	12.00	750	6107299
	ACNF30XX16D*		23,200	17,400	14.00	12.00	800	6107300
	ARPT24B14A*		22,000	16,500	13.50	11.00	800	5987873
	ARPT30B14A*		23,400	17,500	14.00	12.00	750	5987874
	ARUF24B14C*		23,000	17,200	13.50	11.00	800	7084871
	ARUF24B14C*+TXV		23,000	17,200	14.00	11.50	800	7084872
	ASPT30C14A*		23,600	17,700	16.00	13.00	750	5756180
	ASUF29B14A*		23,000	17,200	14.00	11.50	690	5987877
	ASUF29B14A*+TXV		23,000	17,200	14.50	12.00	690	5987878
	ASUF39C14A*		23,600	17,700	14.00	12.00	885	5987879
	ASUF39C14A*+TXV		23,600	17,700	15.00	12.50	885	5987880
	AVPTC30C14A*		23,600	17,700	16.00	13.00	780	5924471
	AWUF31XX16A*		24,000	18,000	15.00	12.50	750	5753221
	AWUF31XX16A*+TXV		24,000	18,000	15.00	12.50	750	5753101
	AWUF32XX16A*		24,000	18,000	15.00	12.50	750	5753222
	AWUF32XX16A*+TXV		24,000	18,000	15.00	12.50	750	5753102
	CA*F3131*6D*	AMEH960403BXA*	23,000	17,200	14.50	12.00	770	6945901
	CA*F3131*6D*	A*VC80805C*B*	23,000	17,200	14.50	12.00	800	5988809
	CA*F3131*6D*	GME950403BXA*	23,000	17,200	14.50	12.00	770	5988006
	CA*F3131*6D*	A*VC80604B*B*	23,000	17,200	14.50	12.00	750	5988800
	CA*F3131*6D*	G*E80603B*B*	23,000	17,200	14.50	12.50	850	5987896
	CA*F3131*6D*	G*VC80805C*B*	23,000	17,200	14.50	12.00	800	5987914
	CA*F3131*6D*	G*VC80604B*B*	23,000	17,200	14.50	12.00	750	5987903
	CA*F3131*6D*	GME950603BXA*	23,000	17,200	14.50	12.00	750	5988014
	CA*F3131*6D*	G*VC81005C*B*	23,000	17,200	14.50	12.00	750	5987926
	CA*F3131*6D*	A*EH800603B*A*	23,000	17,200	14.50	12.50	850	6945900
	CA*F3131*6D*	A*VC81005C*B*	23,000	17,200	14.50	12.00	750	5988821
	CA*F3131*6D*	AMEH960603BXA*	23,000	17,200	14.50	12.00	750	6945902
	CA*F3131*6D*+TXV	A*VC80604B*B*	23,000	17,200	15.20	12.50	750	5988801
	CA*F3131*6D*+TXV	AMEH960403BXA*	23,000	17,200	15.20	12.50	770	6945904
	CA*F3131*6D*+TXV	G*E80603B*B*	23,000	17,200	15.00	12.50	850	5987897
	CA*F3131*6D*+TXV	G*VC80604B*B*	23,000	17,200	15.20	12.50	750	5987904
	CA*F3131*6D*+TXV	A*VC81005C*B*	23,000	17,200	15.20	12.50	750	5988822
	CA*F3131*6D*+TXV	G*VC80805C*B*	23,000	17,200	15.20	12.50	800	5987915
	CA*F3131*6D*+TXV	GME950603BXA*	23,000	17,200	15.20	12.50	750	5988015
	CA*F3131*6D*+TXV	GME950403BXA*	23,000	17,200	15.20	12.50	770	5988007
	CA*F3131*6D*+TXV	AMEH960603BXA*	23,000	17,200	15.20	12.50	750	6945905
	CA*F3131*6D*+TXV	G*VC81005C*B*	23,000	17,200	15.20	12.50	750	5987927
	CA*F3131*6D*+TXV	A*VC80805C*B*	23,000	17,200	15.20	12.50	800	5988810
	CA*F3131*6D*+TXV	A*EH800603B*A*	23,000	17,200	15.00	12.50	850	6945903
	CA*F3636*6D*	A*VC960403BNA*	23,600	17,700	15.00	12.50	805	7362120
	CA*F3636*6D*	G*EC960402BNA*	23,600	17,700	15.00	12.50	830	7367627
	CA*F3636*6D*	A*VC950905DXB*	23,600	17,700	15.00	12.50	750	5988871
	CA*F3636*6D*	G*VC80604B*B*	23,600	17,700	15.00	12.50	750	5987905
	CA*F3636*6D*	G*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367633
	CA*F3636*6D*	G*VC81005C*B*	23,600	17,700	15.00	12.50	750	5987928
	CA*F3636*6D*	G*VM960604CXB*	23,600	17,700	15.00	12.50	660	5987988

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CA*F3636*6D*	G*VM960805DXB*	23,600	17,700	15.00	12.50	750	5988002
	CA*F3636*6D*	A*VC950714CXB*	23,600	17,700	15.00	12.50	740	5988856
	CA*F3636*6D*	G*E80603B*B*	23,600	17,700	15.00	12.50	850	5987898
	CA*F3636*6D*	A*VM970803BNA*	23,600	17,700	15.00	12.50	800	7362343
	CA*F3636*6D*	G*VM970804CNA*	23,600	17,700	15.00	12.50	810	7361943
	CA*F3636*6D*	A*VC80805C*B*	23,600	17,700	15.00	12.50	800	5988811
	CA*F3636*6D*	G*VC960803BNA*	23,600	17,700	15.00	12.50	800	7361731
	CA*F3636*6D*	A*VC80604B*B*	23,600	17,700	15.00	12.50	750	5988802
	CA*F3636*6D*	A*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367797
	CA*F3636*6D*	A*VC950905CXB*	23,600	17,700	15.00	12.50	750	5988861
	CA*F3636*6D*	A*VM970804CNA*	23,600	17,700	15.00	12.50	810	7362354
	CA*F3636*6D*	GME950603BXA*	23,600	17,700	14.50	12.00	750	5988016
	CA*F3636*6D*	A*VM960604CXB*	23,600	17,700	15.00	12.50	660	5988881
	CA*F3636*6D*	G*VC960603BNA*	23,600	17,700	15.00	12.50	820	7361720
	CA*F3636*6D*	G*VC950704CXB*	23,600	17,700	15.00	12.50	750	5987950
	CA*F3636*6D*	G*VC80805C*B*	23,600	17,700	15.00	12.50	800	5987916
	CA*F3636*6D*	A*VM960603BNA*	23,600	17,700	15.00	12.50	800	5988873
	CA*F3636*6D*	G*VM960805CXB*	23,600	17,700	15.00	12.50	740	5987994
	CA*F3636*6D*	A*VM960805DXB*	23,600	17,700	15.00	12.50	750	5988895
	CA*F3636*6D*	A*VC960804CNA*	23,600	17,700	15.00	12.50	810	7362153
	CA*F3636*6D*	A*VC960603BNA*	23,600	17,700	15.00	12.50	820	7362131
	CA*F3636*6D*	G*VC950905CXB*	23,600	17,700	15.00	12.50	750	5987968
	CA*F3636*6D*	G*VC950453BXB*	23,600	17,700	15.00	12.50	760	5987939
	CA*F3636*6D*	A*VC960803BNA*	23,600	17,700	15.00	12.50	800	7362142
	CA*F3636*6D*	A*VM970603BNA*	23,600	17,700	15.00	12.50	820	7362332
	CA*F3636*6D*	G*VM960603BNA*	23,600	17,700	15.00	12.50	800	5987980
	CA*F3636*6D*	AMEH960403BXA*	23,600	17,700	15.50	12.50	770	6945907
	CA*F3636*6D*	G*VM970803BNA*	23,600	17,700	15.00	12.50	800	7361932
	CA*F3636*6D*	G*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367642
	CA*F3636*6D*	G*VC950905DXB*	23,600	17,700	15.00	12.50	750	5987978
	CA*F3636*6D*	A*VC950915DXB*	23,600	17,700	15.00	12.50	750	5988872
	CA*F3636*6D*	A*VC81005C*B*	23,600	17,700	15.00	12.50	750	5988823
	CA*F3636*6D*	AMEH960603BXA*	23,600	17,700	14.50	12.00	750	6945908
	CA*F3636*6D*	A*EH800603B*A*	23,600	17,700	15.00	12.50	850	6945906
	CA*F3636*6D*	A*VC950453BXB*	23,600	17,700	15.00	12.50	760	5988834
	CA*F3636*6D*	G*VC950714CXB*	23,600	17,700	15.00	12.50	740	5987963
	CA*F3636*6D*	A*EC960302BNA*	23,600	17,700	15.50	12.50	800	7367785
	CA*F3636*6D*	G*VC960804CNA*	23,600	17,700	15.00	12.50	810	7361742
	CA*F3636*6D*	A*VC950704CXB*	23,600	17,700	15.00	12.50	750	5988843
	CA*F3636*6D*	G*VC960403BNA*	23,600	17,700	15.00	12.50	805	7361709
	CA*F3636*6D*	G*VC950915DXB*	23,600	17,700	15.00	12.50	750	5987979
	CA*F3636*6D*	G*VM970603BNA*	23,600	17,700	15.00	12.50	820	7361921
	CA*F3636*6D*	A*VM960805CXB*	23,600	17,700	15.00	12.50	740	5988887
	CA*F3636*6D*	A*EC960402BNA*	23,600	17,700	15.00	12.50	830	7367791
	CA*F3636*6D*	G*EC960302BNA*	23,600	17,700	15.50	12.50	800	7367621
	CA*F3636*6D*	GME950403BXA*	23,600	17,700	15.50	12.50	770	5988008
	CA*F3636*6D*	A*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367808
	CA*F3636*6D*+EEP		23,600	17,700	14.00	12.00	750	5987881
	CA*F3636*6D*+EEP+TXV		23,600	17,700	14.50	12.00	750	5753093
	CA*F3636*6D*+MBVC1200**-1A*		23,600	17,700	15.50	12.50	725	5987882
	CA*F3636*6D*+MBVC1200**-1A*+TXV		23,600	17,700	16.00	13.00	725	5987883
	CA*F3636*6D*+TXV	A*VC960804CNA*	23,600	17,700	16.00	13.00	810	7362152
	CA*F3636*6D*+TXV	G*VC960803BNA*	23,600	17,700	16.00	13.00	800	7361730
	CA*F3636*6D*+TXV	G*VC950453BXB*	23,600	17,700	15.50	12.50	760	5987940
	CA*F3636*6D*+TXV	A*VM960603BNA*	23,600	17,700	15.50	12.50	800	5988874
	CA*F3636*6D*+TXV	A*VC960803BNA*	23,600	17,700	16.00	13.00	800	7362141
	CA*F3636*6D*+TXV	G*VC950905CXB*	23,600	17,700	15.50	12.50	750	5987969

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CA*F3636*6D*+TXV	A*VC960603BNA*	23,600	17,700	16.00	13.00	820	7362130
	CA*F3636*6D*+TXV	G*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367634
	CA*F3636*6D*+TXV	G*VC80604B*B*	23,600	17,700	15.50	12.50	750	5987906
	CA*F3636*6D*+TXV	ADV80805C*B*	23,600	17,700	16.00	13.00	730	5988004
	CA*F3636*6D*+TXV	G*VM960805CXB*	23,600	17,700	15.50	12.50	740	5987995
	CA*F3636*6D*+TXV	A*VC80604B*B*	23,600	17,700	15.50	12.50	750	5753097
	CA*F3636*6D*+TXV	G*VC960804CNA*	23,600	17,700	16.00	13.00	810	7361741
	CA*F3636*6D*+TXV	G*VM970603BNA*	23,600	17,700	16.00	13.00	820	7361920
	CA*F3636*6D*+TXV	G*VC960403BNA*	23,600	17,700	16.00	13.00	805	7361708
	CA*F3636*6D*+TXV	A*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367792
	CA*F3636*6D*+TXV	A*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367809
	CA*F3636*6D*+TXV	GME950403BXA*	23,600	17,700	15.50	12.50	770	5988009
	CA*F3636*6D*+TXV	A*VC81005C*B*	23,600	17,700	15.50	12.50	750	5988824
	CA*F3636*6D*+TXV	A*VC950704CXB*	23,600	17,700	15.50	12.50	750	5988844
	CA*F3636*6D*+TXV	A*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367798
	CA*F3636*6D*+TXV	G*VC81005C*B*	23,600	17,700	15.50	12.50	750	5987929
	CA*F3636*6D*+TXV	A*VC950714CXB*	23,600	17,700	15.50	12.50	740	5988857
	CA*F3636*6D*+TXV	A*VM960805CXB*	23,600	17,700	15.50	12.50	740	5988888
	CA*F3636*6D*+TXV	A*VC80805C*B*	23,600	17,700	15.50	12.50	800	5988812
	CA*F3636*6D*+TXV	G*VM970804CNA*	23,600	17,700	16.00	13.00	810	7361942
	CA*F3636*6D*+TXV	GME950603BXA*	24,000	18,000	16.00	13.00	750	6090095
	CA*F3636*6D*+TXV	G*VM960603BXB*	23,600	17,700	15.50	12.50	800	5987981
	CA*F3636*6D*+TXV	A*VM970603BNA*	23,600	17,700	16.00	13.00	820	7362331
	CA*F3636*6D*+TXV	G*E80603B*B*	24,000	18,000	16.00	13.00	750	6107825
	CA*F3636*6D*+TXV	A*EH800603B*A*	24,000	18,000	16.00	13.00	750	6945909
	CA*F3636*6D*+TXV	G*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367643
	CA*F3636*6D*+TXV	G*VC950714CXB*	23,600	17,700	15.50	12.50	740	5987964
	CA*F3636*6D*+TXV	A*VC960403BNA*	23,600	17,700	16.00	13.00	805	7362119
	CA*F3636*6D*+TXV	G*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367622
	CA*F3636*6D*+TXV	A*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367786
	CA*F3636*6D*+TXV	AMEH960403BXA*	23,600	17,700	15.50	12.50	770	6945910
	CA*F3636*6D*+TXV	A*VM970803BNA*	23,600	17,700	16.00	13.00	800	7362342
	CA*F3636*6D*+TXV	G*VC950704CXB*	23,600	17,700	15.50	12.50	750	5987951
	CA*F3636*6D*+TXV	AMEH960603BXA*	24,000	18,000	16.00	13.00	750	6945911
	CA*F3636*6D*+TXV	A*VM970804CNA*	23,600	17,700	16.00	13.00	810	7362353
	CA*F3636*6D*+TXV	G*VC80805C*B*	23,600	17,700	15.50	12.50	800	5987917
	CA*F3636*6D*+TXV	G*VM970803BNA*	23,600	17,700	16.00	13.00	800	7361931
	CA*F3636*6D*+TXV	G*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367628
	CA*F3636*6D*+TXV	A*VC950905CXB*	23,600	17,700	15.50	12.50	750	5988862
	CA*F3636*6D*+TXV	A*VC950453BXB*	23,600	17,700	15.50	12.50	760	5753099
	CA*F3636*6D*+TXV	G*VC960603BNA*	23,600	17,700	16.00	13.00	820	7361719
	CA*F3642*6D*	ADV81005C*B*	23,600	17,700	15.50	12.50	780	5988005
	CA*F3642*6D*	G*VC950704CXB*	23,600	17,700	15.50	12.50	750	5987952
	CA*F3642*6D*	G*VC950714CXB*	23,600	17,700	15.50	12.50	740	5987965
	CA*F3642*6D*	G*VM960604CXB*	23,600	17,700	15.50	12.50	660	5987989
	CA*F3642*6D*	A*VC81005C*B*	23,600	17,700	15.50	12.50	750	5988825
	CA*F3642*6D*	GME950603BXA*	23,400	17,500	15.50	12.50	750	5988017
	CA*F3642*6D*	AMEH960603BXA*	23,400	17,500	15.50	12.50	750	6945912
	CA*F3642*6D*	A*VM960604CXB*	23,600	17,700	15.50	12.50	660	5988882
	CA*F3642*6D*	A*VC950714CXB*	23,600	17,700	15.50	12.50	740	5988858
	CA*F3642*6D*	G*VC81005C*B*	23,600	17,700	15.50	12.50	750	5987930
	CA*F3642*6D*	A*VC950704CXB*	23,600	17,700	15.50	12.50	750	5988845
	CA*F3642*6D*+EEP		24,000	18,000	14.00	12.00	750	5987884
	CA*F3642*6D*+TXV	AMEH960603BXA*	23,400	17,500	15.50	12.50	750	6945913
	CA*F3642*6D*+TXV	GME950603BXA*	23,400	17,500	15.50	12.50	750	5988018
	CA*F3743*6D*	A*EC960302BNA*	23,600	17,700	15.00	12.50	800	7367787
	CA*F3743*6D*	A*EC960402BNA*	23,600	17,700	15.00	12.50	830	7367793

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CA*F3743*6D*	G*EC960402BNA*	23,600	17,700	15.00	12.50	830	7367629
	CA*F3743*6D*	A*VM960604CXB*	23,600	17,700	15.50	12.50	660	5988883
	CA*F3743*6D*	A*VM970603BNA*	23,600	17,700	15.00	12.50	820	7362334
	CA*F3743*6D*	A*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367799
	CA*F3743*6D*	G*VC960403BNA*	23,600	17,700	15.00	12.50	805	7361711
	CA*F3743*6D*	G*VC960803BNA*	23,600	17,700	15.00	12.50	800	7361733
	CA*F3743*6D*	G*VC960603BNA*	23,600	17,700	15.00	12.50	820	7361722
	CA*F3743*6D*	A*VC80604B*B*	23,600	17,700	15.50	12.50	750	5988803
	CA*F3743*6D*	G*VC81005C*B*	23,600	17,700	15.50	12.50	750	5987931
	CA*F3743*6D*	G*VM970603BNA*	23,600	17,700	15.00	12.50	820	7361923
	CA*F3743*6D*	G*VC80805C*B*	23,600	17,700	15.50	12.50	800	5987918
	CA*F3743*6D*	GME950603BXA*	23,600	17,700	15.00	12.50	750	5988019
	CA*F3743*6D*	A*VC960403BNA*	23,600	17,700	15.00	12.50	805	7362122
	CA*F3743*6D*	A*VC80805C*B*	23,600	17,700	15.50	12.50	800	5988813
	CA*F3743*6D*	G*VM970804CNA*	23,600	17,700	15.00	12.50	810	7361945
	CA*F3743*6D*	G*VC80604B*B*	23,600	17,700	15.50	12.50	750	5987907
	CA*F3743*6D*	G*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367635
	CA*F3743*6D*	G*VM960604CXB*	23,600	17,700	15.50	12.50	660	5987990
	CA*F3743*6D*	G*VC950905CXB*	23,600	17,700	15.00	12.50	750	5987970
	CA*F3743*6D*	G*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367644
	CA*F3743*6D*	A*VC950704CXB*	23,600	17,700	15.50	12.50	750	5988846
	CA*F3743*6D*	A*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367806
	CA*F3743*6D*	A*VC950905CXB*	23,600	17,700	15.00	12.50	750	5988863
	CA*F3743*6D*	G*VC950453BXB*	23,600	17,700	15.50	12.50	760	5987941
	CA*F3743*6D*	G*VM960805CXB*	23,600	17,700	15.50	12.50	740	5987996
	CA*F3743*6D*	AMEH960603BXA*	23,600	17,700	15.00	12.50	750	6945914
	CA*F3743*6D*	A*VC950714CXB*	23,600	17,700	15.50	12.50	740	5988859
	CA*F3743*6D*	G*VC950704CXB*	23,600	17,700	15.50	12.50	750	5987953
	CA*F3743*6D*	G*VM970803BNA*	23,600	17,700	15.00	12.50	800	7361934
	CA*F3743*6D*	A*VM960805CXB*	23,600	17,700	15.50	12.50	740	5988889
	CA*F3743*6D*	A*VC960803BNA*	23,600	17,700	15.00	12.50	800	7362144
	CA*F3743*6D*	G*VC950714CXB*	23,600	17,700	15.50	12.50	740	5987966
	CA*F3743*6D*	A*VC950453BXB*	23,600	17,700	15.50	12.50	760	5988835
	CA*F3743*6D*	G*VM960603BXB*	23,600	17,700	15.50	12.50	800	5987982
	CA*F3743*6D*	A*VC81005C*B*	23,600	17,700	15.50	12.50	750	5988826
	CA*F3743*6D*	G*VC960804CNA*	23,600	17,700	15.00	12.50	810	7361744
	CA*F3743*6D*	A*VC960603BNA*	23,600	17,700	15.00	12.50	820	7362133
	CA*F3743*6D*	A*VC960804CNA*	23,600	17,700	15.00	12.50	810	7362155
	CA*F3743*6D*	A*VM970803BNA*	23,600	17,700	15.00	12.50	800	7362345
	CA*F3743*6D*	G*EC960302BNA*	23,600	17,700	15.00	12.50	800	7367623
	CA*F3743*6D*	A*VM960603BXB*	23,600	17,700	15.50	12.50	800	5988875
	CA*F3743*6D*	A*VM970804CNA*	23,600	17,700	15.00	12.50	810	7362356
	CA*F3743*6D*+EEP		24,000	18,000	14.00	12.00	750	5987885
	CA*F3743*6D*+EEP+TXV		24,000	18,000	15.00	12.50	700	5753094
	CA*F3743*6D*+TXV	A*VC950453BXB*	23,600	17,700	16.00	13.00	760	5988836
	CA*F3743*6D*+TXV	A*VC80604B*B*	23,600	17,700	16.00	13.00	750	5988804
	CA*F3743*6D*+TXV	A*VM970803BNA*	23,600	17,700	16.00	13.00	800	7362344
	CA*F3743*6D*+TXV	A*VC960803BNA*	23,600	17,700	16.00	13.00	800	7362143
	CA*F3743*6D*+TXV	G*VM960604CXB*	23,600	17,700	16.00	13.00	660	5987991
	CA*F3743*6D*+TXV	G*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367636
	CA*F3743*6D*+TXV	G*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367630
	CA*F3743*6D*+TXV	A*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367800
	CA*F3743*6D*+TXV	G*VC950714CXB*	23,600	17,700	16.00	13.00	740	5987967
	CA*F3743*6D*+TXV	A*VC960403BNA*	23,600	17,700	16.00	13.00	805	7362121
	CA*F3743*6D*+TXV	G*VC950905CXB*	23,600	17,700	16.00	13.00	750	5987971
	CA*F3743*6D*+TXV	G*VC950453BXB*	23,600	17,700	16.00	13.00	760	5987942
	CA*F3743*6D*+TXV	A*VM970603BNA*	23,600	17,700	16.00	13.00	820	7362333

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CA*F3743*6D*+TXV	G*VC960803BNA*	23,600	17,700	16.00	13.00	800	7361732
	CA*F3743*6D*+TXV	A*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367788
	CA*F3743*6D*+TXV	G*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367624
	CA*F3743*6D*+TXV	A*VM960805CXB*	23,600	17,700	16.00	13.00	740	5988890
	CA*F3743*6D*+TXV	G*VC80805C*B*	23,600	17,700	16.00	13.00	800	5987919
	CA*F3743*6D*+TXV	G*VC81005C*B*	23,600	17,700	16.00	13.00	750	5987932
	CA*F3743*6D*+TXV	A*VC950905CXB*	23,600	17,700	16.00	13.00	750	5988864
	CA*F3743*6D*+TXV	A*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367794
	CA*F3743*6D*+TXV	A*VC950704CXB*	23,600	17,700	16.00	13.00	750	5988847
	CA*F3743*6D*+TXV	A*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367807
	CA*F3743*6D*+TXV	A*VM960603BXB*	23,600	17,700	16.00	13.00	800	5988876
	CA*F3743*6D*+TXV	A*VC81005C*B*	23,600	17,700	16.00	13.00	750	5988827
	CA*F3743*6D*+TXV	G*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367645
	CA*F3743*6D*+TXV	G*VC960603BNA*	23,600	17,700	16.00	13.00	820	7361721
	CA*F3743*6D*+TXV	G*VC960403BNA*	23,600	17,700	16.00	13.00	805	7361710
	CA*F3743*6D*+TXV	G*VC80604B*B*	23,600	17,700	16.00	13.00	750	5987908
	CA*F3743*6D*+TXV	ADV80603B*B*	23,600	17,700	16.00	13.00	800	5988003
	CA*F3743*6D*+TXV	G*VC950704CXB*	23,600	17,700	16.00	13.00	750	5987954
	CA*F3743*6D*+TXV	G*VC960804CNA*	23,600	17,700	16.00	13.00	810	7361743
	CA*F3743*6D*+TXV	A*VC960603BNA*	23,600	17,700	16.00	13.00	820	7362132
	CA*F3743*6D*+TXV	A*VC960804CNA*	23,600	17,700	16.00	13.00	810	7362154
	CA*F3743*6D*+TXV	AMEH960603BXA*	23,600	17,700	15.50	12.50	750	6945916
	CA*F3743*6D*+TXV	A*VC80805C*B*	23,600	17,700	16.00	13.00	800	5988814
	CA*F3743*6D*+TXV	A*VM970804CNA*	23,600	17,700	16.00	13.00	810	7362355
	CA*F3743*6D*+TXV	G*VM960603BXB*	23,600	17,700	16.00	13.00	800	5987983
	CA*F3743*6D*+TXV	A*VM960604CXB*	23,600	17,700	16.00	13.00	660	5988884
	CA*F3743*6D*+TXV	G*VM970803BNA*	23,600	17,700	16.00	13.00	800	7361933
	CA*F3743*6D*+TXV	A*VC950714CXB*	23,600	17,700	16.00	13.00	740	5988860
	CA*F3743*6D*+TXV	G*VM970603BNA*	23,600	17,700	16.00	13.00	820	7361922
	CA*F3743*6D*+TXV	AMEH960403BXA*	23,600	17,700	16.00	13.00	770	6945915
	CA*F3743*6D*+TXV	G*VM960805CXB*	23,600	17,700	16.00	13.00	740	5987997
	CA*F3743*6D*+TXV	G*VM970804CNA*	23,600	17,700	16.00	13.00	810	7361944
	CA*F3743*6D*+TXV	GME950603BXA*	23,600	17,700	15.50	12.50	750	5988020
	CA*F3743*6D*+TXV	GME950403BXA*	23,600	17,700	16.00	13.00	770	5988010
	CAPT3131*4A*	G*VC950453BXB*	23,200	17,400	14.50	12.00	800	6345884
	CAPT3131*4A*	A*VC960403BNA*	23,000	17,200	14.50	12.00	805	7362123
	CAPT3131*4A*	GME950603BXA*	23,000	17,200	15.20	12.50	750	5988021
	CAPT3131*4A*	G*VM970804CNA*	23,000	17,200	14.50	12.00	810	7361946
	CAPT3131*4A*	A*VC960603BNA*	23,000	17,200	14.50	12.00	820	7362134
	CAPT3131*4A*	A*EH800603B*A*	23,000	17,200	15.20	12.50	850	6945917
	CAPT3131*4A*	G*VC80604B*B*	23,000	17,200	15.20	12.50	750	5987909
	CAPT3131*4A*	A*VC950453BXB*	23,200	17,400	14.50	12.00	800	6345885
	CAPT3131*4A*	A*VM970603BNA*	23,000	17,200	14.50	12.00	820	7362335
	CAPT3131*4A*	A*VC960803BNA*	23,000	17,200	14.50	12.00	800	7362145
	CAPT3131*4A*	G*VC960804CNA*	23,000	17,200	14.50	12.00	810	7361745
	CAPT3131*4A*	G*VC960403BNA*	23,000	17,200	14.50	12.00	805	7361712
	CAPT3131*4A*	G*VM960603BXB*	23,200	17,400	15.00	12.50	800	6345888
	CAPT3131*4A*	A*VC80604B*B*	23,000	17,200	15.20	12.50	750	5988805
	CAPT3131*4A*	G*VC960603BNA*	23,000	17,200	14.50	12.00	820	7361723
	CAPT3131*4A*	G*E80603B*B*	23,000	17,200	15.20	12.50	850	5987899
	CAPT3131*4A*	AMEH960403BXA*	23,000	17,200	15.20	12.50	770	6945918
	CAPT3131*4A*	G*VC960803BNA*	23,000	17,200	14.50	12.00	800	7361734
	CAPT3131*4A*	G*VC80805C*B*	23,000	17,200	15.20	12.50	800	5987920
	CAPT3131*4A*	A*VM970804CNA*	23,000	17,200	14.50	12.00	810	7362357
	CAPT3131*4A*	A*VC960804CNA*	23,000	17,200	14.50	12.00	810	7362156
	CAPT3131*4A*	G*VC950714CXB*	23,200	17,400	15.00	12.50	775	6345880
	CAPT3131*4A*	GME950403BXA*	23,000	17,200	15.20	12.50	770	5988011

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CAPT3131*4A*	A*VC950714CXB*	23,200	17,400	15.00	12.50	775	6345881
	CAPT3131*4A*	AMEH960603BXA*	23,000	17,200	15.20	12.50	750	6945919
	CAPT3131*4A*	G*VM970803BNA*	23,000	17,200	14.50	12.00	800	7361935
	CAPT3131*4A*	G*VM960604CXB*	23,200	17,400	15.00	12.50	800	6345882
	CAPT3131*4A*	G*EC960803BNA*	23,400	17,500	15.00	12.50	800	7367641
	CAPT3131*4A*	A*VC950704CXB*	23,200	17,400	15.00	12.50	725	6345887
	CAPT3131*4A*	G*VM970603BNA*	23,000	17,200	14.50	12.00	820	7361924
	CAPT3131*4A*	G*VC950704CXB*	23,200	17,400	15.00	12.50	725	6345886
	CAPT3131*4A*	G*VC81005C*B*	23,000	17,200	15.20	12.50	750	5987933
	CAPT3131*4A*	A*VM970803BNA*	23,000	17,200	14.50	12.00	800	7362346
	CAPT3131*4A*	A*VM960603BxB*	23,200	17,400	15.00	12.50	800	6345889
	CAPT3131*4A*	A*VC81005C*B*	23,000	17,200	15.20	12.50	750	5988828
	CAPT3131*4A*	A*EC960803BNA*	23,400	17,500	15.00	12.50	800	7367805
	CAPT3131*4A*	A*VM960604CXB*	23,200	17,400	15.00	12.50	800	6345883
	CAPT3131*4A*	ADV80603B*B*	23,200	17,400	15.00	12.50	800	6345890
	CAPT3131*4A*	A*VC80805C*B*	23,000	17,200	15.20	12.50	800	5988815
	CAPT3131*4A*+EEP		23,000	17,200	14.00	12.00	750	5987886
	CAPT3131*4A*+MBVC1200**-1A*		23,000	17,200	15.50	12.50	725	6345891
	CAPT3743*4A*+EEP		24,000	18,000	14.50	12.00	750	5987887
	CHPF2430B6C*	A*VC80805C*B*	23,000	17,200	14.50	12.00	800	5988816
	CHPF2430B6C*	G*VC80805C*B*	23,000	17,200	14.50	12.00	800	5987921
	CHPF2430B6C*	G*VC81005C*B*	23,000	17,200	14.50	12.00	750	5987934
	CHPF2430B6C*	A*VC81005C*B*	23,000	17,200	14.50	12.00	750	5988829
	CHPF2430B6C*	A*VC80604B*B*	23,000	17,200	14.50	12.00	750	5988806
	CHPF2430B6C*	G*E80603B*B*	23,000	17,200	14.50	12.00	850	5987900
	CHPF2430B6C*	G*VC80604B*B*	23,000	17,200	14.50	12.00	750	5987910
	CHPF2430B6C*	A*EH800603B*A*	23,000	17,200	14.50	12.00	850	6945920
	CHPF2430B6C*+TXV	G*E80603B*B*	23,000	17,200	15.00	12.50	850	5987901
	CHPF2430B6C*+TXV	A*VC80604B*B*	23,000	17,200	15.00	12.50	750	5988807
	CHPF2430B6C*+TXV	G*VC80604B*B*	23,000	17,200	15.00	12.50	750	5987911
	CHPF2430B6C*+TXV	G*VC81005C*B*	23,000	17,200	15.00	12.50	750	5987935
	CHPF2430B6C*+TXV	A*VC80805C*B*	23,000	17,200	15.20	12.50	800	5988817
	CHPF2430B6C*+TXV	A*EH800603B*A*	23,000	17,200	15.00	12.50	850	6945921
	CHPF2430B6C*+TXV	G*VC80805C*B*	23,000	17,200	15.20	12.50	800	5987922
	CHPF2430B6C*+TXV	A*VC81005C*B*	23,000	17,200	15.00	12.50	750	5988830
	CHPF3636B6C*	G*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367646
	CHPF3636B6C*	G*VC960403BNA*	23,600	17,700	15.00	12.50	805	7361713
	CHPF3636B6C*	G*VC80805C*B*	23,600	17,700	15.00	12.50	800	5987923
	CHPF3636B6C*	G*VC950453BxB*	23,600	17,700	14.50	12.00	760	5987943
	CHPF3636B6C*	G*VC81005C*B*	23,600	17,700	15.00	12.50	750	5987936
	CHPF3636B6C*	G*E80603B*B*	23,600	17,700	15.50	12.50	850	5987902
	CHPF3636B6C*	G*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367637
	CHPF3636B6C*	A*VM970804CNA*	23,600	17,700	15.00	12.50	810	7362358
	CHPF3636B6C*	A*EC960402BNA*	23,600	17,700	15.50	12.50	830	7367795
	CHPF3636B6C*	A*VC960804CNA*	23,600	17,700	15.00	12.50	810	7362157
	CHPF3636B6C*	A*VC950453BxB*	23,600	17,700	14.50	12.00	760	5988837
	CHPF3636B6C*	G*VM960603BxB*	23,600	17,700	14.50	12.00	800	5987984
	CHPF3636B6C*	A*VC960603BNA*	23,600	17,700	15.00	12.50	820	7362135
	CHPF3636B6C*	A*VM960604CXB*	23,600	17,700	15.00	12.50	660	5988885
	CHPF3636B6C*	AMEH960603BXA*	23,600	17,700	15.50	12.50	750	6945924
	CHPF3636B6C*	G*VC950905CXB*	23,600	17,700	14.50	12.00	750	5987972
	CHPF3636B6C*	A*EC960803BNA*	23,600	17,700	15.00	12.50	800	7367810
	CHPF3636B6C*	AMEH960403BXA*	23,600	17,700	15.00	12.50	770	6945923
	CHPF3636B6C*	A*VM960805CXB*	23,600	17,700	15.00	12.50	740	5988891
	CHPF3636B6C*	G*VC960603BNA*	23,600	17,700	15.00	12.50	820	7361724
	CHPF3636B6C*	G*VM970804CNA*	23,600	17,700	15.00	12.50	810	7361947
	CHPF3636B6C*	A*VC950704CXB*	23,600	17,700	14.50	12.00	750	5988848

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CHPF3636B6C*	GME950403BXA*	23,600	17,700	15.00	12.50	770	5988012
	CHPF3636B6C*	A*VM970803BNA*	23,600	17,700	15.00	12.50	800	7362347
	CHPF3636B6C*	A*VC80604B*B*	23,600	17,700	15.00	12.50	750	5988808
	CHPF3636B6C*	G*EC960402BNA*	23,600	17,700	15.50	12.50	830	7367631
	CHPF3636B6C*	G*EC960302BNA*	23,600	17,700	15.00	12.50	800	7367625
	CHPF3636B6C*	G*VC80604B*B*	23,600	17,700	15.00	12.50	750	5987912
	CHPF3636B6C*	G*VM970603BNA*	23,600	17,700	15.00	12.50	820	7361925
	CHPF3636B6C*	GME950603BXA*	23,600	17,700	15.50	12.50	750	5988022
	CHPF3636B6C*	A*VC960403BNA*	23,600	17,700	15.00	12.50	805	7362124
	CHPF3636B6C*	G*VM970803BNA*	23,600	17,700	15.00	12.50	800	7361936
	CHPF3636B6C*	G*VC960803BNA*	23,600	17,700	15.00	12.50	800	7361735
	CHPF3636B6C*	G*VM960604CXB*	23,600	17,700	15.00	12.50	660	5987992
	CHPF3636B6C*	G*VC960804CNA*	23,600	17,700	15.00	12.50	810	7361746
	CHPF3636B6C*	G*VM960805CXB*	23,600	17,700	15.00	12.50	740	5987998
	CHPF3636B6C*	A*VC81005C*B*	23,600	17,700	15.00	12.50	750	5988831
	CHPF3636B6C*	A*VM960603BXB*	23,600	17,700	14.50	12.00	800	5988877
	CHPF3636B6C*	A*VC960803BNA*	23,600	17,700	15.00	12.50	800	7362146
	CHPF3636B6C*	A*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367801
	CHPF3636B6C*	A*VM970603BNA*	23,600	17,700	15.00	12.50	820	7362336
	CHPF3636B6C*	A*VC80805C*B*	23,600	17,700	15.00	12.50	800	5988818
	CHPF3636B6C*	A*EH800603B*A*	23,600	17,700	15.50	12.50	850	6945922
	CHPF3636B6C*	A*EC960302BNA*	23,600	17,700	15.00	12.50	800	7367789
	CHPF3636B6C*	A*VC950905CXB*	23,600	17,700	14.50	12.00	750	5988865
	CHPF3636B6C*	G*VC950704CXB*	23,600	17,700	14.50	12.00	750	5987955
	CHPF3636B6C*+EEP		23,600	17,700	14.00	12.00	750	5987888
	CHPF3636B6C*+EEP+TXV		23,600	17,700	14.50	12.00	750	5753095
	CHPF3636B6C*+MBVC1200**-1A*		23,600	17,700	15.50	12.50	725	5987889
	CHPF3636B6C*+MBVC1200**-1A*+TXV		23,600	17,700	16.00	13.00	725	5987890
	CHPF3636B6C*+TXV	A*EH800603B*A*	24,000	18,000	16.00	13.00	750	6945925
	CHPF3636B6C*+TXV	G*VC80604B*B*	23,600	17,700	15.50	12.50	750	5987913
	CHPF3636B6C*+TXV	A*VC960804CNA*	23,600	17,700	16.00	13.00	810	7362158
	CHPF3636B6C*+TXV	G*VM960805CXB*	23,600	17,700	15.50	12.50	740	5987999
	CHPF3636B6C*+TXV	A*VC80805C*B*	23,600	17,700	16.00	13.00	800	5988819
	CHPF3636B6C*+TXV	GME950603BXA*	24,000	18,000	16.00	13.00	750	6090100
	CHPF3636B6C*+TXV	A*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367811
	CHPF3636B6C*+TXV	A*VC950704CXB*	23,600	17,700	15.00	12.50	750	5988849
	CHPF3636B6C*+TXV	A*VM960805CXB*	23,600	17,700	15.50	12.50	740	5988892
	CHPF3636B6C*+TXV	G*VC80805C*B*	23,600	17,700	16.00	13.00	800	5987924
	CHPF3636B6C*+TXV	G*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367638
	CHPF3636B6C*+TXV	G*VC960803BNA*	23,600	17,700	16.00	13.00	800	7361736
	CHPF3636B6C*+TXV	A*VC950905CXB*	23,600	17,700	15.00	12.50	750	5988866
	CHPF3636B6C*+TXV	A*VC81005C*B*	23,600	17,700	15.50	12.50	750	5988832
	CHPF3636B6C*+TXV	A*VM960603BXB*	23,600	17,700	15.00	12.50	800	5988878
	CHPF3636B6C*+TXV	A*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367802
	CHPF3636B6C*+TXV	A*VC960403BNA*	23,600	17,700	16.00	13.00	805	7362125
	CHPF3636B6C*+TXV	AMEH960403BXA*	23,600	17,700	15.50	12.50	770	6945926
	CHPF3636B6C*+TXV	G*VC950704CXB*	23,600	17,700	15.00	12.50	750	5987956
	CHPF3636B6C*+TXV	A*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367796
	CHPF3636B6C*+TXV	G*VM970803BNA*	23,600	17,700	16.00	13.00	800	7361937
	CHPF3636B6C*+TXV	G*VC960603BNA*	23,600	17,700	16.00	13.00	820	7361725
	CHPF3636B6C*+TXV	A*VC960603BNA*	23,600	17,700	16.00	13.00	820	7362136
	CHPF3636B6C*+TXV	A*VM970804CNA*	23,600	17,700	16.00	13.00	810	7362359
	CHPF3636B6C*+TXV	AMEH960603BXA*	24,000	18,000	16.00	13.00	750	6945927
	CHPF3636B6C*+TXV	GME950403BXA*	23,600	17,700	15.50	12.50	770	5988013
	CHPF3636B6C*+TXV	A*VC960803BNA*	23,600	17,700	16.00	13.00	800	7362147
	CHPF3636B6C*+TXV	G*VM970804CNA*	23,600	17,700	16.00	13.00	810	7361948
	CHPF3636B6C*+TXV	G*VC960804CNA*	23,600	17,700	16.00	13.00	810	7361747

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CHPF3636B6C*+TXV	A*VC80604B*B*	23,600	17,700	15.50	12.50	750	5753098
	CHPF3636B6C*+TXV	G*VC950453BxB*	23,600	17,700	15.00	12.50	760	5987944
	CHPF3636B6C*+TXV	G*EC960402BNA*	23,600	17,700	16.00	13.00	830	7367632
	CHPF3636B6C*+TXV	A*VM970803BNA*	23,600	17,700	16.00	13.00	800	7362348
	CHPF3636B6C*+TXV	G*VM970603BNA*	23,600	17,700	16.00	13.00	820	7361926
	CHPF3636B6C*+TXV	G*VC960403BNA*	23,600	17,700	16.00	13.00	805	7361714
	CHPF3636B6C*+TXV	A*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367790
	CHPF3636B6C*+TXV	G*VC81005C*B*	23,600	17,700	15.50	12.50	750	5987937
	CHPF3636B6C*+TXV	G*EC960302BNA*	23,600	17,700	16.00	13.00	800	7367626
	CHPF3636B6C*+TXV	A*VC950453BxB*	23,600	17,700	15.00	12.50	760	5753100
	CHPF3636B6C*+TXV	G*VC950905CXB*	23,600	17,700	15.00	12.50	750	5987973
	CHPF3636B6C*+TXV	G*E80603B*B*	24,000	18,000	16.00	13.00	750	6107826
	CHPF3636B6C*+TXV	A*VM970603BNA*	23,600	17,700	16.00	13.00	820	7362337
	CHPF3636B6C*+TXV	G*VM960603BxB*	23,600	17,700	15.00	12.50	800	5987985
	CHPF3636B6C*+TXV	G*EC960803BNA*	23,600	17,700	16.00	13.00	800	7367647
	CHPF3642C6C*	A*VM960604CXB*	23,600	17,700	15.00	12.50	660	5988886
	CHPF3642C6C*	G*VC80805C*B*	23,600	17,700	15.00	12.50	800	5987925
	CHPF3642C6C*	A*VC80805C*B*	23,600	17,700	15.00	12.50	800	5988820
	CHPF3642C6C*	A*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367803
	CHPF3642C6C*	A*EC960803BNA*	24,000	18,000	15.00	12.50	800	7367812
	CHPF3642C6C*	A*VC950704CXB*	23,600	17,700	15.00	12.50	750	5988850
	CHPF3642C6C*	G*EC960803BNA*	24,000	18,000	15.00	12.50	800	7367648
	CHPF3642C6C*	G*EC960603BNA*	23,600	17,700	15.00	12.50	800	7367639
	CHPF3642C6C*	G*VM960604CXB*	23,600	17,700	15.00	12.50	660	5987993
	CHPF3642C6C*	GME950603BXA*	23,600	17,700	15.00	12.50	750	5988023
	CHPF3642C6C*	G*VC950704CXB*	23,600	17,700	15.00	12.50	750	5987957
	CHPF3642C6C*	AMEH960603BXA*	23,600	17,700	15.00	12.50	750	6945928
	CHPF3642C6C*	A*VC81005C*B*	23,600	17,700	15.00	12.50	750	5988833
	CHPF3642C6C*	G*VC81005C*B*	23,600	17,700	15.00	12.50	750	5987938
	CHPF3642C6C*+TXV	A*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367804
	CHPF3642C6C*+TXV	G*EC960803BNA*	24,000	18,000	16.00	13.00	800	7367649
	CHPF3642C6C*+TXV	G*EC960603BNA*	23,600	17,700	16.00	13.00	800	7367640
	CHPF3642C6C*+TXV	GME950603BXA*	23,600	17,700	15.50	12.50	750	5988024
	CHPF3642C6C*+TXV	AMEH960603BXA*	23,600	17,700	15.50	12.50	750	6945929
	CHPF3642C6C*+TXV	A*EC960803BNA*	24,000	18,000	16.00	13.00	800	7367813
	CHPF3642C6C*+TXV	G*VC950704CXB*	23,600	17,700	16.00	13.00	750	6498498
	CHPF3743C6B*	G*VC950905CXB*	23,600	17,700	15.50	12.50	750	5987974
	CHPF3743C6B*	A*VC950704CXB*	23,600	17,700	15.00	12.50	750	5988851
	CHPF3743C6B*	A*VM960603BxB*	23,600	17,700	15.50	12.50	800	5988879
	CHPF3743C6B*	G*VC950704CXB*	23,600	17,700	15.00	12.50	750	5987958
	CHPF3743C6B*	G*VM960805CXB*	23,600	17,700	15.50	12.50	740	5988000
	CHPF3743C6B*	A*VC950905CXB*	23,600	17,700	15.50	12.50	750	5988867
	CHPF3743C6B*	G*VC950453BxB*	23,600	17,700	15.00	12.50	760	5987945
	CHPF3743C6B*	G*VM960603BxB*	23,600	17,700	15.50	12.50	800	5987986
	CHPF3743C6B*	A*VM960805CXB*	23,600	17,700	15.50	12.50	740	5988893
	CHPF3743C6B*	A*VC950453BxB*	23,600	17,700	15.00	12.50	760	5988838
	CHPF3743C6B*+EEP		23,600	17,700	14.50	12.00	750	5987891
	CHPF3743C6B*+EEP+TXV		24,000	18,000	15.00	12.50	750	5753096
	CHPF3743C6B*+TXV	A*VC950453BxB*	23,600	17,700	15.50	12.50	760	6079807
	CHPF3743C6B*+TXV	A*VM960603BxB*	23,600	17,700	15.50	12.50	800	6079860
	CHPF3743C6B*+TXV	G*VM960805CXB*	23,600	17,700	15.50	12.50	740	6079863
	CHPF3743C6B*+TXV	A*VM960805CXB*	23,600	17,700	15.50	12.50	740	6079861
	CHPF3743C6B*+TXV	G*VC950704CXB*	23,600	17,700	15.50	12.50	750	6079811
	CHPF3743C6B*+TXV	G*VM960603BxB*	23,600	17,700	15.50	12.50	800	6079862
	CHPF3743C6B*+TXV	G*VC950905CXB*	23,600	17,700	16.00	13.00	750	6079812
	CHPF3743C6B*+TXV	A*VC950704CXB*	23,600	17,700	15.50	12.50	750	6079808
	CHPF3743C6B*+TXV	A*VC950905CXB*	23,600	17,700	16.00	13.00	750	6079809

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CHPF3743C6B*+TXV	G*VC950453BxB*	23,600	17,700	15.50	12.50	760	6079810
	CSCF3036N6D*	A*VM970804CNA*	23,000	17,200	14.50	12.00	810	7362360
	CSCF3036N6D*	A*VC960403BNA*	23,000	17,200	14.50	12.00	805	7362126
	CSCF3036N6D*	G*VC950704CXB*	23,400	17,500	15.00	12.50	750	5987960
	CSCF3036N6D*	G*VM970804CNA*	23,000	17,200	14.50	12.00	810	7361949
	CSCF3036N6D*	G*VM970803BNA*	23,000	17,200	14.50	12.00	800	7361938
	CSCF3036N6D*	G*VC960804CNA*	23,000	17,200	14.50	12.00	810	7361748
	CSCF3036N6D*	A*VM970603BNA*	23,000	17,200	14.50	12.00	820	7362338
	CSCF3036N6D*	A*VC960804CNA*	23,000	17,200	14.50	12.00	810	7362159
	CSCF3036N6D*	A*VC960603BNA*	23,000	17,200	14.50	12.00	820	7362137
	CSCF3036N6D*	A*VM970803BNA*	23,000	17,200	14.50	12.00	800	7362349
	CSCF3036N6D*	G*VC960803BNA*	23,000	17,200	14.50	12.00	800	7361737
	CSCF3036N6D*	G*VC960603BNA*	23,000	17,200	14.50	12.00	820	7361726
	CSCF3036N6D*	A*VC960803BNA*	23,000	17,200	14.50	12.00	800	7362148
	CSCF3036N6D*	A*VC950704CXB*	23,400	17,500	15.00	12.50	750	5988853
	CSCF3036N6D*	G*VM970603BNA*	23,000	17,200	14.50	12.00	820	7361927
	CSCF3036N6D*	G*VC960403BNA*	23,000	17,200	14.50	12.00	805	7361715
	CSCF3036N6D*	G*VC950453BxB*	23,400	17,500	15.00	12.50	760	5987947
	CSCF3036N6D*	A*VC950453BxB*	23,400	17,500	15.00	12.50	760	5988840
	CSCF3036N6D*+EEP		23,400	17,500	14.00	12.00	750	5987892
	CSCF3036N6D*+EEP+TXV		23,400	17,500	14.50	12.00	750	5987893
	CSCF3036N6D*+TXV	G*VC960403BNA*	23,000	17,200	15.00	12.00	805	7361716
	CSCF3036N6D*+TXV	A*VC960804CNA*	23,000	17,200	15.00	12.00	810	7362160
	CSCF3036N6D*+TXV	G*VC960803BNA*	23,000	17,200	15.00	12.00	800	7361738
	CSCF3036N6D*+TXV	A*VM970804CNA*	23,000	17,200	15.00	12.00	810	7362361
	CSCF3036N6D*+TXV	A*VC960603BNA*	23,000	17,200	15.00	12.00	820	7362138
	CSCF3036N6D*+TXV	G*VM970603BNA*	23,000	17,200	15.00	12.00	820	7361928
	CSCF3036N6D*+TXV	G*VM970803BNA*	23,000	17,200	15.00	12.00	800	7361939
	CSCF3036N6D*+TXV	G*VC960804CNA*	23,000	17,200	15.00	12.00	810	7361749
	CSCF3036N6D*+TXV	A*VC960803BNA*	23,000	17,200	15.00	12.00	800	7362149
	CSCF3036N6D*+TXV	G*VC960603BNA*	23,000	17,200	15.00	12.00	820	7361727
	CSCF3036N6D*+TXV	A*VM970803BNA*	23,000	17,200	15.00	12.00	800	7362350
	CSCF3036N6D*+TXV	G*VM970804CNA*	23,000	17,200	15.00	12.00	810	7361950
	CSCF3036N6D*+TXV	A*VM970603BNA*	23,000	17,200	15.00	12.00	820	7362339
	CSCF3036N6D*+TXV	A*VC960403BNA*	23,000	17,200	15.00	12.00	805	7362127
	CSCF3642N6D*	G*VC960803BNA*	23,400	17,500	15.00	12.50	800	7361739
	CSCF3642N6D*	G*VC950704CXB*	23,400	17,500	14.00	11.50	750	5987961
	CSCF3642N6D*	A*VC960803BNA*	23,400	17,500	15.00	12.50	800	7362150
	CSCF3642N6D*	A*VC950905CXB*	23,400	17,500	15.00	12.50	750	5988869
	CSCF3642N6D*	G*VM970603BNA*	23,400	17,500	15.00	12.50	820	7361929
	CSCF3642N6D*	A*VM970804CNA*	23,400	17,500	15.00	12.50	810	7362362
	CSCF3642N6D*	G*VM970804CNA*	23,400	17,500	15.00	12.50	810	7361951
	CSCF3642N6D*	A*VC960804CNA*	23,400	17,500	15.00	12.50	810	7362161
	CSCF3642N6D*	G*VC960603BNA*	23,400	17,500	15.00	12.50	820	7361728
	CSCF3642N6D*	G*VM970803BNA*	23,400	17,500	15.00	12.50	800	7361940
	CSCF3642N6D*	G*VC960403BNA*	23,400	17,500	15.00	12.50	805	7361717
	CSCF3642N6D*	G*VC950453BxB*	23,400	17,500	14.50	12.00	760	5987948
	CSCF3642N6D*	A*VC960403BNA*	23,400	17,500	15.00	12.50	805	7362128
	CSCF3642N6D*	A*VC950453BxB*	23,400	17,500	14.50	12.00	760	5988841
	CSCF3642N6D*	A*VC950704CXB*	23,400	17,500	14.00	11.50	750	5988854
	CSCF3642N6D*	A*VM970803BNA*	23,400	17,500	15.00	12.50	800	7362351
	CSCF3642N6D*	A*VC960603BNA*	23,400	17,500	15.00	12.50	820	7362139
	CSCF3642N6D*	G*VC960804CNA*	23,400	17,500	15.00	12.50	810	7361750
	CSCF3642N6D*	A*VM970603BNA*	23,400	17,500	15.00	12.50	820	7362340
	CSCF3642N6D*	G*VC950905CXB*	23,400	17,500	15.00	12.50	750	5987976
	CSCF3642N6D*+EEP		23,400	17,500	14.50	12.00	750	5987894
	CSCF3642N6D*+EEP+TXV		23,400	17,500	14.50	12.00	750	5987895

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0241F* (cont.)	CSCF3642N6D*+TXV	G*VM970803BNA*	23,400	17,500	16.00	13.00	800	7361941
	CSCF3642N6D*+TXV	G*VC950704CXB*	23,400	17,500	15.50	12.50	750	5987962
	CSCF3642N6D*+TXV	A*VC950905CXB*	23,400	17,500	15.50	12.50	750	5988870
	CSCF3642N6D*+TXV	G*VC960803BNA*	23,400	17,500	16.00	13.00	800	7361740
	CSCF3642N6D*+TXV	A*VM970803BNA*	23,400	17,500	16.00	13.00	800	7362352
	CSCF3642N6D*+TXV	A*VC960803BNA*	23,400	17,500	16.00	13.00	800	7362151
	CSCF3642N6D*+TXV	G*VC960603BNA*	23,400	17,500	16.00	13.00	820	7361729
	CSCF3642N6D*+TXV	G*VM970804CNA*	23,400	17,500	16.00	13.00	810	7361952
	CSCF3642N6D*+TXV	G*VC950453BXB*	23,400	17,500	15.00	12.50	760	5987949
	CSCF3642N6D*+TXV	A*VC950453BXB*	23,400	17,500	15.00	12.50	760	5988842
	CSCF3642N6D*+TXV	A*VC960804CNA*	23,400	17,500	16.00	13.00	810	7362162
	CSCF3642N6D*+TXV	A*VC960603BNA*	23,400	17,500	16.00	13.00	820	7362140
	CSCF3642N6D*+TXV	A*VC950704CXB*	23,400	17,500	15.50	12.50	750	5988855
	CSCF3642N6D*+TXV	A*VM970804CNA*	23,400	17,500	16.00	13.00	810	7362363
	CSCF3642N6D*+TXV	A*VM970603BNA*	23,400	17,500	16.00	13.00	820	7362341
	CSCF3642N6D*+TXV	G*VM970603BNA*	23,400	17,500	16.00	13.00	820	7361930
	CSCF3642N6D*+TXV	G*VC960804CNA*	23,400	17,500	16.00	13.00	810	7361751
	CSCF3642N6D*+TXV	A*VC960403BNA*	23,400	17,500	16.00	13.00	805	7362129
	CSCF3642N6D*+TXV	G*VC950905CXB*	23,400	17,500	15.50	12.50	750	5987977
	CSCF3642N6D*+TXV	G*VC960403BNA*	23,400	17,500	16.00	13.00	805	7361718
ASX16 0301F*	ACNF30XX16D*		27,000	20,600	14.00	12.00	850	6107301
	ARPT36C14A*		28,000	21,400	13.50	11.50	1,050	6107307
	ARUF30C14B*+TXV		28,000	21,400	13.50	12.00	1,020	6155035
	ARUF36C14B*		28,000	21,400	13.50	11.50	1,000	6107308
	ARUF36C14B*+TXV		28,000	21,400	13.50	11.50	1,000	6107309
	ASPT30C14A*		27,600	21,000	16.00	13.00	850	5756181
	ASPT36C14A*		28,000	21,400	16.00	13.00	900	5756182
	ASUF39C14A*		29,000	22,200	14.50	12.00	900	5988025
	ASUF39C14A*+TXV		29,000	22,200	15.00	12.50	900	5988026
	AVPTC30C14A*		27,600	21,000	16.00	13.00	860	5924383
	AVPTC36C14A*		28,000	21,400	16.00	13.00	1,000	5924384
	AWUF31XX16A*		28,000	21,400	15.00	12.50	850	5753223
	AWUF31XX16A*+TXV		28,000	21,400	15.00	12.50	850	5753111
	AWUF32XX16A*		28,000	21,400	15.00	12.50	850	5753224
	AWUF32XX16A*+TXV		28,000	21,400	15.00	12.50	850	5753112
	AWUF36XX16B*+TXV		28,400	21,600	14.00	12.00	1,000	6514956
	AWUF37XX16B*		28,400	21,600	15.00	12.50	950	5753225
	AWUF37XX16B*+TXV		28,400	21,600	15.00	12.50	950	5753113
	CA*F3137*6A*	A*EC960402BNA*	28,600	21,800	15.00	12.50	935	7489798
	CA*F3137*6A*	A*EC960603BNA*	28,600	21,800	15.00	12.50	1,020	7489799
	CA*F3137*6A*	A*EC960803BNA*	28,600	21,800	14.50	12.20	1,010	7489800
	CA*F3137*6A*	A*VC80604B*B*	28,600	21,800	15.00	12.50	990	7489801
	CA*F3137*6A*	A*VC960403BNA*	28,600	21,800	15.00	12.50	985	7489802
	CA*F3137*6A*	A*VC960603BNA*	28,600	21,800	14.50	12.20	985	7489803
	CA*F3137*6A*	A*VC960803BNA*	28,600	21,800	15.00	12.50	1,025	7489804
	CA*F3137*6A*	A*VM970603BNA*	28,600	21,800	14.50	12.20	985	7489805
	CA*F3137*6A*	A*VM970803BNA*	28,600	21,800	15.00	12.50	1,025	7489806
	CA*F3137*6A*	ADV80603B*B*	28,600	21,800	15.00	12.50	900	7489807
	CA*F3137*6A*	G*EC960402BNA*	28,600	21,800	15.00	12.50	935	7489808
	CA*F3137*6A*	G*EC960603BNA*	28,600	21,800	15.00	12.50	1,020	7489809
	CA*F3137*6A*	G*EC960803BNA*	28,600	21,800	14.50	12.20	1,010	7489810
	CA*F3137*6A*	G*VC80604B*B*	28,600	21,800	15.00	12.50	990	7489811
	CA*F3137*6A*	G*VC960403BNA*	28,600	21,800	15.00	12.50	985	7489812
	CA*F3137*6A*	G*VC960603BNA*	28,600	21,800	14.50	12.20	985	7489813
	CA*F3137*6A*	G*VC960803BNA*	28,600	21,800	15.00	12.50	1,025	7489814
	CA*F3137*6A*	G*VM970603BNA*	28,600	21,800	14.50	12.20	985	7489815
	CA*F3137*6A*	G*VM970803BNA*	28,600	21,800	15.00	12.50	1,025	7489816

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F3137*6A*+EEP		28,600	21,800	14.00	12.00	1,000	7489775
	CA*F3137*6A*+EEP+TXV		28,600	21,800	14.50	12.00	1,000	7489776
	CA*F3137*6A*+MBVC1200**-1A*		28,600	21,800	15.00	12.50	1,025	7489777
	CA*F3137*6A*+MBVC1200**-1A*+TXV		28,600	21,800	15.00	12.50	1,025	7489778
	CA*F3137*6A*+TXV	A*EC960402BNA*	28,600	21,800	15.00	12.50	935	7489779
	CA*F3137*6A*+TXV	A*EC960603BNA*	28,600	21,800	15.00	12.50	1,020	7489780
	CA*F3137*6A*+TXV	A*EC960803BNA*	28,600	21,800	15.00	12.50	1,010	7489781
	CA*F3137*6A*+TXV	A*VC80604B*B*	28,600	21,800	15.00	12.50	990	7489782
	CA*F3137*6A*+TXV	A*VC960403BNA*	28,600	21,800	15.00	12.50	985	7489783
	CA*F3137*6A*+TXV	A*VC960603BNA*	28,600	21,800	15.00	12.50	985	7489784
	CA*F3137*6A*+TXV	A*VC960803BNA*	28,600	21,800	15.00	12.50	1,025	7489785
	CA*F3137*6A*+TXV	A*VM970603BNA*	28,600	21,800	15.00	12.50	985	7489786
	CA*F3137*6A*+TXV	A*VM970803BNA*	28,600	21,800	15.00	12.50	1,025	7489787
	CA*F3137*6A*+TXV	ADV80603B*B*	28,600	21,800	15.00	12.50	900	7489788
	CA*F3137*6A*+TXV	G*EC960402BNA*	28,600	21,800	15.00	12.50	935	7489789
	CA*F3137*6A*+TXV	G*EC960603BNA*	28,600	21,800	15.00	12.50	1,020	7489790
	CA*F3137*6A*+TXV	G*EC960803BNA*	28,600	21,800	15.00	12.50	1,010	7489791
	CA*F3137*6A*+TXV	G*VC80604B*B*	28,600	21,800	15.00	12.50	990	7489792
	CA*F3137*6A*+TXV	G*VC960403BNA*	28,600	21,800	15.00	12.50	985	7489793
	CA*F3137*6A*+TXV	G*VC960603BNA*	28,600	21,800	15.00	12.50	985	7489794
	CA*F3137*6A*+TXV	G*VC960803BNA*	28,600	21,800	15.00	12.50	1,025	7489795
	CA*F3137*6A*+TXV	G*VM970603BNA*	28,600	21,800	15.00	12.50	985	7489796
	CA*F3137*6A*+TXV	G*VM970803BNA*	28,600	21,800	15.00	12.50	1,025	7489797
	CA*F3636*6D*	A*VM970803BNA*	28,400	21,600	14.50	12.00	1,000	7362377
	CA*F3636*6D*	G*VC950714CXB*	28,400	21,600	14.50	12.00	1,000	5988100
	CA*F3636*6D*	A*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988896
	CA*F3636*6D*	G*VM970803BNA*	28,400	21,600	14.50	12.00	1,000	7361966
	CA*F3636*6D*	G*VM970603BNA*	28,400	21,600	14.50	12.00	1,000	7361954
	CA*F3636*6D*	G*VM960603BXB*	28,400	21,600	15.00	12.50	990	5988140
	CA*F3636*6D*	A*VC960803BNA*	28,400	21,600	14.50	12.00	1,000	7362188
	CA*F3636*6D*	A*VM970603BNA*	28,400	21,600	14.50	12.00	1,000	7362365
	CA*F3636*6D*	A*VC950714CXB*	28,400	21,600	14.50	12.00	1,000	5988933
	CA*F3636*6D*	A*VC950704CXB*	28,400	21,600	14.50	12.00	900	5988921
	CA*F3636*6D*	GME950603BXA*	28,400	21,600	14.00	12.00	1,000	5988196
	CA*F3636*6D*	G*VC960403BNA*	28,400	21,600	14.50	12.00	1,000	7361753
	CA*F3636*6D*	G*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988060
	CA*F3636*6D*	A*VM960604CXB*	28,400	21,600	14.50	12.00	860	5988977
	CA*F3636*6D*	G*VM960604CXB*	28,400	21,600	14.50	12.00	860	5988144
	CA*F3636*6D*	A*VM960603BXB*	28,400	21,600	15.00	12.50	990	5988973
	CA*F3636*6D*	AMEH960603BXA*	28,400	21,600	14.00	12.00	1,000	6945930
	CA*F3636*6D*	G*VC960603BNA*	28,400	21,600	14.50	12.00	1,000	7361765
	CA*F3636*6D*	G*VC960803BNA*	28,400	21,600	14.50	12.00	1,000	7361777
	CA*F3636*6D*	G*VC950704CXB*	28,400	21,600	14.50	12.00	900	5988087
	CA*F3636*6D*	A*VC960403BNA*	28,400	21,600	14.50	12.00	1,000	7362164
	CA*F3636*6D*	A*VC960603BNA*	28,400	21,600	14.50	12.00	1,000	7362176
	CA*F3636*6D*+EEP+TXV		28,400	21,600	14.00	12.00	1,000	5988027
	CA*F3636*6D*+MBVC1200**-1A*		28,400	21,600	14.50	12.00	910	5988028
	CA*F3636*6D*+MBVC1200**-1A*+TXV		28,400	21,600	15.00	12.50	910	5988029
	CA*F3636*6D*+TXV	G*VM970603BNA*	28,400	21,600	15.00	12.50	1,000	7361953
	CA*F3636*6D*+TXV	GME950403BXA*	28,400	21,600	15.00	12.50	990	5988190
	CA*F3636*6D*+TXV	A*VC960403BNA*	28,400	21,600	15.00	12.50	1,000	7362163
	CA*F3636*6D*+TXV	G*VC950453BXB*	28,400	21,600	15.00	12.50	1,000	5988081
	CA*F3636*6D*+TXV	G*VC960603BNA*	28,400	21,600	15.00	12.50	1,000	7361764
	CA*F3636*6D*+TXV	AMEH960603BXA*	28,400	21,600	14.50	12.00	1,000	6945932
	CA*F3636*6D*+TXV	G*VM970803BNA*	28,400	21,600	15.00	12.50	1,000	7361965
	CA*F3636*6D*+TXV	A*VM970603BNA*	28,400	21,600	15.00	12.50	1,000	7362364
	CA*F3636*6D*+TXV	A*VC950453BXB*	28,400	21,600	15.00	12.50	1,000	5988915

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F3636*6D*+TXV	GME950603BXA*	28,400	21,600	14.50	12.00	1,000	5988197
	CA*F3636*6D*+TXV	A*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988897
	CA*F3636*6D*+TXV	AMEH960403BXA*	28,400	21,600	15.00	12.50	990	6945931
	CA*F3636*6D*+TXV	G*VC960803BNA*	28,400	21,600	15.00	12.50	1,000	7361776
	CA*F3636*6D*+TXV	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988922
	CA*F3636*6D*+TXV	G*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988061
	CA*F3636*6D*+TXV	A*VM970803BNA*	28,400	21,600	15.00	12.50	1,000	7362376
	CA*F3636*6D*+TXV	A*VC960603BNA*	28,400	21,600	15.00	12.50	1,000	7362175
	CA*F3636*6D*+TXV	A*VC960803BNA*	28,400	21,600	15.00	12.50	1,000	7362187
	CA*F3636*6D*+TXV	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988088
	CA*F3636*6D*+TXV	G*VC960403BNA*	28,400	21,600	15.00	12.50	1,000	7361752
	CA*F3642*6D*	G*EC960402BNA*	28,400	21,600	14.50	12.00	980	7367657
	CA*F3642*6D*	G*VC950905CXB*	28,600	21,800	15.00	12.50	900	5988109
	CA*F3642*6D*	A*EC960603BNA*	28,400	21,600	14.50	12.00	1,000	7367828
	CA*F3642*6D*	GME950603BXA*	28,600	21,800	14.50	12.00	1,000	5988198
	CA*F3642*6D*	A*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988992
	CA*F3642*6D*	A*VM961155DXB*	28,600	21,800	14.50	12.00	1,000	5989010
	CA*F3642*6D*	ADVC81005C*B*	28,600	21,800	15.00	12.50	1,000	5988188
	CA*F3642*6D*	G*VM960604CXB*	28,600	21,800	15.00	12.50	860	5988145
	CA*F3642*6D*	A*VC951155DXB*	28,600	21,800	15.00	12.50	900	5988964
	CA*F3642*6D*	A*EC960803BNA*	28,400	21,600	14.50	12.00	1,000	7367835
	CA*F3642*6D*	A*VC81005C*B*	28,600	21,800	15.00	12.50	1,000	5988908
	CA*F3642*6D*	G*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988159
	CA*F3642*6D*	G*EC960603BNA*	28,400	21,600	14.50	12.00	1,000	7367664
	CA*F3642*6D*	A*EC960402BNA*	28,400	21,600	14.50	12.00	980	7367821
	CA*F3642*6D*	ADVC80805C*B*	28,600	21,800	15.00	12.50	990	5988186
	CA*F3642*6D*	G*VC950704CXB*	28,600	21,800	15.00	12.50	900	5988089
	CA*F3642*6D*	A*EC960302BNA*	28,400	21,600	14.50	12.00	980	7367814
	CA*F3642*6D*	G*VM961155DXB*	28,600	21,800	14.50	12.00	1,000	5988177
	CA*F3642*6D*	A*VC950704CXB*	28,600	21,800	15.00	12.50	900	5988923
	CA*F3642*6D*	G*VC951155DXB*	28,600	21,800	15.00	12.50	900	5988131
	CA*F3642*6D*	G*VC950714CXB*	28,600	21,800	15.00	12.50	1,000	5988101
	CA*F3642*6D*	G*EC960803BNA*	28,400	21,600	14.50	12.00	1,000	7367671
	CA*F3642*6D*	A*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988983
	CA*F3642*6D*	A*VC80805C*B*	28,600	21,800	15.00	12.50	980	5988901
	CA*F3642*6D*	A*VC950905CXB*	28,600	21,800	15.00	12.50	900	5988942
	CA*F3642*6D*	G*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988150
	CA*F3642*6D*	G*VC81005C*B*	28,600	21,800	15.00	12.50	1,000	5988074
	CA*F3642*6D*	G*VM961005DXB*	28,600	21,800	14.50	12.00	900	5988168
	CA*F3642*6D*	G*VC80805C*B*	28,600	21,800	15.00	12.50	980	5988065
	CA*F3642*6D*	A*VC950915DXB*	28,600	21,800	15.00	12.50	1,000	5988958
	CA*F3642*6D*	G*EC960302BNA*	28,400	21,600	14.50	12.00	980	7367650
	CA*F3642*6D*	A*EC961004CNA*	28,400	21,600	15.00	12.50	1,000	7367842
	CA*F3642*6D*	A*VC950714CXB*	28,600	21,800	15.00	12.50	1,000	5988934
	CA*F3642*6D*	G*VC950915DXB*	28,600	21,800	15.00	12.50	1,000	5988125
	CA*F3642*6D*	G*VC950905DXB*	28,600	21,800	15.00	12.50	1,000	5988118
	CA*F3642*6D*	G*EC961004CNA*	28,400	21,600	15.00	12.50	1,000	7367678
	CA*F3642*6D*	A*VM961005DXB*	28,600	21,800	14.50	12.00	900	5989001
	CA*F3642*6D*	A*VM960604CXB*	28,600	21,800	15.00	12.50	860	5988978
	CA*F3642*6D*	A*VC950905DXB*	28,600	21,800	15.00	12.50	1,000	5988951
	CA*F3642*6D*	AMEH960603BXA*	28,600	21,800	14.50	12.00	1,000	6945933
	CA*F3642*6D*+EEP		28,600	21,800	14.00	12.00	1,000	5988030
	CA*F3642*6D*+TXV	A*EC960603BNA*	28,400	21,600	15.00	12.50	1,000	7367829
	CA*F3642*6D*+TXV	AMEH960603BXA*	28,600	21,800	15.00	12.50	1,000	6945937
	CA*F3642*6D*+TXV	A*VM961005DXB*	28,600	21,800	15.00	12.50	900	5989002
	CA*F3642*6D*+TXV	G*VM961005DXB*	28,600	21,800	15.00	12.50	900	5988169
	CA*F3642*6D*+TXV	A*EC960302BNA*	28,400	21,600	15.00	12.50	980	7367815

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F3642*6D*+TXV	A*EH801005C*A*	28,600	21,800	15.00	12.50	1,000	6945936
	CA*F3642*6D*+TXV	G*EC960603BNA*	28,400	21,600	15.00	12.50	1,000	7367665
	CA*F3642*6D*+TXV	A*EH800603B*A*	28,600	21,800	15.00	12.50	1,000	6945934
	CA*F3642*6D*+TXV	G*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988110
	CA*F3642*6D*+TXV	G*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988160
	CA*F3642*6D*+TXV	G*VM961155DXB*	28,600	21,800	15.00	12.50	1,000	5988178
	CA*F3642*6D*+TXV	G*EC961004CNA*	28,400	21,600	15.50	12.50	1,000	7367679
	CA*F3642*6D*+TXV	G*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988066
	CA*F3642*6D*+TXV	A*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988943
	CA*F3642*6D*+TXV	A*EC960803BNA*	28,400	21,600	15.00	12.50	1,000	7367836
	CA*F3642*6D*+TXV	A*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988984
	CA*F3642*6D*+TXV	A*VC950704CXB*	28,600	21,800	15.00	12.50	900	5988924
	CA*F3642*6D*+TXV	G*E81005C*B*	28,600	21,800	15.00	12.50	1,000	5988054
	CA*F3642*6D*+TXV	A*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988965
	CA*F3642*6D*+TXV	G*E80603B*B*	28,600	21,800	15.00	12.50	1,000	5988046
	CA*F3642*6D*+TXV	G*E80805C*B*	28,600	21,800	15.00	12.50	1,000	5988047
	CA*F3642*6D*+TXV	G*EC960402BNA*	28,400	21,600	15.00	12.50	980	7367658
	CA*F3642*6D*+TXV	G*VC950704CXB*	28,600	21,800	15.00	12.50	900	5988090
	CA*F3642*6D*+TXV	A*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988993
	CA*F3642*6D*+TXV	G*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988151
	CA*F3642*6D*+TXV	A*EC960402BNA*	28,400	21,600	15.00	12.50	980	7367822
	CA*F3642*6D*+TXV	G*EC960302BNA*	28,400	21,600	15.00	12.50	980	7367651
	CA*F3642*6D*+TXV	A*VM961155DXB*	28,600	21,800	15.00	12.50	1,000	5989011
	CA*F3642*6D*+TXV	A*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988952
	CA*F3642*6D*+TXV	A*EH800805C*A*	28,600	21,800	15.00	12.50	1,000	6945935
	CA*F3642*6D*+TXV	G*EC960803BNA*	28,400	21,600	15.00	12.50	1,000	7367672
	CA*F3642*6D*+TXV	GME950603BXA*	28,600	21,800	15.00	12.50	1,000	5988199
	CA*F3642*6D*+TXV	ADV81005C*B*	28,600	21,800	15.50	12.50	1,000	5988189
	CA*F3642*6D*+TXV	A*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988902
	CA*F3642*6D*+TXV	G*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988132
	CA*F3642*6D*+TXV	G*VC81005C*B*	28,600	21,800	15.50	12.50	1,000	5988075
	CA*F3642*6D*+TXV	ADV80805C*B*	28,600	21,800	15.50	12.50	990	5988187
	CA*F3642*6D*+TXV	A*VC81005C*B*	28,600	21,800	15.50	12.50	1,000	5988909
	CA*F3642*6D*+TXV	A*EC961004CNA*	28,400	21,600	15.50	12.50	1,000	7367843
	CA*F3642*6D*+TXV	G*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988119
	CA*F3743*6D*	A*VC960603BNA*	28,600	21,800	15.00	12.50	1,000	7362178
	CA*F3743*6D*	A*VC951155DXB*	28,600	21,800	15.00	12.50	900	5988966
	CA*F3743*6D*	A*VM961005DXB*	28,600	21,800	15.50	12.50	900	5989003
	CA*F3743*6D*	A*VM970603BNA*	28,600	21,800	15.00	12.50	1,000	7362367
	CA*F3743*6D*	G*VC950704CXB*	28,600	21,800	15.50	12.50	900	5988091
	CA*F3743*6D*	G*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988102
	CA*F3743*6D*	A*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988985
	CA*F3743*6D*	G*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988111
	CA*F3743*6D*	G*VC950453BXB*	28,600	21,800	15.00	12.50	1,000	5988082
	CA*F3743*6D*	G*VM970603BNA*	28,600	21,800	15.00	12.50	1,000	7361956
	CA*F3743*6D*	G*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988152
	CA*F3743*6D*	G*VC960803BNA*	28,600	21,800	15.00	12.50	1,000	7361779
	CA*F3743*6D*	G*VM960604CXB*	28,600	21,800	15.50	12.50	860	5988146
	CA*F3743*6D*	AMEH960805CXA*	28,600	21,800	15.50	12.50	1,070	6945940
	CA*F3743*6D*	A*EC960603BNA*	28,600	21,800	15.00	12.50	1,000	7367830
	CA*F3743*6D*	A*EC960302BNA*	28,600	21,800	15.00	12.50	980	7367816
	CA*F3743*6D*	G*E80805C*B*	28,600	21,800	14.50	12.00	1,000	5988048
	CA*F3743*6D*	A*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367844
	CA*F3743*6D*	A*EC960402BNA*	28,600	21,800	15.00	12.50	980	7367823
	CA*F3743*6D*	A*VC960803BNA*	28,600	21,800	15.00	12.50	1,000	7362190
	CA*F3743*6D*	A*VC950704CXB*	28,600	21,800	15.50	12.50	900	5988925
	CA*F3743*6D*	GME950805CXA*	28,600	21,800	15.50	12.50	1,070	5988207

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F3743*6D*	A*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988903
	CA*F3743*6D*	A*VC81005C*B*	29,000	22,200	15.50	12.50	1,000	5988910
	CA*F3743*6D*	A*VM960604CXB*	28,600	21,800	15.50	12.50	860	5988979
	CA*F3743*6D*	G*EC960402BNA*	28,600	21,800	15.00	12.50	980	7367659
	CA*F3743*6D*	G*VC81005C*B*	29,000	22,200	15.50	12.50	1,000	5988076
	CA*F3743*6D*	G*VM960603BXB*	28,600	21,800	15.00	12.50	990	5988141
	CA*F3743*6D*	G*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5988179
	CA*F3743*6D*	A*VM960603BXB*	28,600	21,800	15.00	12.50	990	5988974
	CA*F3743*6D*	G*EC960803BNA*	28,600	21,800	15.00	12.50	1,000	7367673
	CA*F3743*6D*	G*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988161
	CA*F3743*6D*	A*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988959
	CA*F3743*6D*	G*VC951155DXB*	28,600	21,800	15.00	12.50	900	5988133
	CA*F3743*6D*	AMEH960403BXA*	28,600	21,800	14.50	12.00	990	6945939
	CA*F3743*6D*	G*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367680
	CA*F3743*6D*	A*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988994
	CA*F3743*6D*	A*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988935
	CA*F3743*6D*	G*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988120
	CA*F3743*6D*	G*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988067
	CA*F3743*6D*	A*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988953
	CA*F3743*6D*	G*EC960302BNA*	28,600	21,800	15.00	12.50	980	7367652
	CA*F3743*6D*	A*VC950453BXB*	28,600	21,800	15.00	12.50	1,000	5988916
	CA*F3743*6D*	G*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988126
	CA*F3743*6D*	GME950403BXA*	28,600	21,800	14.50	12.00	990	5988191
	CA*F3743*6D*	G*VM970803BNA*	28,600	21,800	15.00	12.50	1,000	7361968
	CA*F3743*6D*	G*EC960603BNA*	28,600	21,800	15.00	12.50	1,000	7367666
	CA*F3743*6D*	A*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5989012
	CA*F3743*6D*	A*VM970803BNA*	28,600	21,800	15.00	12.50	1,000	7362379
	CA*F3743*6D*	A*EC960803BNA*	28,600	21,800	15.00	12.50	1,000	7367837
	CA*F3743*6D*	A*EH800805C*A*	28,600	21,800	14.50	12.00	1,000	6945938
	CA*F3743*6D*	G*VM961005DXB*	28,600	21,800	15.50	12.50	900	5988170
	CA*F3743*6D*	A*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988944
	CA*F3743*6D*	G*VC960603BNA*	28,600	21,800	15.00	12.50	1,000	7361767
	CA*F3743*6D*	G*VC960403BNA*	28,600	21,800	15.00	12.50	1,000	7361755
	CA*F3743*6D*	A*VC960403BNA*	28,600	21,800	15.00	12.50	1,000	7362166
	CA*F3743*6D*+EEP+TXV		29,000	22,200	14.50	12.00	1,000	5753103
	CA*F3743*6D*+MBVC1200**-1A*		28,600	21,800	14.50	12.00	910	5990710
	CA*F3743*6D*+MBVC1200**-1A*+TXV		28,600	21,800	15.00	12.50	910	5990711
	CA*F3743*6D*+MBVC1600**-1A*		28,600	21,800	14.50	12.00	945	5988031
	CA*F3743*6D*+MBVC1600**-1A*+TXV		28,600	21,800	15.00	12.50	945	5988032
	CA*F3743*6D*+TXV	A*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988936
	CA*F3743*6D*+TXV	G*EC960803BNA*	28,600	21,800	16.00	13.00	1,000	7367674
	CA*F3743*6D*+TXV	G*VC950453BXB*	28,600	21,800	15.50	12.50	1,000	5988083
	CA*F3743*6D*+TXV	A*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988986
	CA*F3743*6D*+TXV	GME950603BXA*	28,600	21,800	15.00	12.50	1,000	5988200
	CA*F3743*6D*+TXV	G*VC960603BNA*	28,600	21,800	16.00	13.00	1,000	7361766
	CA*F3743*6D*+TXV	G*VC950915DXB*	28,600	21,800	16.00	13.00	1,000	5988127
	CA*F3743*6D*+TXV	A*EC960603BNA*	28,600	21,800	16.00	13.00	1,000	7367831
	CA*F3743*6D*+TXV	G*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988121
	CA*F3743*6D*+TXV	G*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5988180
	CA*F3743*6D*+TXV	A*EC960803BNA*	28,600	21,800	16.00	13.00	1,000	7367838
	CA*F3743*6D*+TXV	G*VM970603BNA*	28,600	21,800	16.00	13.00	1,000	7361955
	CA*F3743*6D*+TXV	A*VC950453BXB*	28,600	21,800	15.50	12.50	1,000	5988917
	CA*F3743*6D*+TXV	A*VC950704CXB*	28,600	21,800	15.00	12.50	900	5753109
	CA*F3743*6D*+TXV	A*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5989013
	CA*F3743*6D*+TXV	A*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988954
	CA*F3743*6D*+TXV	A*VM970603BNA*	28,600	21,800	16.00	13.00	1,000	7362366
	CA*F3743*6D*+TXV	A*EC961004CNA*	28,600	21,800	16.00	13.00	1,000	7367845

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F3743*6D*+TXV	AMEH960805CXA*	29,000	22,200	16.00	13.00	1,050	6945945
	CA*F3743*6D*+TXV	G*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988103
	CA*F3743*6D*+TXV	G*EC960402BNA*	28,600	21,800	16.00	13.00	980	7367660
	CA*F3743*6D*+TXV	A*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988967
	CA*F3743*6D*+TXV	A*VC80805C*B*	28,600	21,800	16.00	13.00	980	5753107
	CA*F3743*6D*+TXV	G*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988162
	CA*F3743*6D*+TXV	GME950805CXA*	29,000	22,200	16.00	13.00	1,050	6090102
	CA*F3743*6D*+TXV	G*VC950704CXB*	28,600	21,800	15.00	12.50	900	5988092
	CA*F3743*6D*+TXV	G*VM961005DXB*	28,600	21,800	16.00	13.00	900	5988171
	CA*F3743*6D*+TXV	A*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988995
	CA*F3743*6D*+TXV	G*EC960302BNA*	28,600	21,800	16.00	13.00	980	7367653
	CA*F3743*6D*+TXV	A*VC960803BNA*	28,600	21,800	16.00	13.00	1,000	7362189
	CA*F3743*6D*+TXV	G*VC960803BNA*	28,600	21,800	16.00	13.00	1,000	7361778
	CA*F3743*6D*+TXV	A*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988945
	CA*F3743*6D*+TXV	A*VC81005C*B*	28,600	21,800	16.00	13.00	1,000	5988911
	CA*F3743*6D*+TXV	G*EC961004CNA*	28,600	21,800	16.00	13.00	1,000	7367681
	CA*F3743*6D*+TXV	G*VM970803BNA*	28,600	21,800	16.00	13.00	1,000	7361967
	CA*F3743*6D*+TXV	AMEH960403BXA*	28,600	21,800	15.00	12.50	990	6945943
	CA*F3743*6D*+TXV	G*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988134
	CA*F3743*6D*+TXV	AMEH960603BXA*	28,600	21,800	15.00	12.50	1,000	6945944
	CA*F3743*6D*+TXV	GME950403BXA*	28,600	21,800	15.00	12.50	990	5988192
	CA*F3743*6D*+TXV	A*VM970803BNA*	28,600	21,800	16.00	13.00	1,000	7362378
	CA*F3743*6D*+TXV	G*E80805C*B*	29,000	22,200	16.00	13.00	1,050	6107827
	CA*F3743*6D*+TXV	G*VC80805C*B*	28,600	21,800	16.00	13.00	980	5988068
	CA*F3743*6D*+TXV	A*VC960403BNA*	28,600	21,800	16.00	13.00	1,000	7362165
	CA*F3743*6D*+TXV	A*EC960402BNA*	28,600	21,800	16.00	13.00	980	7367824
	CA*F3743*6D*+TXV	A*VC960603BNA*	28,600	21,800	16.00	13.00	1,000	7362177
	CA*F3743*6D*+TXV	A*EH801005C*A*	28,600	21,800	15.00	12.50	1,000	6945942
	CA*F3743*6D*+TXV	A*VM961005DXB*	28,600	21,800	16.00	13.00	900	5989004
	CA*F3743*6D*+TXV	A*EC960302BNA*	28,600	21,800	16.00	13.00	980	7367817
	CA*F3743*6D*+TXV	A*EH800805C*A*	29,000	22,200	16.00	13.00	1,050	6945941
	CA*F3743*6D*+TXV	G*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988153
	CA*F3743*6D*+TXV	G*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988112
	CA*F3743*6D*+TXV	G*VC81005C*B*	28,600	21,800	16.00	13.00	1,000	5988077
	CA*F3743*6D*+TXV	G*VC960403BNA*	28,600	21,800	16.00	13.00	1,000	7361754
	CA*F3743*6D*+TXV	G*E81005C*B*	28,600	21,800	15.00	12.50	1,000	5988055
	CA*F3743*6D*+TXV	G*EC960603BNA*	28,600	21,800	16.00	13.00	1,000	7367667
	CA*F3743*6D*+TXV	A*VC950915DXB*	28,600	21,800	16.00	13.00	1,000	5988960
	CA*F4860*6D*	G*VM961005DXB*	28,600	21,800	15.50	12.50	900	5988172
	CA*F4860*6D*	A*VM961005DXB*	28,600	21,800	15.50	12.50	900	5989005
	CA*F4860*6D*	A*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988961
	CA*F4860*6D*	G*VC960804CNA*	28,600	21,800	15.00	12.50	1,000	7361789
	CA*F4860*6D*	A*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988946
	CA*F4860*6D*	G*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988113
	CA*F4860*6D*	G*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988122
	CA*F4860*6D*	A*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5989014
	CA*F4860*6D*	G*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988135
	CA*F4860*6D*	A*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988996
	CA*F4860*6D*	G*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988104
	CA*F4860*6D*	G*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5988181
	CA*F4860*6D*	G*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988154
	CA*F4860*6D*	G*VM970804CNA*	28,600	21,800	15.00	12.50	1,000	7361978
	CA*F4860*6D*	G*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988163
	CA*F4860*6D*	A*VM970804CNA*	28,600	21,800	15.00	12.50	1,000	7362389
	CA*F4860*6D*	A*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988987
	CA*F4860*6D*	A*VC950905DXB*	28,600	21,800	15.50	12.50	1,000	5988955
	CA*F4860*6D*	A*VC960804CNA*	28,600	21,800	15.00	12.50	1,000	7362200

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CA*F4860*6D*	A*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988937
	CA*F4860*6D*	G*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988128
	CA*F4860*6D*	A*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988968
	CA*F4860*6D*+TXV	G*VM970804CNA*	28,600	21,800	16.00	13.00	1,000	7361977
	CA*F4860*6D*+TXV	A*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5989015
	CA*F4860*6D*+TXV	G*VC950714CXB*	28,600	21,800	16.00	13.00	1,000	5988105
	CA*F4860*6D*+TXV	G*VM961005DXB*	28,600	21,800	16.00	13.00	900	5988173
	CA*F4860*6D*+TXV	G*VC950704CXB*	28,600	21,800	16.00	13.00	900	6624057
	CA*F4860*6D*+TXV	A*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988988
	CA*F4860*6D*+TXV	A*VC960804CNA*	28,600	21,800	16.00	13.00	1,000	7362199
	CA*F4860*6D*+TXV	A*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988997
	CA*F4860*6D*+TXV	A*VC950915DXB*	28,600	21,800	16.00	13.00	1,000	5988962
	CA*F4860*6D*+TXV	G*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988123
	CA*F4860*6D*+TXV	G*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988136
	CA*F4860*6D*+TXV	G*VC960804CNA*	28,600	21,800	16.00	13.00	1,000	7361788
	CA*F4860*6D*+TXV	A*VC950714CXB*	28,600	21,800	16.00	13.00	1,000	5988938
	CA*F4860*6D*+TXV	G*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988114
	CA*F4860*6D*+TXV	A*VM961005DXB*	28,600	21,800	16.00	13.00	900	5989006
	CA*F4860*6D*+TXV	G*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988155
	CA*F4860*6D*+TXV	A*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988947
	CA*F4860*6D*+TXV	A*VM970804CNA*	28,600	21,800	16.00	13.00	1,000	7362388
	CA*F4860*6D*+TXV	G*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988164
	CA*F4860*6D*+TXV	G*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5988182
	CA*F4860*6D*+TXV	A*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988956
	CA*F4860*6D*+TXV	A*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988969
	CA*F4860*6D*+TXV	A*VC950704CXB*	28,600	21,800	16.00	13.00	900	6624056
	CA*F4860*6D*+TXV	G*VC950915DXB*	28,600	21,800	16.00	13.00	1,000	5988129
	CA*F4961*6D*+EEP+TXV		29,400	22,400	15.00	12.50	1,000	5753104
	CAPT3743*4A*	ADVC80805C*B*	28,600	21,800	15.00	12.50	1,000	6494012
	CAPT3743*4A*	A*VC960603BNA*	28,600	21,800	15.50	12.50	1,000	7362179
	CAPT3743*4A*	A*VC80805C*B*	28,600	21,800	16.00	13.00	980	5988904
	CAPT3743*4A*	G*VC960403BNA*	28,600	21,800	15.50	12.50	1,000	7361756
	CAPT3743*4A*	A*VC81005C*B*	28,600	21,800	16.00	13.00	1,000	5988912
	CAPT3743*4A*	G*VC81005C*B*	28,600	21,800	16.00	13.00	1,000	5988078
	CAPT3743*4A*	G*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988115
	CAPT3743*4A*	A*EC960803BNA*	28,600	21,800	15.00	12.50	1,000	7367839
	CAPT3743*4A*	G*VM960604CXB*	28,600	21,800	15.00	12.50	860	5988147
	CAPT3743*4A*	A*VM960603BNA*	28,600	21,800	15.00	12.50	990	5988975
	CAPT3743*4A*	G*EC960302BNA*	28,600	21,800	15.00	12.50	980	7367654
	CAPT3743*4A*	G*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367682
	CAPT3743*4A*	G*EC960603BNA*	28,600	21,800	15.00	12.50	1,000	7367668
	CAPT3743*4A*	G*VC80805C*B*	28,600	21,800	16.00	13.00	980	5988069
	CAPT3743*4A*	G*E80805C*B*	28,600	21,800	15.00	12.50	1,000	5988049
	CAPT3743*4A*	A*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988970
	CAPT3743*4A*	G*VC950704CXB*	28,600	21,800	15.50	12.50	900	5988093
	CAPT3743*4A*	A*EC960402BNA*	28,600	21,800	15.00	12.50	980	7367825
	CAPT3743*4A*	G*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988165
	CAPT3743*4A*	GME950603BXA*	28,600	21,800	15.00	12.50	1,000	5988201
	CAPT3743*4A*	A*VM961005DXB*	28,600	21,800	16.00	13.00	900	5989007
	CAPT3743*4A*	A*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988939
	CAPT3743*4A*	A*EC960302BNA*	28,600	21,800	15.00	12.50	980	7367818
	CAPT3743*4A*	G*VM961005DXB*	28,600	21,800	16.00	13.00	900	5988174
	CAPT3743*4A*	A*VM960604CXB*	28,600	21,800	15.00	12.50	860	5988980
	CAPT3743*4A*	G*VC960603BNA*	28,600	21,800	15.50	12.50	1,000	7361768
	CAPT3743*4A*	A*VC960803BNA*	28,600	21,800	15.50	12.50	1,000	7362191
	CAPT3743*4A*	A*VC960804CNA*	28,600	21,800	15.50	12.50	1,000	7362201
	CAPT3743*4A*	G*EC960402BNA*	28,600	21,800	15.00	12.50	980	7367661

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CAPT3743*4A*	G*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988130
	CAPT3743*4A*	A*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988989
	CAPT3743*4A*	G*E80603B*B*	28,600	21,800	15.00	12.50	1,050	6494010
	CAPT3743*4A*	A*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367846
	CAPT3743*4A*	G*VC80604B*B*	28,600	21,800	15.00	12.50	1,000	5988062
	CAPT3743*4A*	A*VC950453BXB*	28,600	21,800	15.50	12.50	1,000	5988918
	CAPT3743*4A*	G*VC950714CXB*	28,600	21,800	15.50	12.50	1,000	5988106
	CAPT3743*4A*	A*EH800603B*A*	28,600	21,800	15.00	12.50	1,050	6945946
	CAPT3743*4A*	G*VM960603BXB*	28,600	21,800	15.00	12.50	990	5988142
	CAPT3743*4A*	A*VM970603BNA*	28,600	21,800	15.50	12.50	1,000	7362368
	CAPT3743*4A*	A*VM970803BNA*	28,600	21,800	15.50	12.50	1,000	7362380
	CAPT3743*4A*	AMEH960403BXA*	28,600	21,800	15.00	12.50	990	6945949
	CAPT3743*4A*	G*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5988183
	CAPT3743*4A*	G*VC950453BXB*	28,600	21,800	15.50	12.50	1,000	5988084
	CAPT3743*4A*	A*VC80604B*B*	28,600	21,800	15.00	12.50	1,000	5988898
	CAPT3743*4A*	A*VM970804CNA*	28,600	21,800	15.50	12.50	1,000	7362390
	CAPT3743*4A*	G*VM970804CNA*	28,600	21,800	15.50	12.50	1,000	7361979
	CAPT3743*4A*	A*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988957
	CAPT3743*4A*	GME950403BXA*	28,600	21,800	15.00	12.50	990	5988193
	CAPT3743*4A*	ADVC81005C*B*	28,600	21,800	15.00	12.50	1,000	6494013
	CAPT3743*4A*	A*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988948
	CAPT3743*4A*	ADVC80603B*B*	28,600	21,800	15.00	12.50	1,000	6494011
	CAPT3743*4A*	A*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5989016
	CAPT3743*4A*	A*VC950915DXB*	28,600	21,800	15.50	12.50	1,000	5988963
	CAPT3743*4A*	A*VC960403BNA*	28,600	21,800	15.50	12.50	1,000	7362167
	CAPT3743*4A*	G*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988137
	CAPT3743*4A*	G*VM970803BNA*	28,600	21,800	15.50	12.50	1,000	7361969
	CAPT3743*4A*	A*EC960603BNA*	28,600	21,800	15.00	12.50	1,000	7367832
	CAPT3743*4A*	G*VC950905DXB*	28,600	21,800	16.00	13.00	1,000	5988124
	CAPT3743*4A*	G*VC960803BNA*	28,600	21,800	15.50	12.50	1,000	7361780
	CAPT3743*4A*	G*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988156
	CAPT3743*4A*	A*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988998
	CAPT3743*4A*	AMEH960603BXA*	28,600	21,800	15.00	12.50	1,000	6945950
	CAPT3743*4A*	A*EH800805C*A*	28,600	21,800	15.00	12.50	1,000	6945947
	CAPT3743*4A*	G*VC960804CNA*	28,600	21,800	15.50	12.50	1,000	7361790
	CAPT3743*4A*	A*VC950704CXB*	28,600	21,800	15.50	12.50	900	5988926
	CAPT3743*4A*	G*E81005C*B*	28,600	21,800	15.00	12.50	1,000	5988056
	CAPT3743*4A*	A*EH801005C*A*	28,600	21,800	15.00	12.50	1,000	6945948
	CAPT3743*4A*	G*VM970603BNA*	28,600	21,800	15.50	12.50	1,000	7361957
	CAPT3743*4A*	G*EC960803BNA*	28,600	21,800	15.00	12.50	1,000	7367675
	CAPT3743*4A*+EEP		28,600	21,800	14.50	12.00	1,000	5988033
	CAPT3743*4A*+MBVC1200**-1A*		28,600	21,800	15.00	12.50	910	5988034
	CAPT3743*4A*+MBVC1600**-1A*		28,600	21,800	15.00	12.50	945	5988035
	CHPF3636B6C*	AMEH960403BXA*	28,400	21,600	15.00	12.50	990	6945951
	CHPF3636B6C*	G*EC961004CNA*	28,400	21,600	14.50	12.00	1,000	7367683
	CHPF3636B6C*	A*EC960302BNA*	28,400	21,600	15.00	12.50	980	7367819
	CHPF3636B6C*	GME950403BXA*	28,400	21,600	15.00	12.50	990	5988194
	CHPF3636B6C*	A*EC961004CNA*	28,400	21,600	14.50	12.00	1,000	7367847
	CHPF3636B6C*	G*EC960402BNA*	28,400	21,600	15.00	12.50	980	7367662
	CHPF3636B6C*	G*VC950453BXB*	28,400	21,600	15.00	12.50	1,000	5988085
	CHPF3636B6C*	A*EC960803BNA*	28,400	21,600	15.00	12.50	1,000	7367840
	CHPF3636B6C*	A*VC950453BXB*	28,400	21,600	15.00	12.50	1,000	5988919
	CHPF3636B6C*	G*EC960803BNA*	28,400	21,600	15.00	12.50	1,000	7367676
	CHPF3636B6C*	A*VM960603BXB*	28,400	21,600	15.00	12.50	990	5988976
	CHPF3636B6C*	G*EC960302BNA*	28,400	21,600	15.00	12.50	980	7367655
	CHPF3636B6C*	G*VM960603BXB*	28,400	21,600	15.00	12.50	990	5988143
	CHPF3636B6C*	A*EC960603BNA*	28,400	21,600	15.00	12.50	1,000	7367833

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CHPF3636B6C*	G*EC960603BNA*	28,400	21,600	15.00	12.50	1,000	7367669
	CHPF3636B6C*	A*EC960402BNA*	28,400	21,600	15.00	12.50	980	7367826
	CHPF3636B6C*+EEP		28,400	21,600	14.00	12.00	1,000	5988036
	CHPF3636B6C*+MBVC1200**-1A*		28,400	21,600	15.00	12.50	910	5988037
	CHPF3636B6C*+MBVC1200**-1A*+TXV		28,400	21,600	15.50	12.50	910	5988038
	CHPF3636B6C*+TXV	A*VC950453BxB*	28,400	21,600	15.00	12.50	1,000	5988920
	CHPF3636B6C*+TXV	A*EC960803BNA*	28,400	21,600	15.50	12.50	1,000	7367841
	CHPF3636B6C*+TXV	A*VM970803BNA*	28,400	21,600	15.00	12.50	1,000	7362381
	CHPF3636B6C*+TXV	G*EC960803BNA*	28,400	21,600	15.50	12.50	1,000	7367677
	CHPF3636B6C*+TXV	G*VC960403BNA*	28,400	21,600	15.00	12.50	1,000	7361757
	CHPF3636B6C*+TXV	G*EC960402BNA*	28,400	21,600	15.50	12.50	980	7367663
	CHPF3636B6C*+TXV	A*VC960403BNA*	28,400	21,600	15.00	12.50	1,000	7362168
	CHPF3636B6C*+TXV	G*VC950453BxB*	28,400	21,600	15.00	12.50	1,000	5988086
	CHPF3636B6C*+TXV	G*EC960603BNA*	28,400	21,600	15.50	12.50	1,000	7367670
	CHPF3636B6C*+TXV	G*VM970803BNA*	28,400	21,600	15.00	12.50	1,000	7361970
	CHPF3636B6C*+TXV	GME950403BXA*	28,400	21,600	15.50	12.50	990	5988195
	CHPF3636B6C*+TXV	AMEH960403BXA*	28,400	21,600	15.50	12.50	990	6945952
	CHPF3636B6C*+TXV	A*EC960302BNA*	28,400	21,600	15.50	12.50	980	7367820
	CHPF3636B6C*+TXV	A*EC960603BNA*	28,400	21,600	15.50	12.50	1,000	7367834
	CHPF3636B6C*+TXV	A*VC960603BNA*	28,400	21,600	15.00	12.50	1,000	7362180
	CHPF3636B6C*+TXV	A*VM970603BNA*	28,400	21,600	15.00	12.50	1,000	7362369
	CHPF3636B6C*+TXV	G*VM970603BNA*	28,400	21,600	15.00	12.50	1,000	7361958
	CHPF3636B6C*+TXV	G*VC960803BNA*	28,400	21,600	15.00	12.50	1,000	7361781
	CHPF3636B6C*+TXV	A*VC960803BNA*	28,400	21,600	15.00	12.50	1,000	7362192
	CHPF3636B6C*+TXV	G*EC961004CNA*	28,400	21,600	15.00	12.50	1,000	7367684
	CHPF3636B6C*+TXV	G*EC960302BNA*	28,400	21,600	15.50	12.50	980	7367656
	CHPF3636B6C*+TXV	G*VC960603BNA*	28,400	21,600	15.00	12.50	1,000	7361769
	CHPF3636B6C*+TXV	A*EC960402BNA*	28,400	21,600	15.50	12.50	980	7367827
	CHPF3636B6C*+TXV	A*EC961004CNA*	28,400	21,600	15.00	12.50	1,000	7367848
	CHPF3642C6C*	G*VM960604CXB*	28,400	21,600	15.00	12.50	860	5988148
	CHPF3642C6C*	G*VC81005C*B*	28,400	21,600	15.00	12.50	1,000	5988079
	CHPF3642C6C*	GME950603BXA*	28,400	21,600	14.50	12.00	1,000	5988202
	CHPF3642C6C*	G*E81005C*B*	28,400	21,600	14.50	12.00	1,000	5988057
	CHPF3642C6C*	G*VC80805C*B*	28,400	21,600	15.00	12.50	980	5988070
	CHPF3642C6C*	A*VC80805C*B*	28,400	21,600	15.00	12.50	980	5988905
	CHPF3642C6C*	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988094
	CHPF3642C6C*	A*VC81005C*B*	28,400	21,600	15.00	12.50	1,000	5988913
	CHPF3642C6C*	G*E80805C*B*	28,400	21,600	14.50	12.00	1,000	5988050
	CHPF3642C6C*	A*EH801005C*A*	28,400	21,600	14.50	12.00	1,000	6945954
	CHPF3642C6C*	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988927
	CHPF3642C6C*	A*EH800805C*A*	28,400	21,600	14.50	12.00	1,000	6945953
	CHPF3642C6C*	G*EC961004CNA*	28,600	21,800	15.00	12.50	1,000	7367685
	CHPF3642C6C*	A*VM960604CXB*	28,400	21,600	15.00	12.50	860	5988981
	CHPF3642C6C*	A*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988899
	CHPF3642C6C*	G*VC80604B*B*	28,400	21,600	15.00	12.50	1,000	5988063
	CHPF3642C6C*	A*EC961004CNA*	28,600	21,800	15.00	12.50	1,000	7367849
	CHPF3642C6C*	AMEH960603BXA*	28,400	21,600	14.50	12.00	1,000	6945955
	CHPF3642C6C*+EEP		28,400	21,600	14.00	12.00	1,000	5988039
	CHPF3642C6C*+EEP+TXV		28,400	21,600	14.50	12.00	1,000	5988040
	CHPF3642C6C*+TXV	G*E81005C*B*	28,400	21,600	15.00	12.50	1,000	5988058
	CHPF3642C6C*+TXV	A*EH801005C*A*	28,400	21,600	15.00	12.50	1,000	6945957
	CHPF3642C6C*+TXV	A*VC80604B*B*	28,400	21,600	15.50	12.50	1,000	5988900
	CHPF3642C6C*+TXV	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988928
	CHPF3642C6C*+TXV	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988095
	CHPF3642C6C*+TXV	A*EH800805C*A*	28,400	21,600	15.00	12.50	1,000	6945956
	CHPF3642C6C*+TXV	A*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367850
	CHPF3642C6C*+TXV	A*VC80805C*B*	28,400	21,600	15.50	12.50	980	5988906

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CHPF3642C6C*+TXV	G*E80805C*B*	28,400	21,600	15.00	12.50	1,000	5988051
	CHPF3642C6C*+TXV	G*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367686
	CHPF3642C6C*+TXV	A*VC81005C*B*	28,400	21,600	15.50	12.50	1,000	5988914
	CHPF3642C6C*+TXV	GME950603BXA*	28,400	21,600	15.00	12.50	1,000	5988203
	CHPF3642C6C*+TXV	G*VC80805C*B*	28,400	21,600	15.50	12.50	980	5988071
	CHPF3642C6C*+TXV	G*VC81005C*B*	28,400	21,600	15.50	12.50	1,000	5988080
	CHPF3642C6C*+TXV	G*VC80604B*B*	28,400	21,600	15.50	12.50	1,000	5988064
	CHPF3642C6C*+TXV	AMEH960603BXA*	28,400	21,600	15.00	12.50	1,000	6945958
	CHPF3642D6C*	G*VM960604CXB*	28,400	21,600	15.00	12.50	860	5988149
	CHPF3642D6C*	A*VM960604CXB*	28,400	21,600	15.00	12.50	860	5988982
	CHPF3642D6C*	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988929
	CHPF3642D6C*	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988096
	CHPF3642D6C*+EEP		28,400	21,600	14.00	12.00	1,000	5988041
	CHPF3642D6C*+TXV	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988930
	CHPF3642D6C*+TXV	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988097
	CHPF3642D6C*+TXV	G*E80805C*B*	28,400	21,600	15.00	12.50	1,000	5988052
	CHPF3642D6C*+TXV	GME950603BXA*	28,400	21,600	15.00	12.50	1,000	5988204
	CHPF3642D6C*+TXV	AMEH960603BXA*	28,400	21,600	15.00	12.50	1,000	6945961
	CHPF3642D6C*+TXV	A*EH800805C*A*	28,400	21,600	15.00	12.50	1,000	6945959
	CHPF3642D6C*+TXV	G*E81005C*B*	28,400	21,600	15.00	12.50	1,000	5988059
	CHPF3642D6C*+TXV	A*EH801005C*A*	28,400	21,600	15.00	12.50	1,000	6945960
	CHPF3743C6B*	G*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367687
	CHPF3743C6B*	A*VC960403BNA*	28,600	21,800	15.00	12.50	1,000	7362169
	CHPF3743C6B*	A*EC961004CNA*	28,600	21,800	15.50	12.50	1,000	7367851
	CHPF3743C6B*	G*VM970603BNA*	28,600	21,800	15.00	12.50	1,000	7361959
	CHPF3743C6B*	AMEH960603BXA*	28,600	21,800	14.50	12.00	1,000	6945963
	CHPF3743C6B*	G*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988072
	CHPF3743C6B*	G*VC960403BNA*	28,600	21,800	15.00	12.50	1,000	7361758
	CHPF3743C6B*	G*VM970803BNA*	28,600	21,800	15.00	12.50	1,000	7361971
	CHPF3743C6B*	G*VC960804CNA*	28,600	21,800	15.00	12.50	1,000	7361791
	CHPF3743C6B*	A*VM970803BNA*	28,600	21,800	15.00	12.50	1,000	7362382
	CHPF3743C6B*	AMEH960805CXA*	28,600	21,800	15.50	12.50	1,070	6945964
	CHPF3743C6B*	A*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988949
	CHPF3743C6B*	A*VC80805C*B*	28,600	21,800	15.50	12.50	980	5988907
	CHPF3743C6B*	A*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988990
	CHPF3743C6B*	GME950805CXA*	28,600	21,800	15.50	12.50	1,070	5988208
	CHPF3743C6B*	A*VC960603BNA*	28,600	21,800	15.00	12.50	1,000	7362181
	CHPF3743C6B*	G*E80805C*B*	28,600	21,800	15.50	12.50	1,000	5988053
	CHPF3743C6B*	G*VC960603BNA*	28,600	21,800	15.00	12.50	1,000	7361770
	CHPF3743C6B*	G*VM970804CNA*	28,600	21,800	15.00	12.50	1,000	7361980
	CHPF3743C6B*	A*EH800805C*A*	28,600	21,800	15.50	12.50	1,000	6945962
	CHPF3743C6B*	G*VM960805CXB*	28,600	21,800	15.00	12.50	980	5988157
	CHPF3743C6B*	G*VC960803BNA*	28,600	21,800	15.00	12.50	1,000	7361782
	CHPF3743C6B*	A*VC960804CNA*	28,600	21,800	15.00	12.50	1,000	7362202
	CHPF3743C6B*	A*VC960803BNA*	28,600	21,800	15.00	12.50	1,000	7362193
	CHPF3743C6B*	A*VM970804CNA*	28,600	21,800	15.00	12.50	1,000	7362391
	CHPF3743C6B*	GME950603BXA*	28,600	21,800	14.50	12.00	1,000	5988205
	CHPF3743C6B*	A*VM970603BNA*	28,600	21,800	15.00	12.50	1,000	7362370
	CHPF3743C6B*	G*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988116
	CHPF3743C6B*+EEP+TXV		29,000	22,200	14.50	12.00	1,000	5753105
	CHPF3743C6B*+MBVC1600**-1A*		28,600	21,800	15.50	12.50	945	5988042
	CHPF3743C6B*+MBVC1600**-1A*+TXV		28,600	21,800	16.00	13.00	945	5988043
	CHPF3743C6B*+TXV	G*EC961004CNA*	28,600	21,800	16.00	13.00	1,000	7367688
	CHPF3743C6B*+TXV	G*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988117
	CHPF3743C6B*+TXV	AMEH960805CXA*	29,000	22,200	16.00	13.00	1,050	6945967
	CHPF3743C6B*+TXV	AMEH960603BXA*	28,600	21,800	15.00	12.50	1,000	6945966
	CHPF3743C6B*+TXV	A*VC960803BNA*	28,600	21,800	16.00	13.00	1,000	7362194

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CHPF3743C6B*+TXV	GME950603BXA*	28,600	21,800	15.00	12.50	1,000	5988206
	CHPF3743C6B*+TXV	A*VC960804CNA*	28,600	21,800	16.00	13.00	1,000	7362203
	CHPF3743C6B*+TXV	G*VM970603BNA*	28,600	21,800	16.00	13.00	1,000	7361960
	CHPF3743C6B*+TXV	A*VM970603BNA*	28,600	21,800	16.00	13.00	1,000	7362371
	CHPF3743C6B*+TXV	G*VC960803BNA*	28,600	21,800	16.00	13.00	1,000	7361783
	CHPF3743C6B*+TXV	G*VC950704CXB*	28,000	21,400	16.00	13.00	900	6107836
	CHPF3743C6B*+TXV	A*EC961004CNA*	28,600	21,800	16.00	13.00	1,000	7367852
	CHPF3743C6B*+TXV	A*VM970804CNA*	28,600	21,800	16.00	13.00	1,000	7362392
	CHPF3743C6B*+TXV	A*VM970803BNA*	28,600	21,800	16.00	13.00	1,000	7362383
	CHPF3743C6B*+TXV	G*VM970803BNA*	28,600	21,800	16.00	13.00	1,000	7361972
	CHPF3743C6B*+TXV	GME950805CXA*	29,000	22,200	16.00	13.00	1,050	6090104
	CHPF3743C6B*+TXV	G*VC960403BNA*	28,600	21,800	16.00	13.00	1,000	7361759
	CHPF3743C6B*+TXV	G*VM970804CNA*	28,600	21,800	16.00	13.00	1,000	7361981
	CHPF3743C6B*+TXV	A*VC950704CXB*	28,000	21,400	16.00	13.00	900	5753110
	CHPF3743C6B*+TXV	G*E80805C*B*	29,000	22,200	16.00	13.00	1,050	6107828
	CHPF3743C6B*+TXV	A*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988950
	CHPF3743C6B*+TXV	G*VC80805C*B*	28,600	21,800	16.00	13.00	980	5988073
	CHPF3743C6B*+TXV	A*VC960603BNA*	28,600	21,800	16.00	13.00	1,000	7362182
	CHPF3743C6B*+TXV	G*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988158
	CHPF3743C6B*+TXV	G*VC960804CNA*	28,600	21,800	16.00	13.00	1,000	7361792
	CHPF3743C6B*+TXV	A*EH800805C*A*	29,000	22,200	16.00	13.00	1,050	6945965
	CHPF3743C6B*+TXV	A*VM960805CXB*	28,600	21,800	15.50	12.50	980	5988991
	CHPF3743C6B*+TXV	A*VC80805C*B*	28,600	21,800	16.00	13.00	980	5753108
	CHPF3743C6B*+TXV	G*VC960603BNA*	28,600	21,800	16.00	13.00	1,000	7361771
	CHPF3743C6B*+TXV	A*VC960403BNA*	28,600	21,800	16.00	13.00	1,000	7362170
	CHPF3743D6B*	A*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988971
	CHPF3743D6B*	G*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988107
	CHPF3743D6B*	G*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988166
	CHPF3743D6B*	A*VC950905CXB*	28,600	21,800	15.50	12.50	900	5988940
	CHPF3743D6B*	A*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5989017
	CHPF3743D6B*	G*VC951155DXB*	28,600	21,800	15.50	12.50	900	5988138
	CHPF3743D6B*	A*VM960805DXB*	28,600	21,800	15.00	12.50	1,000	5988999
	CHPF3743D6B*	A*VM961005DXB*	28,600	21,800	15.50	12.50	900	5989008
	CHPF3743D6B*	G*VM961005DXB*	28,600	21,800	15.50	12.50	900	5988175
	CHPF3743D6B*	G*VM961155DXB*	28,600	21,800	15.50	12.50	1,000	5988184
	CHPF3743D6B*+TXV	G*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5988167
	CHPF3743D6B*+TXV	A*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988972
	CHPF3743D6B*+TXV	A*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5989018
	CHPF3743D6B*+TXV	G*VM961155DXB*	28,600	21,800	16.00	13.00	1,000	5988185
	CHPF3743D6B*+TXV	A*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988941
	CHPF3743D6B*+TXV	A*VM960805DXB*	28,600	21,800	15.50	12.50	1,000	5989000
	CHPF3743D6B*+TXV	G*VC950905CXB*	28,600	21,800	16.00	13.00	900	5988108
	CHPF3743D6B*+TXV	A*VM961005DXB*	28,600	21,800	16.00	13.00	900	5989009
	CHPF3743D6B*+TXV	G*VC951155DXB*	28,600	21,800	16.00	13.00	900	5988139
	CHPF3743D6B*+TXV	G*VM961005DXB*	28,600	21,800	16.00	13.00	900	5988176
	CHPF4860D6D*+EEP+TXV		29,400	22,400	15.00	12.50	900	5753106
	CSCF3036N6D*	A*VC960803BNA*	28,000	21,400	14.50	12.00	1,000	7362195
	CSCF3036N6D*	A*VC960403BNA*	28,000	21,400	14.50	12.00	1,000	7362171
	CSCF3036N6D*	G*VC960403BNA*	28,000	21,400	14.50	12.00	1,000	7361760
	CSCF3036N6D*	A*VM970803BNA*	28,000	21,400	14.50	12.00	1,000	7362384
	CSCF3036N6D*	G*VC960803BNA*	28,000	21,400	14.50	12.00	1,000	7361784
	CSCF3036N6D*	A*VC960603BNA*	28,000	21,400	14.50	12.00	1,000	7362183

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0301F* (cont.)	CSCF3036N6D*	G*VC960603BNA*	28,000	21,400	14.50	12.00	1,000	7361772
	CSCF3036N6D*	A*VM970603BNA*	28,000	21,400	14.50	12.00	1,000	7362372
	CSCF3036N6D*	G*VM970803BNA*	28,000	21,400	14.50	12.00	1,000	7361973
	CSCF3036N6D*	G*VM970603BNA*	28,000	21,400	14.50	12.00	1,000	7361961
	CSCF3036N6D*+TXV	G*VM970803BNA*	28,200	21,400	15.00	12.50	1,000	7361974
	CSCF3036N6D*+TXV	G*VC960803BNA*	28,200	21,400	15.00	12.50	1,000	7361785
	CSCF3036N6D*+TXV	A*VM970803BNA*	28,200	21,400	15.00	12.50	1,000	7362385
	CSCF3036N6D*+TXV	G*VC960403BNA*	28,200	21,400	15.00	12.50	1,000	7361761
	CSCF3036N6D*+TXV	A*VC960803BNA*	28,200	21,400	15.00	12.50	1,000	7362196
	CSCF3036N6D*+TXV	A*VC960603BNA*	28,200	21,400	15.00	12.50	1,000	7362184
	CSCF3036N6D*+TXV	A*VC960403BNA*	28,200	21,400	15.00	12.50	1,000	7362172
	CSCF3036N6D*+TXV	A*VM970603BNA*	28,200	21,400	15.00	12.50	1,000	7362373
	CSCF3036N6D*+TXV	G*VM970603BNA*	28,200	21,400	15.00	12.50	1,000	7361962
	CSCF3036N6D*+TXV	G*VC960603BNA*	28,200	21,400	15.00	12.50	1,000	7361773
	CSCF3642N6D*	G*VC960803BNA*	28,200	21,400	15.00	12.50	1,000	7361786
	CSCF3642N6D*	A*VC960803BNA*	28,200	21,400	15.00	12.50	1,000	7362197
	CSCF3642N6D*	G*VC960403BNA*	28,200	21,400	15.00	12.50	1,000	7361762
	CSCF3642N6D*	A*VM970603BNA*	28,200	21,400	15.00	12.50	1,000	7362374
	CSCF3642N6D*	A*VC960804CNA*	28,400	21,600	15.00	12.50	1,000	7362204
	CSCF3642N6D*	G*VC960603BNA*	28,200	21,400	15.00	12.50	1,000	7361774
	CSCF3642N6D*	G*VM970804CNA*	28,400	21,600	15.00	12.50	1,000	7361982
	CSCF3642N6D*	A*VC960403BNA*	28,200	21,400	15.00	12.50	1,000	7362173
	CSCF3642N6D*	A*VM970804CNA*	28,400	21,600	15.00	12.50	1,000	7362393
	CSCF3642N6D*	A*VC960603BNA*	28,200	21,400	15.00	12.50	1,000	7362185
	CSCF3642N6D*	G*VM970803BNA*	28,200	21,400	15.00	12.50	1,000	7361975
	CSCF3642N6D*	A*VM970803BNA*	28,200	21,400	15.00	12.50	1,000	7362386
	CSCF3642N6D*	G*VM970603BNA*	28,200	21,400	15.00	12.50	1,000	7361963
	CSCF3642N6D*	A*VC950704CXB*	28,800	22,000	15.00	12.50	900	5988931
	CSCF3642N6D*	G*VC960804CNA*	28,400	21,600	15.00	12.50	1,000	7361793
	CSCF3642N6D*	G*VC950704CXB*	28,800	22,000	15.00	12.50	900	5988098
	CSCF3642N6D*+EEP		28,800	22,000	14.00	12.00	1,000	5988044
	CSCF3642N6D*+EEP+TXV		28,800	22,000	14.50	12.00	1,000	5988045
	CSCF3642N6D*+TXV	G*VM970803BNA*	28,200	21,400	15.50	12.50	1,000	7361976
	CSCF3642N6D*+TXV	A*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988932
	CSCF3642N6D*+TXV	G*VC960403BNA*	28,200	21,400	15.50	12.50	1,000	7361763
	CSCF3642N6D*+TXV	A*VM970603BNA*	28,200	21,400	15.50	12.50	1,000	7362375
	CSCF3642N6D*+TXV	G*VC960603BNA*	28,200	21,400	15.50	12.50	1,000	7361775
	CSCF3642N6D*+TXV	A*VC960403BNA*	28,200	21,400	15.50	12.50	1,000	7362174
	CSCF3642N6D*+TXV	A*VM970804CNA*	28,400	21,600	15.50	12.50	1,000	7362394
	CSCF3642N6D*+TXV	G*VC960803BNA*	28,200	21,400	15.50	12.50	1,000	7361787
	CSCF3642N6D*+TXV	G*VC960804CNA*	28,400	21,600	15.50	12.50	1,000	7361794
	CSCF3642N6D*+TXV	A*VC960803BNA*	28,200	21,400	15.50	12.50	1,000	7362198
	CSCF3642N6D*+TXV	G*VM970603BNA*	28,200	21,400	15.50	12.50	1,000	7361964
	CSCF3642N6D*+TXV	A*VM970803BNA*	28,200	21,400	15.50	12.50	1,000	7362387
	CSCF3642N6D*+TXV	A*VC960804CNA*	28,400	21,600	15.50	12.50	1,000	7362205
	CSCF3642N6D*+TXV	A*VC960603BNA*	28,200	21,400	15.50	12.50	1,000	7362186
	CSCF3642N6D*+TXV	G*VM970804CNA*	28,400	21,600	15.50	12.50	1,000	7361983
	CSCF3642N6D*+TXV	G*VC950704CXB*	28,400	21,600	15.00	12.50	900	5988099

¹ BTU/h² Seasonal Energy Efficiency Ratio; Certified per AHRI 210/240 @ 80°F/ 67°F/ 95°F³ Energy Efficiency Ratio @ 80°F/ 67°F/ 95°F

Notes

Always check the S&R plate for electrical data on the unit being installed.

When matching the outdoor unit to the indoor unit, use the piston supplied with the outdoor unit or that specified on the piston kit chart supplied with the indoor unit.

EEP - Order from Service Dept. Part No. B13707-38 or new Solid State Board B13707-35S. Part No. B13707-38 is not interchangeable with B13707-35S. The Goodman Gas Furnace contains the EEP cooling time delay

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F*	ARPT36D14A*		34,000	26,400	14.50	12.00	1,150	5988209
	ARPT42D14A*		35,000	27,200	14.50	12.00	1,175	5988210
	ARPT48D14A*		35,000	27,200	14.50	12.00	1,250	5988211
	ARUF48D14A*		35,000	27,200	14.00	12.00	1,175	5988212
	ARUF48D14A*+TXV		34,400	26,800	14.50	12.00	1,175	5988213
	ASPT36C14A*		34,200	26,600	14.50	12.00	1,200	5988214
	ASPT42C14A*		34,400	26,800	14.50	12.00	1,175	7041746
	ASPT42D14A*		35,000	27,200	16.00	13.00	1,175	5756183
	ASUF39C14A*		34,200	26,600	14.00	12.00	1,000	5988215
	ASUF39C14A*+TXV		34,200	26,600	14.50	12.00	1,000	5988216
	AVPTC42D14A*		35,000	27,200	16.00	13.00	1,220	5924385
	AVPTC48C14A*		34,400	26,800	14.50	12.00	1,000	7041747
	AWUF37XX16B*		34,000	26,400	14.00	12.00	1,150	5753226
	AWUF37XX16B*+TXV		33,000	25,600	14.50	12.00	1,000	5753122
	CA*F3137*6A*	A*EC960603BNA*	34,200	26,600	14.50	12.00	1,090	7489840
	CA*F3137*6A*	A*EC960803BNA*	34,200	26,600	14.50	12.00	1,090	7489841
	CA*F3137*6A*	A*EH800603B*A*	34,200	26,600	14.50	12.20	1,100	7489842
	CA*F3137*6A*	A*VC80604B*B*	34,200	26,600	14.50	12.20	1,095	7489843
	CA*F3137*6A*	A*VC960403BNA*	34,200	26,600	14.50	12.20	1,050	7489844
	CA*F3137*6A*	A*VC960603BNA*	34,200	26,600	14.50	12.20	1,055	7489845
	CA*F3137*6A*	A*VC960803BNA*	34,200	26,600	14.50	12.20	1,100	7489846
	CA*F3137*6A*	A*VM970603BNA*	34,200	26,600	14.50	12.20	1,055	7489847
	CA*F3137*6A*	A*VM970803BNA*	34,200	26,600	14.50	12.20	1,100	7489848
	CA*F3137*6A*	ADV80603B*B*	34,200	26,600	14.50	12.20	1,075	7489849
	CA*F3137*6A*	G*E80603B*B*	34,200	26,600	14.50	12.20	1,100	7489850
	CA*F3137*6A*	G*EC960603BNA*	34,200	26,600	14.50	12.00	1,090	7489851
	CA*F3137*6A*	G*EC960803BNA*	34,200	26,600	14.50	12.00	1,090	7489852
	CA*F3137*6A*	G*VC80604B*B*	34,200	26,600	14.50	12.20	1,095	7489853
	CA*F3137*6A*	G*VC960403BNA*	34,200	26,600	14.50	12.20	1,050	7489854
	CA*F3137*6A*	G*VC960603BNA*	34,200	26,600	14.50	12.20	1,055	7489855
	CA*F3137*6A*	G*VC960803BNA*	34,200	26,600	14.50	12.20	1,100	7489856
	CA*F3137*6A*	G*VM970603BNA*	34,200	26,600	14.50	12.20	1,055	7489857
	CA*F3137*6A*	G*VM970803BNA*	34,200	26,600	14.50	12.20	1,100	7489858
	CA*F3137*6A*+EEP		34,200	26,600	14.00	12.00	1,080	7489817
	CA*F3137*6A*+EEP+TXV		34,200	26,600	14.50	12.00	1,080	7489818
	CA*F3137*6A*+MBVC1200**-1A*		34,200	26,600	14.50	12.00	1,050	7489819
	CA*F3137*6A*+MBVC1200**-1A*+TXV		34,200	26,600	15.00	12.50	1,050	7489820
	CA*F3137*6A*+TXV	A*EC960603BNA*	34,200	26,600	15.00	12.50	1,090	7489821
	CA*F3137*6A*+TXV	A*EC960803BNA*	34,200	26,600	15.00	12.50	1,090	7489822
	CA*F3137*6A*+TXV	A*EH800603B*A*	34,200	26,600	15.00	12.50	1,100	7489823
	CA*F3137*6A*+TXV	A*VC80604B*B*	34,200	26,600	15.00	12.50	1,095	7489824
	CA*F3137*6A*+TXV	A*VC960403BNA*	34,200	26,600	15.00	12.50	1,050	7489825
	CA*F3137*6A*+TXV	A*VC960603BNA*	34,200	26,600	15.00	12.50	1,055	7489826
	CA*F3137*6A*+TXV	A*VC960803BNA*	34,200	26,600	15.00	12.50	1,100	7489827
	CA*F3137*6A*+TXV	A*VM970603BNA*	34,200	26,600	15.00	12.50	1,055	7489828
	CA*F3137*6A*+TXV	A*VM970803BNA*	34,200	26,600	15.00	12.50	1,100	7489829
	CA*F3137*6A*+TXV	ADV80603B*B*	34,200	26,600	15.00	12.50	1,075	7489830
	CA*F3137*6A*+TXV	G*E80603B*B*	34,200	26,600	15.00	12.50	1,100	7489831
	CA*F3137*6A*+TXV	G*EC960603BNA*	34,200	26,600	15.00	12.50	1,090	7489832
	CA*F3137*6A*+TXV	G*EC960803BNA*	34,200	26,600	15.00	12.50	1,090	7489833
	CA*F3137*6A*+TXV	G*VC80604B*B*	34,200	26,600	15.00	12.50	1,095	7489834
	CA*F3137*6A*+TXV	G*VC960403BNA*	34,200	26,600	15.00	12.50	1,050	7489835
	CA*F3137*6A*+TXV	G*VC960603BNA*	34,200	26,600	15.00	12.50	1,055	7489836
	CA*F3137*6A*+TXV	G*VC960803BNA*	34,200	26,600	15.00	12.50	1,100	7489837
	CA*F3137*6A*+TXV	G*VM970603BNA*	34,200	26,600	15.00	12.50	1,055	7489838
	CA*F3137*6A*+TXV	G*VM970803BNA*	34,200	26,600	15.00	12.50	1,100	7489839
	CA*F3636*6D*	GME950805CXA*	33,600	26,200	14.50	12.00	1,110	5988378

See Notes on Page 46.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CA*F3636*6D*	AMEH960603BXA*	33,600	26,200	14.00	12.00	1,165	6945968
	CA*F3636*6D*	AMEH960805CXA*	33,600	26,200	14.50	12.00	1,110	6945969
	CA*F3636*6D*	GME950603BXA*	33,600	26,200	14.00	12.00	1,165	5988371
	CA*F3636*6D*+EEP+TXV		33,600	26,200	14.00	11.80	1,200	5988217
	CA*F3636*6D*+TXV	AMEH960603BXA*	33,600	26,200	14.50	12.00	1,165	6945970
	CA*F3636*6D*+TXV	GME950603BXA*	33,600	26,200	14.50	12.00	1,165	5988372
	CA*F3636*6D*+TXV	AMEH960805CXA*	33,600	26,200	15.00	12.50	1,110	6945971
	CA*F3636*6D*+TXV	GME950805CXA*	33,600	26,200	15.00	12.50	1,110	5988379
	CA*F3642*6D*	G*VM960805CXB*	34,000	26,400	14.50	12.00	1,175	5988335
	CA*F3642*6D*	A*VC950905CXB*	34,000	26,400	15.00	12.50	1,175	5989047
	CA*F3642*6D*	AMEH960805CXA*	34,000	26,400	14.50	12.00	1,110	6945973
	CA*F3642*6D*	GME950805CXA*	34,000	26,400	14.50	12.00	1,110	5988380
	CA*F3642*6D*	A*VC950704CXB*	34,000	26,400	14.50	12.00	1,120	5989034
	CA*F3642*6D*	G*VC950905CXB*	34,000	26,400	15.00	12.50	1,175	5988295
	CA*F3642*6D*	GME950603BXA*	34,000	26,400	13.50	11.50	1,165	5988373
	CA*F3642*6D*	G*VC950704CXB*	34,000	26,400	14.50	12.00	1,120	5988281
	CA*F3642*6D*	AMEH960603BXA*	34,000	26,400	13.50	11.50	1,165	6945972
	CA*F3642*6D*	A*VM960805CXB*	34,000	26,400	14.50	12.00	1,175	5989087
	CA*F3642*6D*+EEP		34,000	26,400	14.00	12.00	1,200	5988218
	CA*F3642*6D*+MBVC2000**-1A*		34,000	26,400	15.00	12.50	1,120	5990712
	CA*F3642*6D*+TXV	GME950805CXA*	34,000	26,400	15.00	12.50	1,110	5988381
	CA*F3642*6D*+TXV	G*VC950704CXB*	34,000	26,400	14.50	12.00	1,120	5988282
	CA*F3642*6D*+TXV	AMEH960805CXA*	34,000	26,400	15.00	12.50	1,110	6945974
	CA*F3642*6D*+TXV	A*VC950905CXB*	34,000	26,400	15.00	12.50	1,175	5989048
	CA*F3642*6D*+TXV	A*VM960805CXB*	34,000	26,400	15.00	12.50	1,175	5989088
	CA*F3642*6D*+TXV	G*VC950905CXB*	34,000	26,400	15.00	12.50	1,175	5988296
	CA*F3642*6D*+TXV	G*VM960805CXB*	34,000	26,400	15.00	12.50	1,175	5988336
	CA*F3642*6D*+TXV	A*VC950704CXB*	34,000	26,400	14.50	12.00	1,120	5989035
	CA*F3743*6D*	A*VM971205DNA*	34,600	27,000	15.00	12.00	1,060	7362422
	CA*F3743*6D*	G*VM960805DXB*	34,600	27,000	14.50	12.00	1,205	5988344
	CA*F3743*6D*	A*VM961155DXB*	34,600	27,000	14.50	12.00	1,085	5989111
	CA*F3743*6D*	G*EC960803BNA*	33,600	26,200	14.00	12.00	1,175	7367698
	CA*F3743*6D*	G*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5988330
	CA*F3743*6D*	A*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7362220
	CA*F3743*6D*	G*VC951155DXB*	34,600	27,000	14.50	12.00	1,190	5988320
	CA*F3743*6D*	G*EC961205DNA*	34,000	26,400	15.00	12.50	1,100	7367714
	CA*F3743*6D*	A*VM961005DXB*	34,600	27,000	14.50	12.00	1,085	5989103
	CA*F3743*6D*	G*E80603B*B*	34,600	27,000	14.50	12.00	1,150	5988248
	CA*F3743*6D*	A*EH800603B*A*	34,600	27,000	14.50	12.00	1,150	6945975
	CA*F3743*6D*	G*VM961005DXB*	34,600	27,000	14.50	12.00	1,085	5988351
	CA*F3743*6D*	G*VC80805C*B*	34,600	27,000	15.50	12.50	1,180	5988265
	CA*F3743*6D*	A*EC961004CNA*	34,000	26,400	14.50	12.00	1,175	7367869
	CA*F3743*6D*	G*EC961004CNA*	34,000	26,400	14.50	12.00	1,175	7367705
	CA*F3743*6D*	A*VC961205DNA*	34,600	27,000	15.00	12.00	1,060	7362233
	CA*F3743*6D*	G*VC81005C*B*	34,600	27,000	15.50	12.50	1,200	5988273
	CA*F3743*6D*	A*EH800805C*A*	34,600	27,000	14.50	12.00	1,180	6945976
	CA*F3743*6D*	G*VC950704CXB*	34,600	27,000	14.50	12.00	1,120	5988283
	CA*F3743*6D*	A*VC950905DXB*	34,600	27,000	14.50	12.00	1,145	5989057
	CA*F3743*6D*	G*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5988297
	CA*F3743*6D*	AMEH960805CXA*	34,600	27,000	14.50	12.00	1,110	6945977
	CA*F3743*6D*	G*VM961155DXB*	34,600	27,000	14.50	12.00	1,085	5988359
	CA*F3743*6D*	A*EC960603BNA*	34,200	26,600	14.00	12.00	1,175	7367853
	CA*F3743*6D*	A*VC960804CNA*	34,000	26,400	14.50	12.00	980	7362207
	CA*F3743*6D*	A*VC81005C*B*	34,600	27,000	15.50	12.50	1,200	5989026
	CA*F3743*6D*	G*EC960603BNA*	34,200	26,600	14.00	12.00	1,175	7367689
	CA*F3743*6D*	A*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5989082
	CA*F3743*6D*	A*VM960805CXB*	34,600	27,000	14.50	12.00	1,175	5989089

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CA*F3743*6D*	G*VC950905DXB*	34,600	27,000	14.50	12.00	1,145	5988305
	CA*F3743*6D*	A*VC80805C*B*	34,600	27,000	15.50	12.50	1,180	5989020
	CA*F3743*6D*	A*VC951155DXB*	34,600	27,000	14.50	12.00	1,190	5989072
	CA*F3743*6D*	G*E80805C*B*	34,600	27,000	14.50	12.00	1,180	5988252
	CA*F3743*6D*	A*VM970804CNA*	34,000	26,400	14.50	12.00	980	7362396
	CA*F3743*6D*	G*VM960805CXB*	34,600	27,000	14.50	12.00	1,175	5988337
	CA*F3743*6D*	G*VC960804CNA*	34,000	26,400	14.50	12.00	980	7361796
	CA*F3743*6D*	GME951005DXA*	34,600	27,000	15.00	12.50	1,050	5988389
	CA*F3743*6D*	A*EC960803BNA*	33,600	26,200	14.00	12.00	1,175	7367862
	CA*F3743*6D*	GME950805CXA*	34,600	27,000	14.50	12.00	1,110	5988382
	CA*F3743*6D*	A*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7362409
	CA*F3743*6D*	G*VM970804CNA*	34,000	26,400	14.50	12.00	980	7361985
	CA*F3743*6D*	AMEH961005DXA*	34,600	27,000	15.00	12.50	1,050	6945978
	CA*F3743*6D*	G*VC961205DNA*	34,600	27,000	15.00	12.00	1,060	7361822
	CA*F3743*6D*	G*VM971205DNA*	34,600	27,000	15.00	12.00	1,060	7362011
	CA*F3743*6D*	A*EC961205DNA*	34,000	26,400	15.00	12.50	1,100	7367878
	CA*F3743*6D*	A*VM960805DXB*	34,600	27,000	14.50	12.00	1,205	5989096
	CA*F3743*6D*	G*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7361809
	CA*F3743*6D*	A*VC950704CXB*	34,600	27,000	14.50	12.00	1,120	5989036
	CA*F3743*6D*	G*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7361998
	CA*F3743*6D*	A*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5989049
	CA*F3743*6D*+EEP		34,600	27,000	14.00	12.00	1,200	5988219
	CA*F3743*6D*+EEP+TXV		34,600	27,000	14.50	12.00	1,200	5988220
	CA*F3743*6D*+MBVC1600**-1A*		34,600	27,000	15.00	12.50	1,200	5988221
	CA*F3743*6D*+MBVC1600**-1A*+TXV		34,600	27,000	15.50	12.50	1,200	5988222
	CA*F3743*6D*+MBVC2000**-1A*		34,600	27,000	15.00	12.50	1,120	5990713
	CA*F3743*6D*+MBVC2000**-1A*+TXV		34,600	27,000	15.50	12.50	1,120	5988223
	CA*F3743*6D*+TXV	A*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5989066
	CA*F3743*6D*+TXV	G*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5988306
	CA*F3743*6D*+TXV	A*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362408
	CA*F3743*6D*+TXV	G*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367715
	CA*F3743*6D*+TXV	G*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5988360
	CA*F3743*6D*+TXV	A*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7362219
	CA*F3743*6D*+TXV	A*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5989090
	CA*F3743*6D*+TXV	A*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5989097
	CA*F3743*6D*+TXV	G*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5988338
	CA*F3743*6D*+TXV	GME950805CXA*	34,600	27,000	15.00	12.50	1,110	5988383
	CA*F3743*6D*+TXV	A*VM960604CXB*	34,600	27,000	15.00	12.50	1,140	5989083
	CA*F3743*6D*+TXV	GME951005DXA*	34,600	27,000	15.50	12.50	1,050	5988390
	CA*F3743*6D*+TXV	A*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367870
	CA*F3743*6D*+TXV	G*VM960604CXB*	34,600	27,000	15.00	12.50	1,140	5988331
	CA*F3743*6D*+TXV	A*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367879
	CA*F3743*6D*+TXV	G*E80805C*B*	34,600	27,000	15.00	12.50	1,180	5988253
	CA*F3743*6D*+TXV	A*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5989027
	CA*F3743*6D*+TXV	G*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367706
	CA*F3743*6D*+TXV	A*EC960803BNA*	33,600	26,200	14.50	12.00	1,175	7367863
	CA*F3743*6D*+TXV	A*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5989104
	CA*F3743*6D*+TXV	G*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5988284
	CA*F3743*6D*+TXV	A*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5989058
	CA*F3743*6D*+TXV	G*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5988266
	CA*F3743*6D*+TXV	G*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5988314
	CA*F3743*6D*+TXV	G*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5988352
	CA*F3743*6D*+TXV	G*VC961205DNA*	34,600	27,000	15.50	12.50	1,060	7361821
	CA*F3743*6D*+TXV	G*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5988274
	CA*F3743*6D*+TXV	A*VM970804CNA*	34,000	26,400	15.00	12.50	980	7362395
	CA*F3743*6D*+TXV	A*EC960603BNA*	34,200	26,600	14.50	12.00	1,175	7367854
	CA*F3743*6D*+TXV	A*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5989112

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CA*F3743*6D*+TXV	A*VM971205DNA*	34,600	27,000	15.50	12.50	1,060	7362421
	CA*F3743*6D*+TXV	G*VM970804CNA*	34,000	26,400	15.00	12.50	980	7361984
	CA*F3743*6D*+TXV	A*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5989037
	CA*F3743*6D*+TXV	A*EH800603B*A*	34,600	27,000	15.00	12.50	1,150	6945979
	CA*F3743*6D*+TXV	A*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5989021
	CA*F3743*6D*+TXV	A*VC960804CNA*	34,000	26,400	15.00	12.50	980	7362206
	CA*F3743*6D*+TXV	A*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5989050
	CA*F3743*6D*+TXV	G*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7361808
	CA*F3743*6D*+TXV	A*EH800805C*A*	34,600	27,000	15.00	12.50	1,180	6945980
	CA*F3743*6D*+TXV	G*E80603B*B*	34,600	27,000	15.00	12.50	1,150	5988249
	CA*F3743*6D*+TXV	AMEH961005DXA*	34,600	27,000	15.50	12.50	1,050	6945982
	CA*F3743*6D*+TXV	A*VC961205DNA*	34,600	27,000	15.50	12.50	1,060	7362232
	CA*F3743*6D*+TXV	G*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5988345
	CA*F3743*6D*+TXV	AMEH960805CXA*	34,600	27,000	15.00	12.50	1,110	6945981
	CA*F3743*6D*+TXV	G*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7361997
	CA*F3743*6D*+TXV	G*EC960803BNA*	33,600	26,200	14.50	12.00	1,175	7367699
	CA*F3743*6D*+TXV	A*VC951155DXB*	34,600	27,000	15.00	12.50	1,190	5989073
	CA*F3743*6D*+TXV	G*VM971205DNA*	34,600	27,000	15.50	12.50	1,060	7362010
	CA*F3743*6D*+TXV	G*VC960804CNA*	34,000	26,400	15.00	12.50	980	7361795
	CA*F3743*6D*+TXV	G*EC960603BNA*	34,200	26,600	14.50	12.00	1,175	7367690
	CA*F3743*6D*+TXV	G*VC951155DXB*	34,600	27,000	15.00	12.50	1,190	5988321
	CA*F3743*6D*+TXV	G*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5988298
	CA*F4860*6D*	AMEH960805CXA*	34,600	27,000	15.50	12.50	1,110	6945986
	CA*F4860*6D*	A*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5989038
	CA*F4860*6D*	G*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5988285
	CA*F4860*6D*	A*VC950905CXB*	34,600	27,000	15.50	12.50	1,175	5989051
	CA*F4860*6D*	ADV80805C*B*	34,600	27,000	15.00	12.50	1,200	5988367
	CA*F4860*6D*	GME950603BXA*	34,600	27,000	14.00	11.50	1,165	5988374
	CA*F4860*6D*	A*VM960805DXB*	34,600	27,000	15.50	12.50	1,205	5989098
	CA*F4860*6D*	G*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367707
	CA*F4860*6D*	A*VC950714CXB*	34,600	27,000	15.00	12.50	1,125	5989043
	CA*F4860*6D*	A*EH801005C*A*	34,600	27,000	15.50	12.50	1,200	6945984
	CA*F4860*6D*	G*VC950905DXB*	34,600	27,000	15.50	12.50	1,145	5988307
	CA*F4860*6D*	G*EC960803BNA*	34,000	26,400	14.00	11.50	1,175	7367700
	CA*F4860*6D*	A*VM961005DXB*	34,600	27,000	14.50	12.00	1,085	5989105
	CA*F4860*6D*	G*VM970804CNA*	34,000	26,400	15.00	12.00	980	7361987
	CA*F4860*6D*	A*EC960803BNA*	34,000	26,400	14.00	11.50	1,175	7367864
	CA*F4860*6D*	ADV81005C*B*	34,600	27,000	15.00	12.50	1,115	5988369
	CA*F4860*6D*	G*VC951155DXB*	34,600	27,000	15.50	12.50	1,190	5988322
	CA*F4860*6D*	GME950805CXA*	34,600	27,000	15.50	12.50	1,110	5988384
	CA*F4860*6D*	A*EH800805C*A*	34,600	27,000	15.50	12.50	1,180	6945983
	CA*F4860*6D*	G*VC960804CNA*	34,000	26,400	15.00	12.00	980	7361798
	CA*F4860*6D*	AMEH960603BXA*	34,600	27,000	14.00	11.50	1,165	6945985
	CA*F4860*6D*	G*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7361811
	CA*F4860*6D*	G*E81005C*B*	34,600	27,000	15.50	12.50	1,200	5988260
	CA*F4860*6D*	A*EC961205DNA*	34,000	26,400	15.00	12.50	1,100	7367880
	CA*F4860*6D*	G*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362000
	CA*F4860*6D*	G*VC950915DXB*	34,600	27,000	15.50	12.50	1,205	5988315
	CA*F4860*6D*	G*EC960603BNA*	34,600	27,000	14.00	11.50	1,175	7367691
	CA*F4860*6D*	A*VC950915DXB*	34,600	27,000	15.50	12.50	1,205	5989067
	CA*F4860*6D*	G*VC950905CXB*	34,600	27,000	15.50	12.50	1,175	5988299
	CA*F4860*6D*	A*VC951155DXB*	34,600	27,000	15.50	12.50	1,190	5989074
	CA*F4860*6D*	A*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7362222
	CA*F4860*6D*	G*VC950714CXB*	34,600	27,000	15.00	12.50	1,125	5988291
	CA*F4860*6D*	G*EC961205DNA*	34,000	26,400	15.00	12.50	1,100	7367716
	CA*F4860*6D*	A*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362411
	CA*F4860*6D*	G*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5988275

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CA*F4860*6D*	A*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5989091
	CA*F4860*6D*	G*VM961005DXB*	34,600	27,000	14.50	12.00	1,085	5988353
	CA*F4860*6D*	AMEH961005DXA*	34,600	27,000	15.50	12.50	1,050	6945987
	CA*F4860*6D*	A*VM970804CNA*	34,000	26,400	15.00	12.00	980	7362398
	CA*F4860*6D*	A*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367871
	CA*F4860*6D*	GME951005DXA*	34,600	27,000	15.50	12.50	1,050	5988391
	CA*F4860*6D*	G*VM960805DXB*	34,600	27,000	15.50	12.50	1,205	5988346
	CA*F4860*6D*	G*E80805C*B*	34,600	27,000	15.50	12.50	1,180	5988254
	CA*F4860*6D*	A*VC950905DXB*	34,600	27,000	15.50	12.50	1,145	5989059
	CA*F4860*6D*	A*VC960804CNA*	34,000	26,400	15.00	12.00	980	7362209
	CA*F4860*6D*	G*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5988332
	CA*F4860*6D*	A*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5989022
	CA*F4860*6D*	G*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5988339
	CA*F4860*6D*	A*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5989084
	CA*F4860*6D*	G*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5988361
	CA*F4860*6D*	A*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5989113
	CA*F4860*6D*	G*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5988267
	CA*F4860*6D*	A*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5989028
	CA*F4860*6D*	A*EC960603BNA*	34,600	27,000	14.00	11.50	1,175	7367855
	CA*F4860*6D*+EEP		34,600	27,000	14.00	12.00	1,200	5988224
	CA*F4860*6D*+EEP+TXV		34,800	27,000	14.50	12.00	1,200	5753114
	CA*F4860*6D*+MBVC2000**-1A*		34,600	27,000	15.50	12.50	1,120	5988225
	CA*F4860*6D*+MBVC2000**-1A*+TXV		34,600	27,000	16.00	13.00	1,120	5988226
	CA*F4860*6D*+TXV	G*VC80805C*B*	34,600	27,000	15.50	12.50	1,180	5988268
	CA*F4860*6D*+TXV	G*VC81005C*B*	34,600	27,000	15.50	12.50	1,200	5988276
	CA*F4860*6D*+TXV	A*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367872
	CA*F4860*6D*+TXV	A*VC81005C*B*	34,600	27,000	15.50	12.50	1,200	5989029
	CA*F4860*6D*+TXV	G*VC961205DNA*	34,600	27,000	16.00	13.00	1,060	7361823
	CA*F4860*6D*+TXV	G*VC960804CNA*	34,000	26,400	15.50	12.50	980	7361797
	CA*F4860*6D*+TXV	G*VM961155DXB*	34,600	27,000	15.50	12.50	1,085	5988362
	CA*F4860*6D*+TXV	GME950805CXA*	34,000	26,400	16.00	13.00	1,000	6090107
	CA*F4860*6D*+TXV	G*EC960603BNA*	34,600	27,000	15.00	12.50	1,175	7367692
	CA*F4860*6D*+TXV	G*EC960803BNA*	34,000	26,400	15.00	12.50	1,175	7367701
	CA*F4860*6D*+TXV	A*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5989068
	CA*F4860*6D*+TXV	A*VC961205DNA*	34,600	27,000	16.00	13.00	1,060	7362234
	CA*F4860*6D*+TXV	G*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5988354
	CA*F4860*6D*+TXV	G*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5988308
	CA*F4860*6D*+TXV	A*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367881
	CA*F4860*6D*+TXV	A*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5989106
	CA*F4860*6D*+TXV	G*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367708
	CA*F4860*6D*+TXV	A*VC950905CXB*	34,600	27,000	15.50	12.50	1,175	5989052
	CA*F4860*6D*+TXV	G*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367717
	CA*F4860*6D*+TXV	GME950603BXA*	34,600	27,000	15.00	12.50	1,165	5988375
	CA*F4860*6D*+TXV	AMEH960603BXA*	34,600	27,000	15.00	12.50	1,165	6945990
	CA*F4860*6D*+TXV	G*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5988347
	CA*F4860*6D*+TXV	G*VM970804CNA*	34,000	26,400	15.50	12.50	980	7361986
	CA*F4860*6D*+TXV	A*VM961155DXB*	34,600	27,000	15.50	12.50	1,085	5989114
	CA*F4860*6D*+TXV	G*VC961005CNA*	34,000	26,400	15.50	12.50	1,020	7361810
	CA*F4860*6D*+TXV	G*E80805C*B*	34,000	26,400	16.00	13.00	1,000	6107831
	CA*F4860*6D*+TXV	A*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5989060
	CA*F4860*6D*+TXV	A*VC960804CNA*	34,000	26,400	15.50	12.50	980	7362208
	CA*F4860*6D*+TXV	A*EH801005C*A*	34,600	27,000	15.50	12.50	1,200	6945989
	CA*F4860*6D*+TXV	A*EC960803BNA*	34,000	26,400	15.00	12.50	1,175	7367865
	CA*F4860*6D*+TXV	G*VC951155DXB*	34,600	27,000	16.00	13.00	1,190	5988323
	CA*F4860*6D*+TXV	ADV81005C*B*	34,600	27,000	15.50	12.50	1,115	5988370
	CA*F4860*6D*+TXV	G*VM971005CNA*	34,000	26,400	15.50	12.50	1,020	7361999
	CA*F4860*6D*+TXV	A*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5989099

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CA*F4860*6D*+TXV	G*VC950704CXB*	34,600	27,000	15.50	12.50	1,120	5988286
	CA*F4860*6D*+TXV	A*VM971205DNA*	34,600	27,000	16.00	13.00	1,060	7362423
	CA*F4860*6D*+TXV	G*VM971205DNA*	34,600	27,000	16.00	13.00	1,060	7362012
	CA*F4860*6D*+TXV	AMEH960805CXA*	34,000	26,400	16.00	13.00	1,000	6945991
	CA*F4860*6D*+TXV	A*VC961005CNA*	34,000	26,400	15.50	12.50	1,020	7362221
	CA*F4860*6D*+TXV	A*VC950714CXB*	34,600	27,000	15.00	12.50	1,125	5989044
	CA*F4860*6D*+TXV	A*EH800805C*A*	34,000	26,400	16.00	13.00	1,000	6945988
	CA*F4860*6D*+TXV	A*VM970804CNA*	34,000	26,400	15.50	12.50	980	7362397
	CA*F4860*6D*+TXV	GME951005DXA*	34,600	27,000	16.00	13.00	1,050	5988392
	CA*F4860*6D*+TXV	AMEH961005DXA*	34,600	27,000	16.00	13.00	1,050	6945992
	CA*F4860*6D*+TXV	A*EC960603BNA*	34,600	27,000	15.00	12.50	1,175	7367856
	CA*F4860*6D*+TXV	A*VM971005CNA*	34,000	26,400	15.50	12.50	1,020	7362410
	CA*F4860*6D*+TXV	G*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5988316
	CA*F4860*6D*+TXV	G*VC950714CXB*	34,600	27,000	15.00	12.50	1,125	5988292
	CA*F4860*6D*+TXV	G*VC950905CXB*	34,600	27,000	15.50	12.50	1,175	5988300
	CA*F4860*6D*+TXV	G*E81005C*B*	34,600	27,000	15.50	12.50	1,200	5988261
	CA*F4860*6D*+TXV	A*VC951155DXB*	34,600	27,000	16.00	13.00	1,190	5989075
	CA*F4860*6D*+TXV	A*VC950704CXB*	34,600	27,000	15.50	12.50	1,120	5753120
	CA*F4860*6D*+TXV	A*VC80805C*B*	34,600	27,000	15.50	12.50	1,180	5753118
	CA*F4860*6D*+TXV	ADVC80805C*B*	34,600	27,000	15.50	12.50	1,200	5988368
	CA*F4961*6D*	A*VC950915DXB*	35,000	27,200	15.00	12.50	1,205	5989069
	CA*F4961*6D*	G*VC950915DXB*	35,000	27,200	15.00	12.50	1,205	5988317
	CA*F4961*6D*	G*E80805C*B*	35,000	27,200	15.50	12.50	1,180	5988255
	CA*F4961*6D*	A*EH800805C*A*	35,000	27,200	15.50	12.50	1,180	6945993
	CA*F4961*6D*	A*VC950714CXB*	35,000	27,200	15.00	12.50	1,125	5989045
	CA*F4961*6D*	G*VC950714CXB*	35,000	27,200	15.00	12.50	1,125	5988293
	CA*F4961*6D*+EEP		35,000	27,200	14.50	12.00	1,200	5988227
	CA*F4961*6D*+EEP+TXV		35,000	27,200	15.00	12.50	1,100	5753115
	CA*F4961*6D*+MBVC1600**-1A*		35,000	27,200	15.50	12.50	1,200	5988228
	CA*F4961*6D*+MBVC1600**-1A*+TXV		35,000	27,200	16.00	13.00	1,200	5988229
	CA*F4961*6D*+TXV	A*VC961005CNA*	34,400	26,800	16.00	13.00	1,020	7362224
	CA*F4961*6D*+TXV	G*VM960805CXB*	34,600	27,000	15.20	12.50	1,175	6107311
	CA*F4961*6D*+TXV	G*VM970804CNA*	34,400	26,800	16.00	13.00	980	7361989
	CA*F4961*6D*+TXV	G*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7361825
	CA*F4961*6D*+TXV	A*VC950714CXB*	35,000	27,200	15.50	12.50	1,125	5989046
	CA*F4961*6D*+TXV	A*VM971005CNA*	34,400	26,800	16.00	13.00	1,020	7362413
	CA*F4961*6D*+TXV	A*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7362236
	CA*F4961*6D*+TXV	A*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362425
	CA*F4961*6D*+TXV	G*VC960804CNA*	34,400	26,800	16.00	13.00	980	7361800
	CA*F4961*6D*+TXV	A*EH800805C*A*	35,000	27,200	16.00	13.00	1,180	6945994
	CA*F4961*6D*+TXV	G*VC950915DXB*	35,000	27,200	15.50	12.50	1,205	5988318
	CA*F4961*6D*+TXV	A*VC960804CNA*	34,400	26,800	16.00	13.00	980	7362211
	CA*F4961*6D*+TXV	G*VM960604CXB*	34,600	27,000	15.20	12.50	1,140	6107310
	CA*F4961*6D*+TXV	G*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362014
	CA*F4961*6D*+TXV	G*VM971005CNA*	34,400	26,800	16.00	13.00	1,020	7362002
	CA*F4961*6D*+TXV	A*VM960604CXB*	34,600	27,000	15.20	12.50	1,140	6107323
	CA*F4961*6D*+TXV	G*EC961205DNA*	34,800	27,000	16.00	13.00	1,100	7367719
	CA*F4961*6D*+TXV	A*EC961205DNA*	34,800	27,000	16.00	13.00	1,100	7367883
	CA*F4961*6D*+TXV	G*VC950714CXB*	35,000	27,200	15.50	12.50	1,125	5988294
	CA*F4961*6D*+TXV	A*VM960805CXB*	34,600	27,000	15.20	12.50	1,175	6107324
	CA*F4961*6D*+TXV	A*VC950915DXB*	35,000	27,200	15.50	12.50	1,205	5989070
	CA*F4961*6D*+TXV	A*VM970804CNA*	34,400	26,800	16.00	13.00	980	7362400
	CA*F4961*6D*+TXV	G*E80805C*B*	35,000	27,200	16.00	13.00	1,180	5988256
	CA*F4961*6D*+TXV	G*VC961005CNA*	34,400	26,800	16.00	13.00	1,020	7361813
	CAPT3743*4A*	A*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362412
	CAPT3743*4A*	A*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	6494032
	CAPT3743*4A*	GME950805CXA*	34,600	27,000	15.00	12.50	1,110	5988385

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CAPT3743*4A*	A*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5989053
	CAPT3743*4A*	A*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5989092
	CAPT3743*4A*	A*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367882
	CAPT3743*4A*	A*EH800805C*A*	34,600	27,000	15.00	12.50	1,200	6945996
	CAPT3743*4A*	G*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5988355
	CAPT3743*4A*	G*EC960803BNA*	34,000	26,400	14.00	12.00	1,175	7367702
	CAPT3743*4A*	ADVC80805C*B*	34,600	27,000	15.00	12.50	1,200	6494016
	CAPT3743*4A*	A*VM961005DXB*	34,600	27,000	15.00	12.50	1,085	5989107
	CAPT3743*4A*	A*VC950714CXB*	34,600	27,000	14.50	12.50	1,150	6494033
	CAPT3743*4A*	G*E80603B*B*	34,600	27,000	14.50	12.50	1,150	6494025
	CAPT3743*4A*	A*VC80805C*B*	34,600	27,000	15.00	12.50	1,200	6494031
	CAPT3743*4A*	A*VM960604CXB*	34,600	27,000	14.50	12.50	1,150	6494034
	CAPT3743*4A*	G*EC961205DNA*	34,000	26,400	15.50	12.50	1,100	7367718
	CAPT3743*4A*	A*VM960603BXB*	34,600	27,000	14.50	12.50	1,200	6494035
	CAPT3743*4A*	A*VC80604B*B*	34,600	27,000	15.00	12.50	1,125	6494030
	CAPT3743*4A*	GME950403BXA*	34,600	27,000	14.50	12.50	1,150	6494026
	CAPT3743*4A*	A*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5989115
	CAPT3743*4A*	G*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362001
	CAPT3743*4A*	A*VC961205DNA*	34,600	27,000	15.00	12.50	1,060	7362235
	CAPT3743*4A*	A*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5989071
	CAPT3743*4A*	A*EH800603B*A*	34,600	27,000	14.50	12.50	1,150	6945995
	CAPT3743*4A*	AMEH960603BXA*	34,600	27,000	14.00	12.00	1,150	6945999
	CAPT3743*4A*	A*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5989061
	CAPT3743*4A*	G*EC960603BNA*	34,600	27,000	14.00	12.00	1,175	7367693
	CAPT3743*4A*	G*VC80805C*B*	34,600	27,000	15.00	12.50	1,200	6494017
	CAPT3743*4A*	ADVC80603B*B*	34,600	27,000	14.50	12.50	1,175	6494024
	CAPT3743*4A*	A*VM970804CNA*	34,000	26,400	15.00	12.50	980	7362399
	CAPT3743*4A*	A*VC951155DXB*	34,600	27,000	15.00	12.50	1,190	5989076
	CAPT3743*4A*	AMEH960805CXA*	34,600	27,000	15.00	12.50	1,110	6946000
	CAPT3743*4A*	G*VC961205DNA*	34,600	27,000	15.00	12.50	1,060	7361824
	CAPT3743*4A*	A*EC960603BNA*	34,600	27,000	14.00	12.00	1,175	7367857
	CAPT3743*4A*	AMEH960403BXA*	34,600	27,000	14.50	12.50	1,150	6945998
	CAPT3743*4A*	G*VM960604CXB*	34,600	27,000	14.50	12.50	1,150	6494023
	CAPT3743*4A*	A*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5989039
	CAPT3743*4A*	G*VM960805CXB*	34,600	27,000	15.00	12.50	1,175	5988340
	CAPT3743*4A*	A*VC950453BXB*	34,600	27,000	14.00	12.00	1,200	6494036
	CAPT3743*4A*	A*EC960803BNA*	34,000	26,400	14.00	12.00	1,175	7367866
	CAPT3743*4A*	G*VC950915DXB*	34,600	27,000	15.00	12.50	1,205	5988319
	CAPT3743*4A*	A*EH801005C*A*	34,600	27,000	15.00	12.50	1,200	6945997
	CAPT3743*4A*	G*VC951155DXB*	34,600	27,000	15.00	12.50	1,190	5988324
	CAPT3743*4A*	G*VC960804CNA*	34,000	26,400	15.00	12.50	980	7361799
	CAPT3743*4A*	A*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367873
	CAPT3743*4A*	G*VC950714CXB*	34,600	27,000	14.50	12.50	1,150	6494022
	CAPT3743*4A*	G*VM970804CNA*	34,000	26,400	15.00	12.50	980	7361988
	CAPT3743*4A*	A*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7362223
	CAPT3743*4A*	G*VC950453BXB*	34,600	27,000	14.00	12.00	1,200	6494029
	CAPT3743*4A*	G*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	6494018
	CAPT3743*4A*	AMEH961005DXA*	34,600	27,000	15.50	12.50	1,050	6946001
	CAPT3743*4A*	G*VC950905DXB*	34,600	27,000	15.00	12.50	1,145	5988309
	CAPT3743*4A*	G*E81005C*B*	34,600	27,000	15.00	12.50	1,200	6494019
	CAPT3743*4A*	G*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5988348
	CAPT3743*4A*	G*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7361812
	CAPT3743*4A*	G*VM960603BXB*	34,600	27,000	14.50	12.50	1,200	6494027
	CAPT3743*4A*	GME951005DXA*	34,600	27,000	15.50	12.50	1,050	5988393
	CAPT3743*4A*	G*VC950704CXB*	34,600	27,000	15.00	12.50	1,120	5988287
	CAPT3743*4A*	A*VM960805DXB*	34,600	27,000	15.00	12.50	1,205	5989100
	CAPT3743*4A*	G*VM971205DNA*	34,600	27,000	15.00	12.50	1,060	7362013

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CAPT3743*4A*	A*VM971205DNA*	34,600	27,000	15.00	12.50	1,060	7362424
	CAPT3743*4A*	G*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367709
	CAPT3743*4A*	ADV81005C*B*	34,000	26,400	15.00	12.50	1,115	6494014
	CAPT3743*4A*	G*E80805C*B*	34,600	27,000	15.00	12.50	1,200	6494020
	CAPT3743*4A*	G*VC80604B*B*	34,600	27,000	15.00	12.50	1,125	6494015
	CAPT3743*4A*	G*VC950905CXB*	34,600	27,000	15.00	12.50	1,175	5988301
	CAPT3743*4A*	G*VM961155DXB*	34,600	27,000	15.00	12.50	1,085	5988363
	CAPT3743*4A*	A*VC960804CNA*	34,000	26,400	15.00	12.50	980	7362210
	CAPT3743*4A*	GME950603BXA*	34,600	27,000	14.00	12.00	1,150	6494028
	CAPT3743*4A*+EEP		34,600	27,000	14.00	12.00	1,200	5988230
	CAPT3743*4A*+MBVC1200**-1A*		34,000	26,400	15.00	12.50	1,100	6494021
	CAPT3743*4A*+MBVC1600**-1A*		34,600	27,000	15.00	12.50	1,220	5988231
	CAPT3743*4A*+MBVC2000**-1A*		34,600	27,000	15.00	12.50	1,120	5988232
	CAPT4961*4A*	G*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362015
	CAPT4961*4A*	G*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7361826
	CAPT4961*4A*	A*VM970804CNA*	34,400	26,800	15.50	12.50	980	7362401
	CAPT4961*4A*	A*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362426
	CAPT4961*4A*	A*VC960804CNA*	34,400	26,800	15.50	12.50	980	7362212
	CAPT4961*4A*	A*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7362237
	CAPT4961*4A*	G*VM971005CNA*	34,400	26,800	15.50	12.50	1,020	7362003
	CAPT4961*4A*	A*VC961005CNA*	34,400	26,800	15.50	12.50	1,020	7362225
	CAPT4961*4A*	G*VC960804CNA*	34,400	26,800	15.50	12.50	980	7361801
	CAPT4961*4A*	A*VM971005CNA*	34,400	26,800	15.50	12.50	1,020	7362414
	CAPT4961*4A*	G*VM970804CNA*	34,400	26,800	15.50	12.50	980	7361990
	CAPT4961*4A*	G*VC961005CNA*	34,400	26,800	15.50	12.50	1,020	7361814
	CHPF3642C6C*	G*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5988333
	CHPF3642C6C*	A*VC950704CXB*	34,600	27,000	14.50	12.00	1,120	5989040
	CHPF3642C6C*	A*EH800603B*A*	34,600	27,000	14.50	12.00	1,150	6946002
	CHPF3642C6C*	G*VC81005C*B*	34,600	27,000	14.50	12.00	1,200	5988277
	CHPF3642C6C*	A*VC81005C*B*	34,600	27,000	14.50	12.00	1,200	5989030
	CHPF3642C6C*	G*EC960603BNA*	34,600	27,000	14.00	12.00	1,175	7367694
	CHPF3642C6C*	GME950603BXA*	34,600	27,000	14.00	12.00	1,165	5988376
	CHPF3642C6C*	G*E81005C*B*	34,600	27,000	15.00	12.50	1,200	5988262
	CHPF3642C6C*	A*EC960603BNA*	34,600	27,000	14.00	12.00	1,175	7367858
	CHPF3642C6C*	G*VC950704CXB*	34,600	27,000	14.50	12.00	1,120	5988288
	CHPF3642C6C*	A*EH801005C*A*	34,600	27,000	15.00	12.50	1,200	6946004
	CHPF3642C6C*	A*VC80805C*B*	34,600	27,000	14.50	12.00	1,180	5989023
	CHPF3642C6C*	G*VC80805C*B*	34,600	27,000	14.50	12.00	1,180	5988269
	CHPF3642C6C*	A*VM960604CXB*	34,600	27,000	14.50	12.00	1,140	5989085
	CHPF3642C6C*	A*EH800805C*A*	34,600	27,000	15.00	12.50	1,180	6946003
	CHPF3642C6C*	AMEH960603BXA*	34,600	27,000	14.00	12.00	1,165	6946005
	CHPF3642C6C*	G*E80805C*B*	34,600	27,000	15.00	12.50	1,180	5988257
	CHPF3642C6C*	G*E80603B*B*	34,600	27,000	14.50	12.00	1,150	5988250
	CHPF3642C6C*+EEP		34,600	27,000	14.00	12.00	1,200	5988233
	CHPF3642C6C*+EEP+TXV		34,600	27,000	14.50	12.00	1,200	5988234
	CHPF3642C6C*+MBVC1600**-1A*		34,600	27,000	14.50	12.00	1,220	5988236
	CHPF3642C6C*+MBVC1600**-1A*+TXV		34,600	27,000	15.00	12.50	1,220	5988238
	CHPF3642C6C*+TXV	G*E81005C*B*	34,600	27,000	15.00	12.50	1,200	5988263
	CHPF3642C6C*+TXV	A*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5989031
	CHPF3642C6C*+TXV	A*VM960604CXB*	34,600	27,000	15.00	12.50	1,140	5989086
	CHPF3642C6C*+TXV	G*VM960604CXB*	34,600	27,000	15.00	12.50	1,140	5988334
	CHPF3642C6C*+TXV	G*EC960603BNA*	34,600	27,000	14.50	12.00	1,175	7367695
	CHPF3642C6C*+TXV	G*E80805C*B*	34,600	27,000	15.50	12.50	1,180	5988258
	CHPF3642C6C*+TXV	AMEH960603BXA*	34,600	27,000	14.50	11.50	1,165	6946009
	CHPF3642C6C*+TXV	G*E80603B*B*	34,600	27,000	15.00	12.50	1,150	5988251
	CHPF3642C6C*+TXV	A*EH800805C*A*	34,600	27,000	15.50	12.50	1,180	6946007
	CHPF3642C6C*+TXV	G*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5988270

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CHPF3642C6C*+TXV	A*EH801005C*A*	34,600	27,000	15.00	12.50	1,200	6946008
	CHPF3642C6C*+TXV	A*EC960603BNA*	34,600	27,000	14.50	12.00	1,175	7367859
	CHPF3642C6C*+TXV	A*EH800603B*A*	34,600	27,000	15.00	12.50	1,150	6946006
	CHPF3642C6C*+TXV	GME950603BXA*	34,600	27,000	14.50	11.50	1,165	5988377
	CHPF3642C6C*+TXV	A*VC80805C*B*	34,600	27,000	15.00	12.50	1,180	5989024
	CHPF3642C6C*+TXV	G*VC81005C*B*	34,600	27,000	15.00	12.50	1,200	5988278
	CHPF3743C6B*	A*VC950905CXB*	34,800	27,000	14.50	12.00	1,175	5989054
	CHPF3743C6B*	G*VM970804CNA*	34,000	26,400	15.00	12.50	980	7361991
	CHPF3743C6B*	G*EC960603BNA*	34,600	27,000	14.50	12.00	1,175	7367696
	CHPF3743C6B*	A*VM970804CNA*	34,000	26,400	15.00	12.50	980	7362402
	CHPF3743C6B*	G*EC960803BNA*	33,600	26,200	14.50	12.00	1,175	7367703
	CHPF3743C6B*	A*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7362416
	CHPF3743C6B*	A*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7362227
	CHPF3743C6B*	G*VC960804CNA*	34,000	26,400	15.00	12.50	980	7361802
	CHPF3743C6B*	A*EC960603BNA*	34,600	27,000	14.50	12.00	1,175	7367860
	CHPF3743C6B*	G*VC950905CXB*	34,800	27,000	14.50	12.00	1,175	5988302
	CHPF3743C6B*	A*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367874
	CHPF3743C6B*	G*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7362005
	CHPF3743C6B*	A*EC960803BNA*	33,600	26,200	14.50	12.00	1,175	7367867
	CHPF3743C6B*	G*VM960805CXB*	34,800	27,000	14.50	12.00	1,175	5988341
	CHPF3743C6B*	A*VC960804CNA*	34,000	26,400	15.00	12.50	980	7362213
	CHPF3743C6B*	A*VM960805CXB*	34,800	27,000	14.50	12.00	1,175	5989093
	CHPF3743C6B*	G*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7361816
	CHPF3743C6B*	G*EC961004CNA*	34,000	26,400	15.00	12.50	1,175	7367710
	CHPF3743C6B*+EEP+TXV		34,800	27,000	14.50	12.00	1,100	5753116
	CHPF3743C6B*+TXV	A*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362415
	CHPF3743C6B*+TXV	G*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367711
	CHPF3743C6B*+TXV	G*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7361815
	CHPF3743C6B*+TXV	G*VM960805CXB*	34,800	27,000	15.00	12.50	1,175	5988342
	CHPF3743C6B*+TXV	A*VC950905CXB*	34,800	27,000	15.00	12.50	1,175	5989055
	CHPF3743C6B*+TXV	G*VC960804CNA*	34,000	26,400	14.50	12.00	980	7361803
	CHPF3743C6B*+TXV	G*EC960603BNA*	34,600	27,000	15.00	12.50	1,175	7367697
	CHPF3743C6B*+TXV	A*VC960804CNA*	34,000	26,400	14.50	12.00	980	7362214
	CHPF3743C6B*+TXV	G*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362004
	CHPF3743C6B*+TXV	A*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367875
	CHPF3743C6B*+TXV	G*VM970804CNA*	34,000	26,400	14.50	12.00	980	7361992
	CHPF3743C6B*+TXV	A*VM960805CXB*	34,800	27,000	15.00	12.50	1,175	5989094
	CHPF3743C6B*+TXV	G*VC950905CXB*	34,800	27,000	15.00	12.50	1,175	5988303
	CHPF3743C6B*+TXV	A*EC960803BNA*	33,600	26,200	15.00	12.50	1,175	7367868
	CHPF3743C6B*+TXV	A*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7362226
	CHPF3743C6B*+TXV	A*VM970804CNA*	34,000	26,400	14.50	12.00	980	7362403
	CHPF3743C6B*+TXV	G*EC960803BNA*	33,600	26,200	15.00	12.50	1,175	7367704
	CHPF3743C6B*+TXV	A*EC960603BNA*	34,600	27,000	15.00	12.50	1,175	7367861
	CHPF3743D6B*	A*VC961205DNA*	34,600	27,000	15.00	12.50	1,060	7362238
	CHPF3743D6B*	A*VM961155DXB*	34,800	27,000	15.00	12.50	1,085	5989117
	CHPF3743D6B*	G*VM960805CXB*	34,800	27,000	14.50	12.00	1,175	5988343
	CHPF3743D6B*	G*VC950905DXB*	34,800	27,000	14.50	12.00	1,145	5988310
	CHPF3743D6B*	G*VM961005DXB*	34,800	27,000	14.50	12.00	1,085	5988357
	CHPF3743D6B*	A*VC950905DXB*	34,800	27,000	14.50	12.00	1,145	5989062
	CHPF3743D6B*	GME950805CXA*	34,800	27,000	14.50	12.00	1,110	5988386
	CHPF3743D6B*	G*VM960805DXB*	34,800	27,000	14.50	12.00	1,205	5988349
	CHPF3743D6B*	A*VM960805DXB*	34,800	27,000	14.50	12.00	1,205	5989101
	CHPF3743D6B*	A*VM971205DNA*	34,600	27,000	15.00	12.50	1,060	7362427
	CHPF3743D6B*	G*VM971205DNA*	34,600	27,000	15.00	12.50	1,060	7362016
	CHPF3743D6B*	G*VC951155DXB*	34,800	27,000	15.00	12.50	1,190	5988326
	CHPF3743D6B*	A*VM960805CXB*	34,800	27,000	14.50	12.00	1,175	5989095
	CHPF3743D6B*	AMEH960805CXA*	34,800	27,000	14.50	12.00	1,110	6946010

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CHPF3743D6B*	G*VM961155DXB*	34,800	27,000	15.00	12.50	1,085	5988365
	CHPF3743D6B*	G*VC961205DNA*	34,600	27,000	15.00	12.50	1,060	7361827
	CHPF3743D6B*	A*VC951155DXB*	34,800	27,000	15.00	12.50	1,190	5989078
	CHPF3743D6B*	A*VM961005DXB*	34,800	27,000	14.50	12.00	1,085	5989109
	CHPF3743D6B*	A*VC950905CXB*	34,800	27,000	14.50	12.00	1,175	5989056
	CHPF3743D6B*	G*VC950905CXB*	34,800	27,000	14.50	12.00	1,175	5988304
	CHPF3743D6B*+EEP		34,800	27,000	14.00	12.00	1,200	5990714
	CHPF3743D6B*+EEP+TXV		34,800	27,000	14.50	12.00	1,200	5988240
	CHPF3743D6B*+TXV	AMEH960805CXA*	34,800	27,000	15.50	12.50	1,110	6946011
	CHPF3743D6B*+TXV	G*VM961155DXB*	34,800	27,000	15.00	12.50	1,085	5988366
	CHPF3743D6B*+TXV	G*VC961205DNA*	34,600	27,000	15.50	12.50	1,060	7361828
	CHPF3743D6B*+TXV	A*VC950905DXB*	34,800	27,000	15.00	12.50	1,145	5989063
	CHPF3743D6B*+TXV	G*VC951155DXB*	34,800	27,000	15.00	12.50	1,190	5988327
	CHPF3743D6B*+TXV	A*VC961205DNA*	34,600	27,000	15.50	12.50	1,060	7362239
	CHPF3743D6B*+TXV	G*VC950905DXB*	34,800	27,000	15.00	12.50	1,145	5988311
	CHPF3743D6B*+TXV	A*VM961155DXB*	34,800	27,000	15.00	12.50	1,085	5989118
	CHPF3743D6B*+TXV	A*VM971205DNA*	34,600	27,000	15.50	12.50	1,060	7362428
	CHPF3743D6B*+TXV	G*VM961005DXB*	34,800	27,000	15.00	12.50	1,085	5988358
	CHPF3743D6B*+TXV	G*VM960805DXB*	34,800	27,000	15.00	12.50	1,205	5988350
	CHPF3743D6B*+TXV	G*VM971205DNA*	34,600	27,000	15.50	12.50	1,060	7362017
	CHPF3743D6B*+TXV	GME950805CXA*	34,800	27,000	15.50	12.50	1,110	5988387
	CHPF3743D6B*+TXV	A*VM961005DXB*	34,800	27,000	15.00	12.50	1,085	5989110
	CHPF3743D6B*+TXV	A*VC951155DXB*	34,800	27,000	15.00	12.50	1,190	5989079
	CHPF3743D6B*+TXV	A*VM960805DXB*	34,800	27,000	15.00	12.50	1,205	5989102
	CHPF4860D6D*	G*VM971005CNA*	34,400	26,800	15.50	12.50	1,020	7362007
	CHPF4860D6D*	A*VM971005CNA*	34,400	26,800	15.50	12.50	1,020	7362418
	CHPF4860D6D*	A*VC961205DNA*	34,800	27,000	15.50	12.50	1,060	7362240
	CHPF4860D6D*	A*EC961205DNA*	34,800	27,000	15.50	12.50	1,100	7367884
	CHPF4860D6D*	AMEH961005DXA*	34,800	27,000	15.50	12.50	1,050	6946014
	CHPF4860D6D*	A*VC961005CNA*	34,400	26,800	15.50	12.50	1,020	7362229
	CHPF4860D6D*	G*EC961205DNA*	34,800	27,000	15.50	12.50	1,100	7367720
	CHPF4860D6D*	A*EH800805C*A*	34,800	27,000	15.50	12.50	1,180	6946012
	CHPF4860D6D*	GME951005DXA*	34,800	27,000	15.50	12.50	1,050	5988395
	CHPF4860D6D*	G*VM971205DNA*	34,800	27,000	15.50	12.50	1,060	7362018
	CHPF4860D6D*	A*VM970804CNA*	34,400	26,800	15.50	12.50	980	7362404
	CHPF4860D6D*	A*VC960804CNA*	34,400	26,800	15.50	12.50	980	7362215
	CHPF4860D6D*	AMEH960805CXA*	34,800	27,000	15.50	12.50	1,110	6946013
	CHPF4860D6D*	A*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367876
	CHPF4860D6D*	G*VC961005CNA*	34,400	26,800	15.50	12.50	1,020	7361818
	CHPF4860D6D*	A*VC80805C*B*	34,800	27,000	16.00	13.00	1,180	5989025
	CHPF4860D6D*	G*E80805C*B*	34,800	27,000	15.50	12.50	1,180	5988259
	CHPF4860D6D*	G*VC81005C*B*	34,800	27,000	14.50	12.00	1,200	5988279
	CHPF4860D6D*	G*VC960804CNA*	34,400	26,800	15.50	12.50	980	7361804
	CHPF4860D6D*	G*VC961205DNA*	34,800	27,000	15.50	12.50	1,060	7361829
	CHPF4860D6D*	G*EC961004CNA*	34,000	26,400	15.50	12.50	1,175	7367712
	CHPF4860D6D*	A*VC81005C*B*	34,800	27,000	14.50	12.00	1,200	5989032
	CHPF4860D6D*	A*VM971205DNA*	34,800	27,000	15.50	12.50	1,060	7362429
	CHPF4860D6D*	G*VM970804CNA*	34,400	26,800	15.50	12.50	980	7361993
	CHPF4860D6D*	G*VC80805C*B*	34,800	27,000	16.00	13.00	1,180	5988271
	CHPF4860D6D*	GME950805CXA*	34,800	27,000	15.50	12.50	1,110	5988388
	CHPF4860D6D*+EEP		34,800	27,000	14.50	12.00	1,200	5988241
	CHPF4860D6D*+EEP+TXV		35,000	27,200	15.00	12.50	1,100	5753117
	CHPF4860D6D*+MBVC1600**-1A*		34,800	27,000	15.50	12.50	1,220	5988242
	CHPF4860D6D*+MBVC1600**-1A*+TXV		34,800	27,000	16.00	13.00	1,220	5988244
	CHPF4860D6D*+MBVC2000**-1A*		34,800	27,000	15.50	12.50	1,120	5988243
	CHPF4860D6D*+MBVC2000**-1A*+TXV		34,800	27,000	16.00	13.00	1,120	5988245
	CHPF4860D6D*+TXV	A*VC81005C*B*	34,800	27,000	15.50	12.50	1,200	5989033
	CHPF4860D6D*+TXV	G*VM970804CNA*	34,400	26,800	16.00	13.00	980	7361994
	CHPF4860D6D*+TXV	A*VC950704CXB*	34,000	26,400	16.00	13.00	1,025	5753121
	CHPF4860D6D*+TXV	G*E80805C*B*	34,000	26,400	16.00	13.00	1,000	6107832
	CHPF4860D6D*+TXV	GME951005DXA*	34,800	27,000	16.00	13.00	1,050	5988396
	CHPF4860D6D*+TXV	G*EC961004CNA*	34,000	26,400	16.00	13.00	1,175	7367713

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0361F* (cont.)	CHPF4860D6D*+TXV	G*VC960804CNA*	34,400	26,800	16.00	13.00	980	7361805
	CHPF4860D6D*+TXV	A*VC961005CNA*	34,400	26,800	16.00	13.00	1,020	7362228
	CHPF4860D6D*+TXV	A*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7362241
	CHPF4860D6D*+TXV	G*EC961205DNA*	34,800	27,000	16.00	13.00	1,100	7367721
	CHPF4860D6D*+TXV	G*VM971005CNA*	34,400	26,800	16.00	13.00	1,020	7362006
	CHPF4860D6D*+TXV	G*VC81005C*B*	34,800	27,000	15.50	12.50	1,200	5988280
	CHPF4860D6D*+TXV	GME950805CXA*	34,000	26,400	16.00	13.00	1,000	6090109
	CHPF4860D6D*+TXV	A*EH800805C*A*	34,000	26,400	16.00	13.00	1,000	6946015
	CHPF4860D6D*+TXV	A*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362430
	CHPF4860D6D*+TXV	A*EC961004CNA*	34,000	26,400	16.00	13.00	1,175	7367877
	CHPF4860D6D*+TXV	A*EC961205DNA*	34,800	27,000	16.00	13.00	1,100	7367885
	CHPF4860D6D*+TXV	AMEH961005DXA*	34,800	27,000	16.00	13.00	1,050	6946017
	CHPF4860D6D*+TXV	G*VM971205DNA*	34,800	27,000	16.00	13.00	1,060	7362019
	CHPF4860D6D*+TXV	A*VM970804CNA*	34,400	26,800	16.00	13.00	980	7362405
	CHPF4860D6D*+TXV	G*VC950905CXB*	35,000	27,200	16.00	13.00	1,150	6498499
	CHPF4860D6D*+TXV	G*VC961205DNA*	34,800	27,000	16.00	13.00	1,060	7361830
	CHPF4860D6D*+TXV	AMEH960805CXA*	34,000	26,400	16.00	13.00	1,000	6946016
	CHPF4860D6D*+TXV	G*VC961005CNA*	34,400	26,800	16.00	13.00	1,020	7361817
	CHPF4860D6D*+TXV	G*VC80805C*B*	34,800	27,000	15.50	12.50	1,180	5988272
	CHPF4860D6D*+TXV	A*VM971005CNA*	34,400	26,800	16.00	13.00	1,020	7362417
	CHPF4860D6D*+TXV	A*VC80805C*B*	34,800	27,000	15.50	12.50	1,180	5753119
	CHPF4860D6D*+TXV	A*VC960804CNA*	34,400	26,800	16.00	13.00	980	7362216
	CHPF4860D6D*+TXV	G*VC950704CXB*	34,000	26,400	16.00	13.00	1,025	6107837
	CSCF3642N6D*+TXV	G*VM970804CNA*	34,000	26,400	14.50	12.00	980	7361995
	CSCF3642N6D*+TXV	G*VC960804CNA*	34,000	26,400	14.50	12.00	980	7361806
	CSCF3642N6D*+TXV	A*VM970804CNA*	34,000	26,400	14.50	12.00	980	7362406
	CSCF3642N6D*+TXV	G*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7361819
	CSCF3642N6D*+TXV	A*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7362419
	CSCF3642N6D*+TXV	G*VM971005CNA*	34,000	26,400	14.50	12.00	1,020	7362008
	CSCF3642N6D*+TXV	A*VC961005CNA*	34,000	26,400	14.50	12.00	1,020	7362230
	CSCF3642N6D*+TXV	A*VC960804CNA*	34,000	26,400	14.50	12.00	980	7362217
	CSCF4860N6D*	G*VC950905DXB*	34,400	26,800	14.50	12.00	1,145	5988312
	CSCF4860N6D*	G*VM971205DNA*	34,400	26,800	15.00	12.50	1,060	7362020
	CSCF4860N6D*	A*VC950704CXB*	34,400	26,800	15.00	12.50	1,120	5989041
	CSCF4860N6D*	G*VC961205DNA*	34,400	26,800	15.00	12.50	1,060	7361831
	CSCF4860N6D*	A*VC950905DXB*	34,400	26,800	14.50	12.00	1,145	5989064
	CSCF4860N6D*	A*VM971205DNA*	34,400	26,800	15.00	12.50	1,060	7362431
	CSCF4860N6D*	G*VC951155DXB*	34,400	26,800	14.50	12.00	1,190	5988328
	CSCF4860N6D*	A*VC951155DXB*	34,400	26,800	14.50	12.00	1,190	5989080
	CSCF4860N6D*	G*VC950704CXB*	34,400	26,800	15.00	12.50	1,120	5988289
	CSCF4860N6D*	A*VC961205DNA*	34,400	26,800	15.00	12.50	1,060	7362242
	CSCF4860N6D*+EEP		34,400	26,800	14.00	12.00	1,200	5988246
	CSCF4860N6D*+EEP+TXV		34,400	26,800	14.50	12.00	1,200	5988247
	CSCF4860N6D*+TXV	A*VC961205DNA*	34,400	26,800	15.50	12.50	1,060	7362243
	CSCF4860N6D*+TXV	A*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362420
	CSCF4860N6D*+TXV	G*VC951155DXB*	34,400	26,800	15.00	12.50	1,190	5988329
	CSCF4860N6D*+TXV	G*VM971205DNA*	34,400	26,800	15.50	12.50	1,060	7362021
	CSCF4860N6D*+TXV	G*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7361820
	CSCF4860N6D*+TXV	G*VM971005CNA*	34,000	26,400	15.00	12.50	1,020	7362009
	CSCF4860N6D*+TXV	A*VC950905DXB*	34,400	26,800	15.00	12.50	1,145	5989065
	CSCF4860N6D*+TXV	G*VC961205DNA*	34,400	26,800	15.50	12.50	1,060	7361832
	CSCF4860N6D*+TXV	A*VC960804CNA*	34,000	26,400	15.00	12.50	980	7362218
	CSCF4860N6D*+TXV	A*VC951155DXB*	34,400	26,800	15.00	12.50	1,190	5989081
	CSCF4860N6D*+TXV	G*VC950905DXB*	34,400	26,800	15.00	12.50	1,145	5988313
	CSCF4860N6D*+TXV	A*VM971205DNA*	34,400	26,800	15.50	12.50	1,060	7362432
	CSCF4860N6D*+TXV	A*VC950704CXB*	34,400	26,800	15.00	12.50	1,120	5989042
	CSCF4860N6D*+TXV	G*VC950704CXB*	34,400	26,800	15.00	12.50	1,120	5988290
	CSCF4860N6D*+TXV	A*VM970804CNA*	34,000	26,400	15.00	12.50	980	7362407
	CSCF4860N6D*+TXV	A*VC961005CNA*	34,000	26,400	15.00	12.50	1,020	7362231
	CSCF4860N6D*+TXV	G*VM970804CNA*	34,000	26,400	15.00	12.50	980	7361996
	CSCF4860N6D*+TXV	G*VC960804CNA*	34,000	26,400	15.00	12.50	980	7361807

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F*	ARPT42D14A*		40,000	30,400	14.00	12.00	1,320	5988397
	ARPT48D14A*		40,000	30,400	14.00	12.00	1,250	5988398
	ARUF42C14A*		39,000	29,600	13.50	11.50	1,275	5988399
	ARUF48D14A*		40,000	30,400	14.00	12.00	1,320	5988400
	ASPT42D14A*		41,000	31,200	16.00	13.00	1,350	5756184
	ASPT48C14A*		40,000	30,400	14.50	12.00	1,300	7041749
	ASPT48D14A*		41,000	31,200	16.00	13.00	1,285	5988401
	ASPT60D14A*		41,000	31,200	16.00	13.00	1,410	5988402
	ASUF49C14A*		40,000	30,400	14.00	12.00	1,330	5988403
	ASUF49C14A*+TXV		40,000	30,400	14.50	12.00	1,330	5988404
	AVPTC42D14A*		41,000	31,200	16.00	13.00	1,310	5924386
	AVPTC48C14A*		40,000	30,400	14.50	12.00	1,300	7041750
	CA*F3743*6D*	G*VM960805CXB*	40,000	30,400	14.00	12.00	1,290	5988495
	CA*F3743*6D*	A*VC950704CXB*	40,000	30,400	13.50	11.50	1,320	5989130
	CA*F3743*6D*	G*VC950704CXB*	40,000	30,400	13.50	11.50	1,320	5988447
	CA*F3743*6D*	G*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367722
	CA*F3743*6D*	A*VM960604CXB*	40,000	30,400	13.50	11.50	1,460	5989170
	CA*F3743*6D*	GME950805CXA*	40,000	30,400	14.50	12.00	1,325	5988529
	CA*F3743*6D*	G*VM960604CXB*	40,000	30,400	13.50	11.50	1,460	5988489
	CA*F3743*6D*	A*VM961005DXB*	40,000	30,400	14.00	12.00	1,400	5989189
	CA*F3743*6D*	G*VC951155DXB*	40,000	30,400	14.00	12.00	1,400	5988480
	CA*F3743*6D*	G*VM961155DXB*	40,000	30,400	14.00	12.00	1,400	5988514
	CA*F3743*6D*	G*VC950905CXB*	40,000	30,400	14.00	12.00	1,280	5988459
	CA*F3743*6D*	A*VM960805DXB*	40,000	30,400	14.00	12.00	1,420	5989182
	CA*F3743*6D*	G*VM961005DXB*	40,000	30,400	14.00	12.00	1,400	5988508
	CA*F3743*6D*	A*VC950905DXB*	40,000	30,400	14.00	12.00	1,420	5989151
	CA*F3743*6D*	A*VM961155DXB*	40,000	30,400	14.00	12.00	1,400	5989195
	CA*F3743*6D*	AMEH960805CXA*	40,000	30,400	14.50	12.00	1,325	6946018
	CA*F3743*6D*	A*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367886
	CA*F3743*6D*	G*VM960805DXB*	40,000	30,400	14.00	12.00	1,420	5988501
	CA*F3743*6D*	G*VC950905DXB*	40,000	30,400	14.00	12.00	1,420	5988468
	CA*F3743*6D*	A*VC951155DXB*	40,000	30,400	14.00	12.00	1,400	5989161
	CA*F3743*6D*	A*VC950905CXB*	40,000	30,400	14.00	12.00	1,280	5989142
	CA*F3743*6D*	A*VM960805CXB*	40,000	30,400	14.00	12.00	1,290	5989176
	CA*F3743*6D*	GME951005DXA*	40,000	30,400	14.50	12.00	1,250	5988537
	CA*F3743*6D*	AMEH961005DXA*	40,000	30,400	14.50	12.00	1,250	6946019
	CA*F3743*6D*+EEP+TXV		40,000	30,400	14.50	12.00	1,400	5988405
	CA*F3743*6D*+TXV	A*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5989171
	CA*F3743*6D*+TXV	G*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5988448
	CA*F3743*6D*+TXV	AMEH961005DXA*	40,000	30,400	15.00	12.50	1,250	6946021
	CA*F3743*6D*+TXV	G*VM960805DXB*	40,000	30,400	14.50	12.00	1,420	5988502
	CA*F3743*6D*+TXV	G*VM961155DXB*	40,000	30,400	14.50	12.00	1,400	5988515
	CA*F3743*6D*+TXV	G*VC950915DXB*	40,000	30,400	15.00	12.50	1,200	5988477
	CA*F3743*6D*+TXV	A*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5989190
	CA*F3743*6D*+TXV	G*VC950714CXB*	40,000	30,400	14.50	12.00	1,285	5988456
	CA*F3743*6D*+TXV	G*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367723
	CA*F3743*6D*+TXV	GME950805CXA*	40,000	30,400	14.50	12.00	1,325	5988530
	CA*F3743*6D*+TXV	GME951005DXA*	40,000	30,400	15.00	12.50	1,250	5988538
	CA*F3743*6D*+TXV	A*VC950714CXB*	40,000	30,400	14.50	12.00	1,285	5989139
	CA*F3743*6D*+TXV	A*VM960805DXB*	40,000	30,400	14.50	12.00	1,420	5989183
	CA*F3743*6D*+TXV	A*VC951155DXB*	40,000	30,400	14.50	12.00	1,400	5989162
	CA*F3743*6D*+TXV	A*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367887
	CA*F3743*6D*+TXV	G*VC950905CXB*	40,000	30,400	14.50	12.00	1,280	5988460
	CA*F3743*6D*+TXV	G*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5988496
	CA*F3743*6D*+TXV	A*VC950905DXB*	40,000	30,400	14.50	12.00	1,420	5989152
	CA*F3743*6D*+TXV	G*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5988509
	CA*F3743*6D*+TXV	G*VC951155DXB*	40,000	30,400	14.50	12.00	1,400	5988481

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CA*F3743*6D*+TXV	A*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5989177
	CA*F3743*6D*+TXV	A*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5989131
	CA*F3743*6D*+TXV	A*VM961155DXB*	40,000	30,400	14.50	12.00	1,400	5989196
	CA*F3743*6D*+TXV	ADV80805C*B*	40,000	30,400	15.50	12.50	1,250	5988521
	CA*F3743*6D*+TXV	A*VC950905CXB*	40,000	30,400	14.50	12.00	1,280	5989143
	CA*F3743*6D*+TXV	A*VC950915DXB*	40,000	30,400	15.00	12.50	1,200	5989158
	CA*F3743*6D*+TXV	AMEH960805CXA*	40,000	30,400	14.50	12.00	1,325	6946020
	CA*F3743*6D*+TXV	G*VC950905DXB*	40,000	30,400	14.50	12.00	1,420	5988469
	CA*F3743*6D*+TXV	G*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5988490
	CA*F3743*6D*+TXV	ADV81005C*B*	40,000	30,400	15.50	12.50	1,400	5988525
	CA*F4860*6D*	G*VM960805DXB*	40,000	30,400	14.50	12.00	1,420	5988503
	CA*F4860*6D*	A*VC950714CXB*	40,000	30,400	15.00	12.50	1,285	5989140
	CA*F4860*6D*	A*VC81005C*B*	40,000	30,400	14.50	12.00	1,370	5989125
	CA*F4860*6D*	G*VC80805C*B*	40,000	30,400	14.50	12.00	1,190	5988436
	CA*F4860*6D*	A*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5989172
	CA*F4860*6D*	AMEH960805CXA*	40,000	30,400	14.00	12.00	1,325	6946025
	CA*F4860*6D*	A*VM960805DXB*	40,000	30,400	14.50	12.00	1,420	5989184
	CA*F4860*6D*	G*VM971205DNA*	40,000	30,400	15.00	12.50	1,160	7362039
	CA*F4860*6D*	ADV80805C*B*	40,000	30,400	15.00	12.50	1,250	5988522
	CA*F4860*6D*	G*VC81005C*B*	40,000	30,400	14.50	12.00	1,370	5988442
	CA*F4860*6D*	G*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5988491
	CA*F4860*6D*	G*VC950905DXB*	40,000	30,400	14.50	12.00	1,420	5988470
	CA*F4860*6D*	A*EH800805D*A*	40,000	30,400	15.00	12.50	1,310	6946023
	CA*F4860*6D*	G*VC960804CNA*	40,000	30,400	15.00	12.50	1,195	7361833
	CA*F4860*6D*	A*VC961005CNA*	40,000	30,400	15.00	12.50	1,195	7362253
	CA*F4860*6D*	G*E81005C*B*	40,000	30,400	14.00	12.00	1,420	5988430
	CA*F4860*6D*	GME951005DXA*	40,000	30,400	14.50	12.00	1,250	5988539
	CA*F4860*6D*	A*EH800805C*A*	40,000	30,400	14.50	12.00	1,350	6946022
	CA*F4860*6D*	A*VM970804CNA*	40,000	30,400	15.00	12.50	1,195	7362433
	CA*F4860*6D*	G*VC950714CXB*	40,000	30,400	15.00	12.50	1,285	5988457
	CA*F4860*6D*	GME950805CXA*	40,000	30,400	14.00	12.00	1,325	5988531
	CA*F4860*6D*	A*VC961205DNA*	40,000	30,400	15.00	12.50	1,160	7362261
	CA*F4860*6D*	A*VC960804CNA*	40,000	30,400	15.00	12.50	1,195	7362244
	CA*F4860*6D*	A*VC950905DXB*	40,000	30,400	14.50	12.00	1,420	5989153
	CA*F4860*6D*	A*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5989178
	CA*F4860*6D*	A*VM971005CNA*	40,000	30,400	15.00	12.50	1,195	7362442
	CA*F4860*6D*	ADV81005C*B*	40,000	30,400	15.00	12.50	1,400	5988526
	CA*F4860*6D*	G*E80805D*A*	40,000	30,400	15.00	12.50	1,310	5988426
	CA*F4860*6D*	G*VC951155DXB*	40,000	30,400	15.00	12.50	1,400	5988482
	CA*F4860*6D*	A*VM971205DNA*	40,000	30,400	15.00	12.50	1,160	7362450
	CA*F4860*6D*	A*VM961155DXB*	40,000	30,400	15.00	12.50	1,400	5989197
	CA*F4860*6D*	G*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5988497
	CA*F4860*6D*	G*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5988449
	CA*F4860*6D*	G*VC950905CXB*	40,000	30,400	14.50	12.00	1,280	5988461
	CA*F4860*6D*	G*VC950915DXB*	40,000	30,400	15.00	12.50	1,200	5988478
	CA*F4860*6D*	A*VC80805C*B*	40,000	30,400	14.50	12.00	1,190	5989119
	CA*F4860*6D*	G*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5988510
	CA*F4860*6D*	G*VM970804CNA*	40,000	30,400	15.00	12.50	1,195	7362022
	CA*F4860*6D*	A*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5989132
	CA*F4860*6D*	G*VM961155DXB*	40,000	30,400	15.00	12.50	1,400	5988516
	CA*F4860*6D*	A*VC950905CXB*	40,000	30,400	14.50	12.00	1,280	5989144
	CA*F4860*6D*	AMEH961005DXA*	40,000	30,400	14.50	12.00	1,250	6946026
	CA*F4860*6D*	A*EH801005C*A*	40,000	30,400	14.00	12.00	1,420	6946024
	CA*F4860*6D*	A*VC951155DXB*	40,000	30,400	15.00	12.50	1,400	5989163
	CA*F4860*6D*	G*VC961005CNA*	40,000	30,400	15.00	12.50	1,195	7361842
	CA*F4860*6D*	A*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5989191
	CA*F4860*6D*	G*E80805C*B*	40,000	30,400	14.50	12.00	1,350	5988420

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CA*F4860*6D*	G*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367724
	CA*F4860*6D*	G*VM971005CNA*	40,000	30,400	15.00	12.50	1,195	7362031
	CA*F4860*6D*	G*VC961205DNA*	40,000	30,400	15.00	12.50	1,160	7361850
	CA*F4860*6D*	A*VC950915DXB*	40,000	30,400	15.00	12.50	1,200	5989159
	CA*F4860*6D*	A*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367888
	CA*F4860*6D*+EEP		40,000	30,400	14.00	12.00	1,400	5988406
	CA*F4860*6D*+EEP+TXV		42,000	32,000	14.50	12.00	1,400	5753123
	CA*F4860*6D*+MBVC2000**-1A*		40,000	30,400	15.00	12.50	1,335	5988407
	CA*F4860*6D*+MBVC2000**-1A*+TXV		40,000	30,400	15.50	12.50	1,335	5988408
	CA*F4860*6D*+TXV	AMEH961005DXA*	40,000	30,400	15.00	12.50	1,250	6946031
	CA*F4860*6D*+TXV	A*EC961004CNA*	40,000	30,400	15.00	12.50	1,300	7367889
	CA*F4860*6D*+TXV	A*VM970804CNA*	40,000	30,400	15.50	12.50	1,195	7362434
	CA*F4860*6D*+TXV	GME951005DXA*	40,000	30,400	15.00	12.50	1,250	5988540
	CA*F4860*6D*+TXV	A*VC80805C*B*	40,000	30,400	15.50	12.50	1,190	5989120
	CA*F4860*6D*+TXV	G*VC960804CNA*	40,000	30,400	15.50	12.50	1,195	7361834
	CA*F4860*6D*+TXV	GME950805CXA*	40,000	30,400	15.00	12.50	1,325	5988532
	CA*F4860*6D*+TXV	G*VC961205DNA*	40,000	30,400	15.50	12.50	1,160	7361851
	CA*F4860*6D*+TXV	A*EH800805D*A*	40,000	30,400	15.50	12.50	1,310	6946028
	CA*F4860*6D*+TXV	G*E80805C*B*	40,000	30,400	15.00	12.50	1,350	5988421
	CA*F4860*6D*+TXV	G*EC961205DNA*	40,000	30,400	15.00	12.50	1,300	7367731
	CA*F4860*6D*+TXV	G*EC961004CNA*	40,000	30,400	15.00	12.50	1,300	7367725
	CA*F4860*6D*+TXV	G*VC80805C*B*	40,000	30,400	15.50	12.50	1,190	5988437
	CA*F4860*6D*+TXV	G*VM970804CNA*	40,000	30,400	15.50	12.50	1,195	7362023
	CA*F4860*6D*+TXV	G*VM971005CNA*	40,000	30,400	15.50	12.50	1,195	7362032
	CA*F4860*6D*+TXV	A*VC961205DNA*	40,000	30,400	15.50	12.50	1,160	7362262
	CA*F4860*6D*+TXV	G*VC961005CNA*	40,000	30,400	15.50	12.50	1,195	7361843
	CA*F4860*6D*+TXV	A*VC960804CNA*	40,000	30,400	15.50	12.50	1,195	7362245
	CA*F4860*6D*+TXV	G*E81005C*B*	40,000	30,400	14.50	12.00	1,420	5988431
	CA*F4860*6D*+TXV	AMEH960805CXA*	40,000	30,400	15.00	12.50	1,325	6946030
	CA*F4860*6D*+TXV	A*EC961205DNA*	40,000	30,400	15.00	12.50	1,300	7367895
	CA*F4860*6D*+TXV	A*EH801005C*A*	40,000	30,400	14.50	12.00	1,420	6946029
	CA*F4860*6D*+TXV	G*VM971205DNA*	40,000	30,400	15.50	12.50	1,160	7362040
	CA*F4860*6D*+TXV	A*VM971205DNA*	40,000	30,400	15.50	12.50	1,160	7362451
	CA*F4860*6D*+TXV	A*EH800805C*A*	40,000	30,400	15.00	12.50	1,350	6946027
	CA*F4860*6D*+TXV	A*VC961005CNA*	40,000	30,400	15.50	12.50	1,195	7362254
	CA*F4860*6D*+TXV	G*E80805D*A*	40,000	30,400	15.50	12.50	1,310	5988427
	CA*F4860*6D*+TXV	A*VM971005CNA*	40,000	30,400	15.50	12.50	1,195	7362443
	CA*F4961*6D*	G*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7361835
	CA*F4961*6D*	A*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362444
	CA*F4961*6D*	G*VM961005DXB*	41,000	31,200	14.50	12.00	1,400	5988511
	CA*F4961*6D*	A*EC961205DNA*	41,000	31,200	14.50	12.00	1,300	7367896
	CA*F4961*6D*	A*EH800805C*A*	41,000	31,200	15.00	12.50	1,350	6946032
	CA*F4961*6D*	A*EC961004CNA*	41,000	31,200	14.50	12.00	1,300	7367890
	CA*F4961*6D*	A*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362452
	CA*F4961*6D*	G*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362024
	CA*F4961*6D*	A*EH800805D*A*	41,000	31,200	15.50	12.50	1,310	6946033
	CA*F4961*6D*	GME951005DXA*	41,000	31,200	15.50	12.50	1,250	5988541
	CA*F4961*6D*	A*VC950704CXB*	41,000	31,200	14.00	12.00	1,320	5989133
	CA*F4961*6D*	G*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	5988438
	CA*F4961*6D*	G*EC961004CNA*	41,000	31,200	14.50	12.00	1,300	7367726
	CA*F4961*6D*	G*E80805D*A*	41,000	31,200	15.50	12.50	1,310	5988428
	CA*F4961*6D*	A*VC950905CXB*	41,000	31,200	14.50	12.00	1,280	5989145
	CA*F4961*6D*	G*VM960805CXB*	41,000	31,200	14.50	12.00	1,290	5988498
	CA*F4961*6D*	G*VM960805DXB*	41,000	31,200	14.50	12.00	1,420	5988504
	CA*F4961*6D*	G*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362041
	CA*F4961*6D*	A*EH801005C*A*	41,000	31,200	14.50	12.00	1,420	6946034
	CA*F4961*6D*	G*EC961205DNA*	41,000	31,200	14.50	12.00	1,300	7367732

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CA*F4961*6D*	G*E81005C*B*	41,000	31,200	14.50	12.00	1,420	5988432
	CA*F4961*6D*	A*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7362263
	CA*F4961*6D*	G*VM961155DXB*	41,000	31,200	15.00	12.50	1,400	5988517
	CA*F4961*6D*	AMEH960805CXA*	41,000	31,200	14.50	12.00	1,325	6946035
	CA*F4961*6D*	A*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7362255
	CA*F4961*6D*	GME950805CXA*	41,000	31,200	14.50	12.00	1,325	5988533
	CA*F4961*6D*	A*VM961005DXB*	41,000	31,200	14.50	12.00	1,400	5989192
	CA*F4961*6D*	A*VM960805CXB*	41,000	31,200	14.50	12.00	1,290	5989179
	CA*F4961*6D*	A*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362435
	CA*F4961*6D*	A*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	5989121
	CA*F4961*6D*	G*VC950905CXB*	41,000	31,200	14.50	12.00	1,280	5988462
	CA*F4961*6D*	AMEH961005DXA*	41,000	31,200	15.50	12.50	1,250	6946036
	CA*F4961*6D*	G*E80805C*B*	41,000	31,200	15.00	12.50	1,350	5988422
	CA*F4961*6D*	G*VC81005C*B*	41,000	31,200	14.50	12.00	1,370	5988443
	CA*F4961*6D*	A*VM961155DXB*	41,000	31,200	15.00	12.50	1,400	5989198
	CA*F4961*6D*	G*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362033
	CA*F4961*6D*	A*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7362246
	CA*F4961*6D*	A*VC81005C*B*	41,000	31,200	14.50	12.00	1,370	5989126
	CA*F4961*6D*	A*VM960805DXB*	41,000	31,200	14.50	12.00	1,420	5989185
	CA*F4961*6D*	A*VC951155DXB*	41,000	31,200	15.00	12.50	1,400	5989164
	CA*F4961*6D*	G*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7361852
	CA*F4961*6D*	A*VC950905DXB*	41,000	31,200	14.50	12.00	1,420	5989154
	CA*F4961*6D*	G*VC950704CXB*	41,000	31,200	14.00	12.00	1,320	5988450
	CA*F4961*6D*	G*VC951155DXB*	41,000	31,200	15.00	12.50	1,400	5988483
	CA*F4961*6D*	G*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7361844
	CA*F4961*6D*	G*VC950905DXB*	41,000	31,200	14.50	12.00	1,420	5988471
	CA*F4961*6D*+EEP+TXV		42,000	32,000	15.00	12.50	1,300	5753124
	CA*F4961*6D*+MBVC2000**-1A*		41,000	31,200	15.50	12.50	1,335	5988409
	CA*F4961*6D*+MBVC2000**-1A*+TXV		41,000	31,200	16.00	13.00	1,335	5988410
	CA*F4961*6D*+TXV	ADVC80805C*B*	41,000	31,200	16.00	13.00	1,250	5988523
	CA*F4961*6D*+TXV	G*VC81005C*B*	41,000	31,200	15.20	12.50	1,370	5988444
	CA*F4961*6D*+TXV	G*VM961155DXB*	41,000	31,200	16.00	13.00	1,400	5988518
	CA*F4961*6D*+TXV	A*VM961005DXB*	41,000	31,200	16.00	13.00	1,400	6107326
	CA*F4961*6D*+TXV	G*VC960804CNA*	41,000	31,200	16.00	13.00	1,195	7361836
	CA*F4961*6D*+TXV	A*VC80805C*B*	41,000	31,200	15.50	12.50	1,190	5989122
	CA*F4961*6D*+TXV	G*VC950704CXB*	41,000	31,200	14.50	12.00	1,320	5988451
	CA*F4961*6D*+TXV	G*VM971205DNA*	41,000	31,200	16.00	13.00	1,160	7362042
	CA*F4961*6D*+TXV	AMEH960805CXA*	41,000	31,200	15.50	12.50	1,325	6946040
	CA*F4961*6D*+TXV	A*VM971205DNA*	41,000	31,200	16.00	13.00	1,160	7362453
	CA*F4961*6D*+TXV	A*VM970804CNA*	41,000	31,200	16.00	13.00	1,195	7362436
	CA*F4961*6D*+TXV	A*VC950905DXB*	41,000	31,200	16.00	13.00	1,400	5753129
	CA*F4961*6D*+TXV	G*VM971005CNA*	41,000	31,200	16.00	13.00	1,195	7362034
	CA*F4961*6D*+TXV	G*VM960604CXB*	41,000	31,200	14.50	12.00	1,460	5988492
	CA*F4961*6D*+TXV	A*VM961155DXB*	41,000	31,200	16.00	13.00	1,400	5989199
	CA*F4961*6D*+TXV	AMEH961005DXA*	40,000	30,400	16.00	13.00	1,200	6946041
	CA*F4961*6D*+TXV	A*VC81005C*B*	41,000	31,200	15.20	12.50	1,370	5989127
	CA*F4961*6D*+TXV	A*VC961205DNA*	41,000	31,200	16.00	13.00	1,160	7362264
	CA*F4961*6D*+TXV	G*VC950714CXB*	41,000	31,200	15.50	12.50	1,285	5988458
	CA*F4961*6D*+TXV	ADVC81005C*B*	41,000	31,200	16.00	13.00	1,400	5988527
	CA*F4961*6D*+TXV	G*VC950905DXB*	41,000	31,200	16.00	13.00	1,400	5988472
	CA*F4961*6D*+TXV	G*E80805D*A*	40,000	30,400	16.00	13.00	1,300	5753127
	CA*F4961*6D*+TXV	G*VC961205DNA*	41,000	31,200	16.00	13.00	1,160	7361853
	CA*F4961*6D*+TXV	A*EC961004CNA*	41,000	31,200	15.50	12.50	1,300	7367891
	CA*F4961*6D*+TXV	A*EH801005C*A*	41,000	31,200	15.00	12.50	1,420	6946039
	CA*F4961*6D*+TXV	GME950805CXA*	41,000	31,200	15.50	12.50	1,325	5988534
	CA*F4961*6D*+TXV	A*VC950905CXB*	41,000	31,200	15.00	12.50	1,280	5989146
	CA*F4961*6D*+TXV	GME951005DXA*	40,000	30,400	16.00	13.00	1,200	6090111

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CA*F4961*6D*+TXV	G*E80805C*B*	41,000	31,200	15.50	12.50	1,350	5988423
	CA*F4961*6D*+TXV	G*VC951155DXB*	41,000	31,200	16.00	13.00	1,400	5988484
	CA*F4961*6D*+TXV	A*VC961005CNA*	41,000	31,200	16.00	13.00	1,195	7362256
	CA*F4961*6D*+TXV	G*VC80805C*B*	41,000	31,200	15.50	12.50	1,190	5988439
	CA*F4961*6D*+TXV	A*EC961205DNA*	41,000	31,200	15.50	12.50	1,300	7367897
	CA*F4961*6D*+TXV	A*VM960805DXB*	41,000	31,200	15.50	12.50	1,420	5989186
	CA*F4961*6D*+TXV	A*VM960604CXB*	41,000	31,200	14.50	12.00	1,460	5989173
	CA*F4961*6D*+TXV	A*VC950714CXB*	41,000	31,200	15.50	12.50	1,285	5989141
	CA*F4961*6D*+TXV	A*EH800805D*A*	40,000	30,400	16.00	13.00	1,300	6946038
	CA*F4961*6D*+TXV	A*VC950915DXB*	41,000	31,200	15.50	12.50	1,200	5989160
	CA*F4961*6D*+TXV	A*VC950704CXB*	41,000	31,200	14.50	12.00	1,320	5989134
	CA*F4961*6D*+TXV	G*VM970804CNA*	41,000	31,200	16.00	13.00	1,195	7362025
	CA*F4961*6D*+TXV	A*VC960804CNA*	41,000	31,200	16.00	13.00	1,195	7362247
	CA*F4961*6D*+TXV	G*VC961005CNA*	41,000	31,200	16.00	13.00	1,195	7361845
	CA*F4961*6D*+TXV	G*VM960805DXB*	41,000	31,200	15.50	12.50	1,420	5988505
	CA*F4961*6D*+TXV	A*VM960805CXB*	41,000	31,200	15.20	12.50	1,290	6107325
	CA*F4961*6D*+TXV	A*VM971005CNA*	41,000	31,200	16.00	13.00	1,195	7362445
	CA*F4961*6D*+TXV	G*E81005C*B*	41,000	31,200	15.00	12.50	1,420	5988433
	CA*F4961*6D*+TXV	G*VM961005DXB*	41,000	31,200	16.00	13.00	1,400	6107313
	CA*F4961*6D*+TXV	G*VM960805CXB*	41,000	31,200	15.20	12.50	1,290	6107312
	CA*F4961*6D*+TXV	G*VC950905CXB*	41,000	31,200	15.00	12.50	1,280	5988463
	CA*F4961*6D*+TXV	A*VC951155DXB*	41,000	31,200	16.00	13.00	1,400	5989165
	CA*F4961*6D*+TXV	G*EC961205DNA*	41,000	31,200	15.50	12.50	1,300	7367733
	CA*F4961*6D*+TXV	A*EH800805C*A*	41,000	31,200	15.50	12.50	1,350	6946037
	CA*F4961*6D*+TXV	G*VC950915DXB*	41,000	31,200	15.50	12.50	1,200	5988479
	CA*F4961*6D*+TXV	G*EC961004CNA*	41,000	31,200	15.50	12.50	1,300	7367727
	CAPT4961*4A*	A*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7362257
	CAPT4961*4A*	A*EC961004CNA*	40,500	30,800	15.00	12.50	1,300	7367892
	CAPT4961*4A*	GME951005DXA*	40,000	30,400	15.00	12.50	1,200	6950638
	CAPT4961*4A*	A*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362446
	CAPT4961*4A*	G*VC950905CXB*	41,000	31,200	15.00	12.50	1,280	6944774
	CAPT4961*4A*	A*VM961155DXB*	40,500	30,800	15.00	12.50	1,400	6950590
	CAPT4961*4A*	ADVC80805C*B*	41,000	31,200	15.00	12.50	1,250	6950608
	CAPT4961*4A*	A*VC81005C*B*	41,000	31,200	15.00	12.50	1,370	6950340
	CAPT4961*4A*	G*VC950714CXB*	41,000	31,200	15.00	12.50	1,285	6950386
	CAPT4961*4A*	G*E80805C*B*	41,000	31,200	15.00	12.50	1,350	6950287
	CAPT4961*4A*	A*VC80604B*B*	41,000	31,200	15.00	12.50	1,410	6950314
	CAPT4961*4A*	G*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362035
	CAPT4961*4A*	G*VC80604B*B*	41,000	31,200	15.00	12.50	1,410	6950316
	CAPT4961*4A*	G*VC81005C*B*	41,000	31,200	15.00	12.50	1,370	6950342
	CAPT4961*4A*	G*VM960805CXB*	41,000	31,200	15.00	12.50	1,290	6950526
	CAPT4961*4A*	G*VC950905DXB*	41,000	31,200	15.00	12.50	1,400	6950424
	CAPT4961*4A*	G*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7361837
	CAPT4961*4A*	A*VC950905CXB*	41,000	31,200	15.00	12.50	1,280	6944773
	CAPT4961*4A*	G*EC961205DNA*	40,500	30,800	15.00	12.50	1,300	7367734
	CAPT4961*4A*	G*E81005C*B*	41,000	31,200	15.00	12.50	1,420	6950302
	CAPT4961*4A*	G*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	6950330
	CAPT4961*4A*	A*VC950915DXB*	41,000	31,200	15.00	12.50	1,200	6950445
	CAPT4961*4A*	G*VM961005DXB*	41,000	31,200	15.00	12.50	1,400	6950572
	CAPT4961*4A*	A*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	6950328
	CAPT4961*4A*	G*VM961155DXB*	40,500	30,800	15.00	12.50	1,400	6950592
	CAPT4961*4A*	G*VM960604CXB*	41,000	31,200	15.00	12.50	1,460	6950503
	CAPT4961*4A*	G*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362043
	CAPT4961*4A*	A*VC950714CXB*	41,000	31,200	15.00	12.50	1,285	6950383
	CAPT4961*4A*	A*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362454
	CAPT4961*4A*	G*VM960603BXB*	41,000	31,200	14.00	12.00	1,355	6950489
	CAPT4961*4A*	G*VC950915DXB*	41,000	31,200	15.00	12.50	1,200	6950447

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CAPT4961*4A*	A*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362437
	CAPT4961*4A*	G*EC961004CNA*	40,500	30,800	15.00	12.50	1,300	7367728
	CAPT4961*4A*	G*E80805D*A*	41,000	31,200	15.00	12.50	1,300	6950293
	CAPT4961*4A*	A*VM960805DXB*	41,000	31,200	15.00	12.50	1,420	6950546
	CAPT4961*4A*	A*VM960603BxB*	41,000	31,200	14.00	12.00	1,355	6950486
	CAPT4961*4A*	ADVC81005C*B*	41,000	31,200	15.00	12.50	1,400	6950618
	CAPT4961*4A*	G*VC951155DXB*	41,000	31,200	15.00	12.50	1,400	6950470
	CAPT4961*4A*	A*VM961005DXB*	41,000	31,200	15.00	12.50	1,400	6950569
	CAPT4961*4A*	G*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7361846
	CAPT4961*4A*	A*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7362248
	CAPT4961*4A*	G*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362026
	CAPT4961*4A*	A*VM960805CXB*	41,000	31,200	15.00	12.50	1,290	6950523
	CAPT4961*4A*	A*VM960604CXB*	41,000	31,200	15.00	12.50	1,460	6950500
	CAPT4961*4A*	G*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7361854
	CAPT4961*4A*	GME950805CXA*	40,500	30,800	15.00	12.50	1,325	6950627
	CAPT4961*4A*	A*VC951155DXB*	41,000	31,200	15.00	12.50	1,400	6950468
	CAPT4961*4A*	G*E80603B*B*	41,000	31,200	14.00	12.00	1,355	6950284
	CAPT4961*4A*	A*EC961205DNA*	40,500	30,800	15.00	12.50	1,300	7367898
	CAPT4961*4A*	G*VM960805DXB*	41,000	31,200	15.00	12.50	1,420	6950549
	CAPT4961*4A*	A*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7362265
	CAPT4961*4A*	A*VC950905DXB*	41,000	31,200	15.00	12.50	1,400	6950422
	CAPT4961*4A*+EEP		41,000	31,200	15.00	12.50	1,400	5988411
	CAPT4961*4A*+MBVC1600**-1A*		41,000	31,200	15.00	12.50	1,375	6950281
	CAPT4961*4A*+MBVC2000**-1A*		41,000	31,200	16.00	13.00	1,335	5988412
	CHPF3743C6B*+EEP		40,000	30,400	14.00	12.00	1,400	5988413
	CHPF3743C6B*+EEP+TXV		41,500	31,600	14.50	12.00	1,300	5753125
	CHPF3743D6B*+EEP		40,000	30,400	14.00	12.00	1,400	5990715
	CHPF3743D6B*+EEP+TXV		40,000	30,400	14.50	12.00	1,400	5988414
	CHPF4860D6D*	A*VC81005C*B*	39,000	29,600	14.50	12.00	1,370	5989128
	CHPF4860D6D*	G*VC950905DXB*	40,000	30,400	15.00	12.50	1,420	5988473
	CHPF4860D6D*	A*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362986
	CHPF4860D6D*	A*EH800805C*A*	40,000	30,400	15.00	12.50	1,350	6946042
	CHPF4860D6D*	G*E80805D*A*	40,000	30,400	15.50	12.50	1,310	5988429
	CHPF4860D6D*	A*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7362977
	CHPF4860D6D*	A*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362987
	CHPF4860D6D*	A*EH801005C*A*	40,500	30,800	14.50	12.00	1,420	6946044
	CHPF4860D6D*	AMEH961005DXA*	40,000	30,400	15.50	12.50	1,250	6946046
	CHPF4860D6D*	A*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362439
	CHPF4860D6D*	G*E80805C*B*	40,000	30,400	15.00	12.50	1,350	5988424
	CHPF4860D6D*	A*VC950905CXB*	40,000	30,400	15.00	12.50	1,280	5989147
	CHPF4860D6D*	G*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7361839
	CHPF4860D6D*	G*VC961005CNA*	40,500	30,800	15.00	12.50	1,195	7362959
	CHPF4860D6D*	AMEH960805CXA*	40,000	30,400	15.00	12.50	1,325	6946045
	CHPF4860D6D*	A*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5989180
	CHPF4860D6D*	A*VC950905DXB*	40,000	30,400	15.00	12.50	1,420	5989155
	CHPF4860D6D*	A*VC960804CNA*	40,500	30,800	15.00	12.50	1,195	7362250
	CHPF4860D6D*	G*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5988512
	CHPF4860D6D*	G*VM971005CNA*	40,500	30,800	15.00	12.50	1,195	7362968
	CHPF4860D6D*	G*E81005C*B*	40,500	30,800	14.50	12.00	1,420	5988434
	CHPF4860D6D*	G*VM970804CNA*	40,500	30,800	15.00	12.50	1,195	7362028
	CHPF4860D6D*	A*VM960805DXB*	40,000	30,400	15.00	12.50	1,420	5989187
	CHPF4860D6D*	G*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7362960
	CHPF4860D6D*	A*VM961005DXB*	40,000	30,400	14.50	12.00	1,400	5989193
	CHPF4860D6D*	A*VC961205DNA*	40,500	30,800	15.00	12.50	1,160	7362978
	CHPF4860D6D*	G*VC950905CXB*	40,000	30,400	15.00	12.50	1,280	5988464
	CHPF4860D6D*	A*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	5989123
	CHPF4860D6D*	G*VC950704CXB*	41,000	31,200	14.00	12.00	1,320	5988452

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CHPF4860D6D*	G*VM971205DNA*	40,500	30,800	15.00	12.50	1,160	7362969
	CHPF4860D6D*	G*VM960805DXB*	40,000	30,400	15.00	12.50	1,420	5988506
	CHPF4860D6D*	A*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367893
	CHPF4860D6D*	A*VC950704CXB*	41,000	31,200	14.00	12.00	1,320	5989135
	CHPF4860D6D*	G*VC81005C*B*	39,000	29,600	14.50	12.00	1,370	5988445
	CHPF4860D6D*	A*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5989174
	CHPF4860D6D*	G*EC961004CNA*	40,000	30,400	14.50	12.00	1,300	7367729
	CHPF4860D6D*	G*VC951155DXB*	40,000	30,400	14.50	12.00	1,400	5988485
	CHPF4860D6D*	G*VM961155DXB*	40,000	30,400	14.50	12.00	1,400	5988519
	CHPF4860D6D*	A*EH800805D*A*	40,000	30,400	15.50	12.50	1,310	6946043
	CHPF4860D6D*	A*VM961155DXB*	40,000	30,400	14.50	12.00	1,400	5989200
	CHPF4860D6D*	G*VM960805CXB*	40,000	30,400	14.50	12.00	1,290	5988499
	CHPF4860D6D*	G*VM960604CXB*	40,000	30,400	14.00	12.00	1,460	5988493
	CHPF4860D6D*	G*VC80805C*B*	41,000	31,200	15.00	12.50	1,190	5988440
	CHPF4860D6D*	G*EC961205DNA*	40,000	30,400	14.50	12.00	1,300	7367735
	CHPF4860D6D*	A*EC961205DNA*	40,000	30,400	14.50	12.00	1,300	7367899
	CHPF4860D6D*	GME950805CXA*	40,000	30,400	15.00	12.50	1,325	5988535
	CHPF4860D6D*	GME951005DXA*	40,000	30,400	15.50	12.50	1,250	5988542
	CHPF4860D6D*	A*VC951155DXB*	40,000	30,400	14.50	12.00	1,400	5989166
	CHPF4860D6D*+EEP		40,000	30,400	14.00	12.00	1,400	5988415
	CHPF4860D6D*+EEP+TXV		41,000	31,200	15.00	12.50	1,200	5753126
	CHPF4860D6D*+MBVC2000**-1A*		40,000	30,400	15.50	12.50	1,335	5988416
	CHPF4860D6D*+MBVC2000**-1A*+TXV		40,000	30,400	16.00	13.00	1,335	5988417
	CHPF4860D6D*+TXV	A*EH801005C*A*	40,500	30,800	15.00	12.50	1,420	6946049
	CHPF4860D6D*+TXV	A*VM971005CNA*	40,500	30,800	16.00	13.00	1,195	7362447
	CHPF4860D6D*+TXV	G*VC950905DXB*	41,000	31,200	16.00	13.00	1,300	5988474
	CHPF4860D6D*+TXV	A*VM960805CXB*	41,500	31,600	15.00	12.50	1,290	5989181
	CHPF4860D6D*+TXV	A*VM960604CXB*	40,000	30,400	15.50	12.50	1,460	5989175
	CHPF4860D6D*+TXV	A*VM961155DXB*	40,500	30,800	16.00	13.00	1,300	5989201
	CHPF4860D6D*+TXV	A*EC961205DNA*	40,000	30,400	15.50	12.50	1,300	7367900
	CHPF4860D6D*+TXV	A*VM970804CNA*	40,500	30,800	16.00	13.00	1,195	7362438
	CHPF4860D6D*+TXV	G*VM961005DXB*	40,500	30,800	16.00	13.00	1,300	5988513
	CHPF4860D6D*+TXV	G*VC961005CNA*	40,500	30,800	16.00	13.00	1,195	7361847
	CHPF4860D6D*+TXV	A*EH800805D*A*	40,000	30,400	16.00	13.00	1,300	6946048
	CHPF4860D6D*+TXV	A*VC950905CXB*	41,500	31,600	15.00	12.50	1,280	5989148
	CHPF4860D6D*+TXV	G*VM971205DNA*	40,500	30,800	16.00	13.00	1,160	7362044
	CHPF4860D6D*+TXV	A*VC951155DXB*	40,500	30,800	16.00	13.00	1,300	5989167
	CHPF4860D6D*+TXV	G*VM970804CNA*	40,500	30,800	16.00	13.00	1,195	7362027
	CHPF4860D6D*+TXV	G*VC80805C*B*	41,000	31,200	15.50	12.50	1,190	5988441
	CHPF4860D6D*+TXV	A*VM961005DXB*	40,500	30,800	16.00	13.00	1,300	5989194
	CHPF4860D6D*+TXV	GME951005DXA*	40,000	30,400	16.00	13.00	1,200	6090113
	CHPF4860D6D*+TXV	A*VC950704CXB*	41,000	31,200	14.50	12.00	1,320	5989136
	CHPF4860D6D*+TXV	A*VC960804CNA*	40,500	30,800	16.00	13.00	1,195	7362249
	CHPF4860D6D*+TXV	G*VM960604CXB*	40,000	30,400	15.50	12.50	1,460	5988494
	CHPF4860D6D*+TXV	G*VC950704CXB*	41,000	31,200	14.50	12.00	1,320	5988453
	CHPF4860D6D*+TXV	AMEH961005DXA*	40,000	30,400	16.00	13.00	1,200	6946051
	CHPF4860D6D*+TXV	G*VM971005CNA*	40,500	30,800	16.00	13.00	1,195	7362036
	CHPF4860D6D*+TXV	G*VM960805DXB*	41,500	31,600	15.00	12.50	1,420	5988507
	CHPF4860D6D*+TXV	A*VC961205DNA*	40,500	30,800	16.00	13.00	1,160	7362266
	CHPF4860D6D*+TXV	A*VC80805C*B*	41,000	31,200	15.50	12.50	1,190	5989124
	CHPF4860D6D*+TXV	GME950805CXA*	41,000	31,200	15.50	12.50	1,325	5988536
	CHPF4860D6D*+TXV	G*VC961205DNA*	40,500	30,800	16.00	13.00	1,160	7361855
	CHPF4860D6D*+TXV	A*VM960805DXB*	41,500	31,600	15.00	12.50	1,420	5989188
	CHPF4860D6D*+TXV	G*EC961004CNA*	40,000	30,400	15.50	12.50	1,300	7367730
	CHPF4860D6D*+TXV	A*EC961004CNA*	40,000	30,400	15.50	12.50	1,300	7367894
	CHPF4860D6D*+TXV	A*EH800805C*A*	40,000	30,400	15.50	12.50	1,350	6946047
	CHPF4860D6D*+TXV	G*VC951155DXB*	40,500	30,800	16.00	13.00	1,300	5988486
	CHPF4860D6D*+TXV	A*VC950905DXB*	41,000	31,200	16.00	13.00	1,300	5753130

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0421F* (cont.)	CHPF4860D6D*+TXV	G*E81005C*B*	40,500	30,800	15.00	12.50	1,420	5988435
	CHPF4860D6D*+TXV	A*VC81005C*B*	40,000	30,400	15.00	12.50	1,370	5989129
	CHPF4860D6D*+TXV	A*VM971205DNA*	40,500	30,800	16.00	13.00	1,160	7362455
	CHPF4860D6D*+TXV	G*VM961155DXB*	40,500	30,800	16.00	13.00	1,300	5988520
	CHPF4860D6D*+TXV	G*VC960804CNA*	40,500	30,800	16.00	13.00	1,195	7361838
	CHPF4860D6D*+TXV	G*VC81005C*B*	40,000	30,400	15.00	12.50	1,370	5988446
	CHPF4860D6D*+TXV	G*EC961205DNA*	40,000	30,400	15.50	12.50	1,300	7367736
	CHPF4860D6D*+TXV	AMEH960805CXA*	41,000	31,200	15.50	12.50	1,325	6946050
	CHPF4860D6D*+TXV	G*VC950905CXB*	41,500	31,600	15.00	12.50	1,280	5988465
	CHPF4860D6D*+TXV	G*VM960805CXB*	41,500	31,600	15.00	12.50	1,290	5988500
	CHPF4860D6D*+TXV	G*E80805D*A*	40,000	30,400	16.00	13.00	1,300	5753128
	CHPF4860D6D*+TXV	A*VC961005CNA*	40,500	30,800	16.00	13.00	1,195	7362258
	CHPF4860D6D*+TXV	G*E80805C*B*	40,000	30,400	15.50	12.50	1,350	5988425
	CSCF4860N6D*	A*VC961005CNA*	40,000	30,400	15.00	12.50	1,195	7362260
	CSCF4860N6D*	A*VC950905CXB*	40,000	30,400	14.00	12.00	1,280	5989149
	CSCF4860N6D*	G*VC950905CXB*	40,000	30,400	14.00	12.00	1,280	5988466
	CSCF4860N6D*	A*VC950905DXB*	40,000	30,400	15.00	12.50	1,420	5989156
	CSCF4860N6D*	G*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5988454
	CSCF4860N6D*	A*VM971205DNA*	40,000	30,400	15.00	12.50	1,160	7362457
	CSCF4860N6D*	A*VM970804CNA*	40,000	30,400	15.00	12.50	1,195	7362441
	CSCF4860N6D*	A*VC960804CNA*	40,000	30,400	15.00	12.50	1,195	7362252
	CSCF4860N6D*	G*VC961005CNA*	40,000	30,400	15.00	12.50	1,195	7361849
	CSCF4860N6D*	A*VC950704CXB*	40,000	30,400	14.00	12.00	1,320	5989137
	CSCF4860N6D*	G*VC951155DXB*	40,000	30,400	14.00	12.00	1,400	5988487
	CSCF4860N6D*	G*VM971005CNA*	40,000	30,400	15.00	12.50	1,195	7362038
	CSCF4860N6D*	A*VM971005CNA*	40,000	30,400	15.00	12.50	1,195	7362449
	CSCF4860N6D*	G*VM971205DNA*	40,000	30,400	15.00	12.50	1,160	7362046
	CSCF4860N6D*	G*VC961205DNA*	40,000	30,400	15.00	12.50	1,160	7361857
	CSCF4860N6D*	A*VC961205DNA*	40,000	30,400	15.00	12.50	1,160	7362268
	CSCF4860N6D*	G*VC960804CNA*	40,000	30,400	15.00	12.50	1,195	7361841
	CSCF4860N6D*	G*VC950905DXB*	40,000	30,400	15.00	12.50	1,420	5988475
	CSCF4860N6D*	A*VC951155DXB*	40,000	30,400	14.00	12.00	1,400	5989168
	CSCF4860N6D*	G*VM970804CNA*	40,000	30,400	15.00	12.50	1,195	7362030
	CSCF4860N6D*+EEP		40,000	30,400	14.00	12.00	1,400	5988418
	CSCF4860N6D*+EEP+TXV		40,000	30,400	14.50	12.00	1,400	5988419
	CSCF4860N6D*+TXV	A*VM961155DXB*	40,500	30,800	16.00	13.00	1,300	6521094
	CSCF4860N6D*+TXV	A*VM970804CNA*	40,000	30,400	15.50	12.50	1,195	7362440
	CSCF4860N6D*+TXV	G*VC951155DXB*	40,500	30,800	16.00	13.00	1,300	5988488
	CSCF4860N6D*+TXV	G*VC961005CNA*	40,000	30,400	15.50	12.50	1,195	7361848
	CSCF4860N6D*+TXV	A*VC950704CXB*	40,000	30,400	14.50	12.00	1,320	5989138
	CSCF4860N6D*+TXV	A*VM961005DXB*	40,500	30,800	16.00	13.00	1,300	6521097
	CSCF4860N6D*+TXV	A*VC961005CNA*	40,000	30,400	15.50	12.50	1,195	7362259
	CSCF4860N6D*+TXV	A*VC960804CNA*	40,000	30,400	15.50	12.50	1,195	7362251
	CSCF4860N6D*+TXV	G*VC950905DXB*	40,500	30,800	16.00	13.00	1,300	5988476
	CSCF4860N6D*+TXV	A*VM971005CNA*	40,000	30,400	15.50	12.50	1,195	7362448
	CSCF4860N6D*+TXV	A*VC951155DXB*	40,500	30,800	16.00	13.00	1,300	5989169
	CSCF4860N6D*+TXV	G*VC950704CXB*	40,000	30,400	14.50	12.00	1,320	5988455
	CSCF4860N6D*+TXV	G*VC950905CXB*	41,000	31,200	14.50	12.00	1,280	5988467
	CSCF4860N6D*+TXV	A*VC961205DNA*	40,000	30,400	15.50	12.50	1,160	7362267
	CSCF4860N6D*+TXV	G*VC960804CNA*	40,000	30,400	15.50	12.50	1,195	7361840
	CSCF4860N6D*+TXV	G*VC961205DNA*	40,000	30,400	15.50	12.50	1,160	7361856
	CSCF4860N6D*+TXV	A*VC950905CXB*	41,000	31,200	14.50	12.00	1,280	5989150
	CSCF4860N6D*+TXV	A*VC950905DXB*	40,500	30,800	16.00	13.00	1,300	5989157
	CSCF4860N6D*+TXV	G*VM970804CNA*	40,000	30,400	15.50	12.50	1,195	7362029
	CSCF4860N6D*+TXV	G*VM961005DXB*	40,500	30,800	16.00	13.00	1,300	6521096
	CSCF4860N6D*+TXV	A*VM971205DNA*	40,000	30,400	15.50	12.50	1,160	7362456
	CSCF4860N6D*+TXV	G*VM961155DXB*	40,500	30,800	16.00	13.00	1,300	6521095
	CSCF4860N6D*+TXV	G*VM971005CNA*	40,000	30,400	15.50	12.50	1,195	7362037
	CSCF4860N6D*+TXV	G*VM971205DNA*	40,000	30,400	15.50	12.50	1,160	7362045

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F*	ARPT48D14A*		45,000	34,200	14.50	12.00	1,435	5988543
	ARPT60D14A*		45,000	34,200	14.50	12.00	1,455	5988544
	ARUF48D14A*		44,500	34,000	14.00	12.00	1,480	5988545
	ARUF60D14A*		44,500	34,000	14.00	12.00	1,355	5988546
	ASPT48C14A*		43,000	32,800	14.00	12.00	1,400	7041752
	ASPT48D14A*		45,000	34,200	16.00	13.00	1,400	5756185
	ASUF49C14A*		43,000	32,800	13.50	11.50	1,435	5988547
	ASUF49C14A*+TXV		43,000	32,800	14.00	11.50	1,435	5988548
	AVPTC48C14A*		43,000	32,800	14.00	12.00	1,445	7041753
	AVPTC48D14A*		45,000	34,200	16.00	13.00	1,350	5924387
	CA*F4860*6D*	A*EH801005C*A*	44,000	33,600	14.50	12.00	1,390	6946054
	CA*F4860*6D*	G*VM960805DXB*	44,000	33,600	14.50	12.00	1,410	5988631
	CA*F4860*6D*	G*VC80805C*B*	44,000	33,600	14.50	12.00	1,385	5988586
	CA*F4860*6D*	A*VC81005C*B*	44,000	33,600	14.50	12.00	1,520	5989208
	CA*F4860*6D*	G*VC950905CXB*	44,000	33,600	14.50	12.00	1,440	5988598
	CA*F4860*6D*	G*VM961005DXB*	44,000	33,600	14.50	12.00	1,395	5988637
	CA*F4860*6D*	G*VC951155DXB*	44,000	33,600	15.00	12.50	1,395	5988618
	CA*F4860*6D*	A*VC950905DXB*	44,000	33,600	14.50	12.00	1,420	5989222
	CA*F4860*6D*	G*E81005C*B*	44,000	33,600	14.50	12.00	1,390	5988578
	CA*F4860*6D*	G*VC950915DXB*	44,000	33,600	15.00	12.50	1,425	5988614
	CA*F4860*6D*	G*VM960805CXB*	44,000	33,600	14.50	12.00	1,440	5988626
	CA*F4860*6D*	A*VM960805DXB*	44,000	33,600	14.50	12.00	1,410	5989245
	CA*F4860*6D*	G*VC950905DXB*	44,000	33,600	14.50	12.00	1,420	5988606
	CA*F4860*6D*	A*VM960805CXB*	44,000	33,600	14.50	12.00	1,440	5989240
	CA*F4860*6D*	G*VM961155DXB*	44,000	33,600	15.00	12.50	1,395	5988642
	CA*F4860*6D*	AMEH961005DXA*	44,000	33,600	15.00	12.50	1,470	6946056
	CA*F4860*6D*	G*VC81005C*B*	44,000	33,600	14.50	12.00	1,520	5988592
	CA*F4860*6D*	GME951005DXA*	44,000	33,600	15.00	12.50	1,470	5988660
	CA*F4860*6D*	A*EH800805D*A*	44,000	33,600	15.00	12.50	1,490	6946053
	CA*F4860*6D*	A*VM961155DXB*	44,000	33,600	15.00	12.50	1,395	5989256
	CA*F4860*6D*	G*E80805D*A*	44,000	33,600	15.00	12.50	1,490	5988572
	CA*F4860*6D*	A*VC950915DXB*	44,000	33,600	15.00	12.50	1,425	5989230
	CA*F4860*6D*	A*VC950905CXB*	44,000	33,600	14.50	12.00	1,440	5989214
	CA*F4860*6D*	G*E80805C*B*	44,000	33,600	14.50	12.00	1,480	5988564
	CA*F4860*6D*	A*VC80805C*B*	44,000	33,600	14.50	12.00	1,385	5989202
	CA*F4860*6D*	A*VM961005DXB*	44,000	33,600	14.50	12.00	1,395	5989251
	CA*F4860*6D*	A*EH800805C*A*	44,000	33,600	14.50	12.00	1,480	6946052
	CA*F4860*6D*	A*VC951155DXB*	44,000	33,600	15.00	12.50	1,395	5989234
	CA*F4860*6D*	AMEH960805CXA*	44,000	33,600	14.50	12.00	1,485	6946055
	CA*F4860*6D*	GME950805CXA*	44,000	33,600	14.50	12.00	1,485	5988654
	CA*F4860*6D*+EEP		44,000	33,600	14.00	12.00	1,500	5988549
	CA*F4860*6D*+EEP+TXV		44,000	33,600	14.50	12.00	1,500	5988550
	CA*F4860*6D*+MBVC2000**-1A*		44,000	33,600	15.00	12.50	1,475	5988551
	CA*F4860*6D*+MBVC2000**-1A*+TXV		44,000	33,600	15.50	12.50	1,475	5988552
	CA*F4860*6D*+TXV	G*VC950905CXB*	44,000	33,600	15.00	12.50	1,440	5988599
	CA*F4860*6D*+TXV	G*VC951155DXB*	44,000	33,600	15.50	12.50	1,395	5988619
	CA*F4860*6D*+TXV	G*E80805D*A*	44,000	33,600	15.50	12.50	1,490	5988573
	CA*F4860*6D*+TXV	A*VM960805DXB*	44,000	33,600	15.00	12.50	1,410	5989246
	CA*F4860*6D*+TXV	AMEH961005DXA*	44,000	33,600	15.50	12.50	1,470	6946061
	CA*F4860*6D*+TXV	G*E81005C*B*	44,000	33,600	15.00	12.50	1,390	5988579
	CA*F4860*6D*+TXV	ADV80805C*B*	44,000	33,600	15.50	12.50	1,495	5988648
	CA*F4860*6D*+TXV	GME951005DXA*	44,000	33,600	15.50	12.50	1,470	5988661
	CA*F4860*6D*+TXV	GME950805CXA*	44,000	33,600	15.00	12.50	1,485	5988655
	CA*F4860*6D*+TXV	A*VC81005C*B*	44,000	33,600	15.00	12.50	1,520	5989209
	CA*F4860*6D*+TXV	G*E80805C*B*	44,000	33,600	15.00	12.50	1,480	5988565
	CA*F4860*6D*+TXV	A*VM961005DXB*	44,000	33,600	15.00	12.50	1,395	5989252
	CA*F4860*6D*+TXV	G*VC80805C*B*	44,000	33,600	15.00	12.50	1,385	5988587

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CA*F4860*6D*+TXV	G*VM961005DXB*	44,000	33,600	15.00	12.50	1,395	5988638
	CA*F4860*6D*+TXV	ADV81005C*B*	44,000	33,600	15.50	12.50	1,405	5988651
	CA*F4860*6D*+TXV	G*VM960805DXB*	44,000	33,600	15.00	12.50	1,410	5988632
	CA*F4860*6D*+TXV	G*VC950915DXB*	44,000	33,600	15.50	12.50	1,425	5988615
	CA*F4860*6D*+TXV	A*VC951155DXB*	44,000	33,600	15.50	12.50	1,395	5989235
	CA*F4860*6D*+TXV	A*VC950905DXB*	44,000	33,600	15.00	12.50	1,420	5989223
	CA*F4860*6D*+TXV	A*EH800805C*A*	44,000	33,600	15.00	12.50	1,480	6946057
	CA*F4860*6D*+TXV	G*VM961155DXB*	44,000	33,600	15.00	12.50	1,395	5988643
	CA*F4860*6D*+TXV	G*VC950905DXB*	44,000	33,600	15.00	12.50	1,420	5988607
	CA*F4860*6D*+TXV	AMEH960805CXA*	44,000	33,600	15.00	12.50	1,485	6946060
	CA*F4860*6D*+TXV	A*EH801005C*A*	44,000	33,600	15.00	12.50	1,390	6946059
	CA*F4860*6D*+TXV	A*VC950905CXB*	44,000	33,600	15.00	12.50	1,440	5989215
	CA*F4860*6D*+TXV	A*VC950915DXB*	44,000	33,600	15.50	12.50	1,425	5989231
	CA*F4860*6D*+TXV	A*VM961155DXB*	44,000	33,600	15.00	12.50	1,395	5989257
	CA*F4860*6D*+TXV	A*EH800805D*A*	44,000	33,600	15.50	12.50	1,490	6946058
	CA*F4860*6D*+TXV	G*VC81005C*B*	44,000	33,600	15.00	12.50	1,520	5988593
	CA*F4860*6D*+TXV	A*VC80805C*B*	44,000	33,600	15.00	12.50	1,385	5989203
	CA*F4961*6D*	AMEH960805CXA*	44,500	34,000	14.50	12.00	1,485	6946065
	CA*F4961*6D*	A*VM971205DNA*	45,000	34,200	15.00	12.50	1,450	7362471
	CA*F4961*6D*	G*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7361859
	CA*F4961*6D*	G*E80805C*B*	44,500	34,000	15.00	12.50	1,480	5988566
	CA*F4961*6D*	A*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362459
	CA*F4961*6D*	G*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362048
	CA*F4961*6D*	GME951005DXA*	44,500	34,000	15.50	12.50	1,470	5988662
	CA*F4961*6D*	GME950805CXA*	44,500	34,000	14.50	12.00	1,485	5988656
	CA*F4961*6D*	G*VC950915DXB*	44,500	34,000	15.00	12.50	1,425	5988616
	CA*F4961*6D*	A*VC950905DXB*	44,500	34,000	15.00	12.50	1,420	5989224
	CA*F4961*6D*	A*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7362270
	CA*F4961*6D*	G*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362054
	CA*F4961*6D*	A*EH800805D*A*	44,500	34,000	15.50	12.50	1,490	6946063
	CA*F4961*6D*	A*EH801005C*A*	44,500	34,000	15.00	12.50	1,390	6946064
	CA*F4961*6D*	G*VC961205DNA*	45,000	34,200	15.00	12.50	1,450	7361871
	CA*F4961*6D*	A*EH800805C*A*	44,500	34,000	15.00	12.50	1,480	6946062
	CA*F4961*6D*	G*E81005C*B*	44,500	34,000	15.00	12.50	1,390	5988580
	CA*F4961*6D*	G*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5988600
	CA*F4961*6D*	A*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362465
	CA*F4961*6D*	G*VC80805C*B*	44,500	34,000	15.00	12.50	1,385	5988588
	CA*F4961*6D*	A*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5989216
	CA*F4961*6D*	G*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5988620
	CA*F4961*6D*	A*VC961205DNA*	45,000	34,200	15.00	12.50	1,450	7362282
	CA*F4961*6D*	A*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5989236
	CA*F4961*6D*	AMEH961005DXA*	44,500	34,000	15.50	12.50	1,470	6946066
	CA*F4961*6D*	G*VC950905DXB*	44,500	34,000	15.00	12.50	1,420	5988608
	CA*F4961*6D*	G*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7361865
	CA*F4961*6D*	A*VM960805CXB*	44,500	34,000	15.00	12.50	1,440	5989241
	CA*F4961*6D*	G*VM961155DXB*	44,500	34,000	15.00	12.50	1,395	5988644
	CA*F4961*6D*	G*VM971205DNA*	45,000	34,200	15.00	12.50	1,450	7362060
	CA*F4961*6D*	A*VM960805DXB*	44,500	34,000	15.00	12.50	1,410	5989247
	CA*F4961*6D*	A*VC80805C*B*	44,500	34,000	15.00	12.50	1,385	5989204
	CA*F4961*6D*	A*EC961205DNA*	45,000	34,200	15.50	12.50	1,500	7367906
	CA*F4961*6D*	G*VM960805CXB*	44,500	34,000	15.00	12.50	1,440	5988627
	CA*F4961*6D*	A*VC81005C*B*	44,500	34,000	15.00	12.50	1,520	5989210
	CA*F4961*6D*	A*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367901
	CA*F4961*6D*	A*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7362276
	CA*F4961*6D*	G*E80805D*A*	44,500	34,000	15.50	12.50	1,490	5988574
	CA*F4961*6D*	G*EC961205DNA*	45,000	34,200	15.50	12.50	1,500	7367742
	CA*F4961*6D*	G*VC81005C*B*	44,500	34,000	15.00	12.50	1,520	5988594

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CA*F4961*6D*	G*VM960805DXB*	44,500	34,000	15.00	12.50	1,410	5988633
	CA*F4961*6D*	G*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367737
	CA*F4961*6D*	A*VM961155DXB*	44,500	34,000	15.00	12.50	1,395	5989258
	CA*F4961*6D*	A*VC950915DXB*	44,500	34,000	15.00	12.50	1,425	5989232
	CA*F4961*6D*+EEP		44,500	34,000	14.00	12.00	1,500	5988553
	CA*F4961*6D*+EEP+TXV		45,500	34,600	14.50	12.00	1,500	5753131
	CA*F4961*6D*+MBVC2000**-1A*		44,500	34,000	15.50	12.50	1,475	5988554
	CA*F4961*6D*+MBVC2000**-1A*+TXV		44,500	34,000	16.00	13.00	1,475	5988555
	CA*F4961*6D*+TXV	A*VC961005CNA*	45,000	34,200	15.50	12.50	1,450	7362275
	CA*F4961*6D*+TXV	G*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5988609
	CA*F4961*6D*+TXV	A*VC951155DXB*	44,500	34,000	16.00	13.00	1,400	5753135
	CA*F4961*6D*+TXV	G*E81005C*B*	44,500	34,000	15.50	12.50	1,390	5988581
	CA*F4961*6D*+TXV	A*VM961155DXB*	44,500	34,000	16.00	13.00	1,400	5989259
	CA*F4961*6D*+TXV	A*VM970804CNA*	45,000	34,200	15.50	12.50	1,520	7362458
	CA*F4961*6D*+TXV	A*VM971005CNA*	45,000	34,200	15.50	12.50	1,450	7362464
	CA*F4961*6D*+TXV	A*VC81005C*B*	44,500	34,000	15.50	12.50	1,520	5989211
	CA*F4961*6D*+TXV	G*EC961004CNA*	45,000	34,200	15.50	12.80	1,500	7367738
	CA*F4961*6D*+TXV	G*VC950905CXB*	44,500	34,000	15.50	12.50	1,440	5988601
	CA*F4961*6D*+TXV	G*VC81005C*B*	44,500	34,000	15.50	12.50	1,520	5988595
	CA*F4961*6D*+TXV	G*E80805C*B*	44,500	34,000	15.50	12.50	1,480	5988567
	CA*F4961*6D*+TXV	GME950805CXA*	44,500	34,000	15.00	12.50	1,485	5988657
	CA*F4961*6D*+TXV	G*VM971005CNA*	45,000	34,200	15.50	12.50	1,450	7362053
	CA*F4961*6D*+TXV	AMEH960805CXA*	44,500	34,000	15.00	12.50	1,485	6946070
	CA*F4961*6D*+TXV	A*EH801005C*A*	44,500	34,000	15.50	12.50	1,390	6946069
	CA*F4961*6D*+TXV	AMEH961005DXA*	45,000	34,200	16.00	13.00	1,400	6946071
	CA*F4961*6D*+TXV	A*VC960804CNA*	45,000	34,200	15.50	12.50	1,520	7362269
	CA*F4961*6D*+TXV	G*VM960805CXB*	44,500	34,000	15.50	12.50	1,440	5988628
	CA*F4961*6D*+TXV	G*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	5988639
	CA*F4961*6D*+TXV	A*VM960805CXB*	44,500	34,000	15.50	12.50	1,440	5989242
	CA*F4961*6D*+TXV	G*VC80805C*B*	44,500	34,000	15.50	12.50	1,385	5988589
	CA*F4961*6D*+TXV	ADV81005C*B*	44,500	34,000	16.00	13.00	1,405	5988652
	CA*F4961*6D*+TXV	A*VC950915DXB*	44,500	34,000	15.50	12.50	1,425	5989233
	CA*F4961*6D*+TXV	A*VC80805C*B*	44,500	34,000	15.50	12.50	1,385	5989205
	CA*F4961*6D*+TXV	G*E80805D*A*	44,500	34,000	16.00	13.00	1,300	5753133
	CA*F4961*6D*+TXV	A*VM971205DNA*	45,000	34,200	16.00	13.00	1,450	7362470
	CA*F4961*6D*+TXV	G*VM971205DNA*	45,000	34,200	16.00	13.00	1,450	7362059
	CA*F4961*6D*+TXV	GME951005DXA*	45,000	34,200	16.00	13.00	1,400	6090115
	CA*F4961*6D*+TXV	G*VM960805DXB*	44,500	34,000	16.00	13.00	1,450	5988634
	CA*F4961*6D*+TXV	A*VC961205DNA*	45,000	34,200	16.00	13.00	1,450	7362281
	CA*F4961*6D*+TXV	A*VC950905CXB*	44,500	34,000	15.50	12.50	1,440	5989217
	CA*F4961*6D*+TXV	A*EH800805C*A*	44,500	34,000	15.50	12.50	1,480	6946067
	CA*F4961*6D*+TXV	A*EC961004CNA*	45,000	34,200	15.50	12.80	1,500	7367902
	CA*F4961*6D*+TXV	A*EC961205DNA*	45,000	34,200	16.00	13.00	1,500	7367907
	CA*F4961*6D*+TXV	G*VC961205DNA*	45,000	34,200	16.00	13.00	1,450	7361870
	CA*F4961*6D*+TXV	A*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5989225
	CA*F4961*6D*+TXV	A*EH800805D*A*	44,500	34,000	16.00	13.00	1,300	6946068
	CA*F4961*6D*+TXV	A*VM960805DXB*	44,500	34,000	16.00	13.00	1,450	5989248
	CA*F4961*6D*+TXV	ADV80805C*B*	44,500	34,000	16.00	13.00	1,495	5988649
	CA*F4961*6D*+TXV	G*EC961205DNA*	45,000	34,200	16.00	13.00	1,500	7367743
	CA*F4961*6D*+TXV	G*VM970804CNA*	45,000	34,200	15.50	12.50	1,520	7362047
	CA*F4961*6D*+TXV	G*VC950915DXB*	44,500	34,000	15.50	12.50	1,425	5988617
	CA*F4961*6D*+TXV	G*VC960804CNA*	45,000	34,200	15.50	12.50	1,520	7361858
	CA*F4961*6D*+TXV	G*VM961155DXB*	44,500	34,000	16.00	13.00	1,400	5988645
	CA*F4961*6D*+TXV	A*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	5989253
	CA*F4961*6D*+TXV	G*VC961005CNA*	45,000	34,200	15.50	12.50	1,450	7361864
	CA*F4961*6D*+TXV	G*VC951155DXB*	44,500	34,000	16.00	13.00	1,400	5988621
	CAPT4961*4A*	G*E80805C*B*	44,000	33,600	15.00	12.50	1,480	6950289

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CAPT4961*4A*	A*VC950714CXB*	44,500	34,000	14.50	12.00	1,530	6950388
	CAPT4961*4A*	G*VC950905CXB*	44,500	34,000	14.50	12.00	1,440	6950406
	CAPT4961*4A*	A*VC80604B*B*	44,500	34,000	14.50	12.00	1,545	6950319
	CAPT4961*4A*	G*VM960604CXB*	44,000	33,600	15.00	12.50	1,490	6950507
	CAPT4961*4A*	G*VM961005DXB*	44,500	34,000	15.00	12.50	1,400	6950576
	CAPT4961*4A*	A*VC961005CNA*	45,000	34,200	15.00	12.00	1,450	7362277
	CAPT4961*4A*	G*E81005C*B*	44,500	34,000	15.00	12.50	1,390	6950305
	CAPT4961*4A*	A*VM970804CNA*	45,000	34,200	15.00	12.00	1,520	7362460
	CAPT4961*4A*	G*VC81005C*B*	44,000	33,600	15.00	12.50	1,520	6950344
	CAPT4961*4A*	A*VM960805DXB*	44,500	34,000	15.00	12.50	1,450	6950551
	CAPT4961*4A*	ADVC81005C*B*	44,500	34,000	15.00	12.50	1,405	6950620
	CAPT4961*4A*	G*VC950704CXB*	44,000	33,600	15.00	12.50	1,485	6950363
	CAPT4961*4A*	G*VM961155DXB*	44,500	34,000	15.00	12.50	1,400	6950597
	CAPT4961*4A*	G*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367739
	CAPT4961*4A*	G*VC950714CXB*	44,500	34,000	14.50	12.00	1,530	6950390
	CAPT4961*4A*	A*VC950704CXB*	44,000	33,600	15.00	12.50	1,485	6950360
	CAPT4961*4A*	G*VC961005CNA*	45,000	34,200	15.00	12.00	1,450	7361866
	CAPT4961*4A*	A*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367903
	CAPT4961*4A*	G*VM970804CNA*	45,000	34,200	15.00	12.00	1,520	7362049
	CAPT4961*4A*	A*VM971205DNA*	45,000	34,200	15.50	12.50	1,450	7362472
	CAPT4961*4A*	A*VM961005DXB*	44,500	34,000	15.00	12.50	1,400	6950574
	CAPT4961*4A*	G*VC960804CNA*	45,000	34,200	15.00	12.00	1,520	7361860
	CAPT4961*4A*	G*VC80604B*B*	44,500	34,000	14.50	12.00	1,545	6950321
	CAPT4961*4A*	G*VC950915DXB*	44,500	34,000	15.00	12.50	1,425	6950452
	CAPT4961*4A*	GME951005DXA*	44,000	33,600	15.00	12.50	1,400	6950641
	CAPT4961*4A*	ADVC80805C*B*	44,000	33,600	15.00	12.50	1,495	6950611
	CAPT4961*4A*	A*VC951155DXB*	44,500	34,000	15.00	12.50	1,400	6950473
	CAPT4961*4A*	A*VM960805CXB*	44,500	34,000	14.50	12.00	1,440	6950528
	CAPT4961*4A*	A*VM961155DXB*	44,500	34,000	15.00	12.50	1,400	6950595
	CAPT4961*4A*	A*VM971005CNA*	45,000	34,200	15.00	12.00	1,450	7362466
	CAPT4961*4A*	G*VC950905DXB*	44,500	34,000	15.00	12.50	1,450	6950429
	CAPT4961*4A*	A*VM960604CXB*	44,000	33,600	15.00	12.50	1,490	6950505
	CAPT4961*4A*	A*VC961205DNA*	45,000	34,200	15.50	12.50	1,450	7362283
	CAPT4961*4A*	G*VC951155DXB*	44,500	34,000	15.00	12.50	1,400	6950475
	CAPT4961*4A*	G*VC80805C*B*	44,000	33,600	15.00	12.50	1,385	6950332
	CAPT4961*4A*	G*VM960805DXB*	44,500	34,000	15.00	12.50	1,450	6950553
	CAPT4961*4A*	A*EC961205DNA*	44,000	33,600	15.00	12.50	1,500	7367908
	CAPT4961*4A*	G*EC961205DNA*	44,000	33,600	15.00	12.50	1,500	7367744
	CAPT4961*4A*	GME950805CXA*	44,500	34,000	14.50	12.00	1,485	6950629
	CAPT4961*4A*	A*VC950905CXB*	44,500	34,000	14.50	12.00	1,440	6950404
	CAPT4961*4A*	G*VC961205DNA*	45,000	34,200	15.50	12.50	1,450	7361872
	CAPT4961*4A*	A*VC960804CNA*	45,000	34,200	15.00	12.00	1,520	7362271
	CAPT4961*4A*	G*VM971205DNA*	45,000	34,200	15.50	12.50	1,450	7362061
	CAPT4961*4A*	A*VC950905DXB*	44,500	34,000	15.00	12.50	1,450	6950427
	CAPT4961*4A*	G*VM960805CXB*	44,500	34,000	14.50	12.00	1,440	6950530
	CAPT4961*4A*	A*VC950915DXB*	44,500	34,000	15.00	12.50	1,425	6950450
	CAPT4961*4A*	G*VM971005CNA*	45,000	34,200	15.00	12.00	1,450	7362055
	CAPT4961*4A*+EEP		44,500	34,000	14.50	12.00	1,500	5988556
	CAPT4961*4A*+MBVC1600**-1A*		44,500	34,000	15.50	12.50	1,500	5988557
	CAPT4961*4A*+MBVC2000**-1A*		44,500	34,000	16.00	13.00	1,475	5988558
	CHPF4860D6D*	G*VC950905DXB*	44,500	34,000	15.00	12.50	1,420	5988610
	CHPF4860D6D*	A*VM971205DNA*	45,000	34,200	15.50	12.50	1,450	7362990
	CHPF4860D6D*	G*EC961205DNA*	44,500	34,000	15.00	12.50	1,500	7367745
	CHPF4860D6D*	G*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7362961
	CHPF4860D6D*	A*VC81005C*B*	44,500	34,000	15.00	12.50	1,520	5989212
	CHPF4860D6D*	AMEH960805CXA*	44,500	34,000	14.50	12.00	1,485	6946075
	CHPF4860D6D*	A*EH800805C*A*	44,500	34,000	14.50	12.00	1,480	6946072

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CHPF4860D6D*	A*VM961155DXB*	44,500	34,000	15.00	12.50	1,395	5989260
	CHPF4860D6D*	A*VC80805C*B*	44,500	34,000	15.00	12.50	1,385	5989206
	CHPF4860D6D*	A*VC961205DNA*	45,000	34,200	15.50	12.50	1,450	7362981
	CHPF4860D6D*	G*VM960805CXB*	44,500	34,000	15.00	12.50	1,440	5988629
	CHPF4860D6D*	AMEH961005DXA*	44,500	34,000	15.50	12.50	1,470	6946076
	CHPF4860D6D*	A*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5989218
	CHPF4860D6D*	G*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7362962
	CHPF4860D6D*	G*VM961155DXB*	44,500	34,000	15.00	12.50	1,395	5988646
	CHPF4860D6D*	GME951005DXA*	44,500	34,000	15.50	12.50	1,470	5988663
	CHPF4860D6D*	G*E80805D*A*	44,500	34,000	15.50	12.50	1,490	5988575
	CHPF4860D6D*	A*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7362979
	CHPF4860D6D*	G*E80805C*B*	44,500	34,000	14.50	12.00	1,480	5988568
	CHPF4860D6D*	A*EH800805D*A*	44,500	34,000	15.50	12.50	1,490	6946073
	CHPF4860D6D*	A*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367904
	CHPF4860D6D*	A*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7362980
	CHPF4860D6D*	G*VC961205DNA*	45,000	34,200	15.50	12.50	1,450	7362963
	CHPF4860D6D*	G*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5988622
	CHPF4860D6D*	A*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362989
	CHPF4860D6D*	G*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5988602
	CHPF4860D6D*	G*VC81005C*B*	44,500	34,000	15.00	12.50	1,520	5988596
	CHPF4860D6D*	G*VC80805C*B*	44,500	34,000	15.00	12.50	1,385	5988590
	CHPF4860D6D*	A*VM960805CXB*	44,500	34,000	15.00	12.50	1,440	5989243
	CHPF4860D6D*	G*EC961004CNA*	44,500	34,000	15.00	12.50	1,500	7367740
	CHPF4860D6D*	G*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362971
	CHPF4860D6D*	A*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5989237
	CHPF4860D6D*	A*EC961205DNA*	44,500	34,000	15.00	12.50	1,500	7367909
	CHPF4860D6D*	A*VM960805DXB*	44,500	34,000	15.00	12.50	1,410	5989249
	CHPF4860D6D*	A*EH801005C*A*	44,500	34,000	15.00	12.50	1,390	6946074
	CHPF4860D6D*	G*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362970
	CHPF4860D6D*	GME950805CXA*	44,500	34,000	14.50	12.00	1,485	5988658
	CHPF4860D6D*	G*VM961005DXB*	44,500	34,000	15.00	12.50	1,395	5988640
	CHPF4860D6D*	G*VM960805DXB*	44,500	34,000	15.00	12.50	1,410	5988635
	CHPF4860D6D*	A*VM961005DXB*	44,500	34,000	15.00	12.50	1,395	5989254
	CHPF4860D6D*	G*VM971205DNA*	45,000	34,200	15.50	12.50	1,450	7362972
	CHPF4860D6D*	A*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362988
	CHPF4860D6D*	G*E81005C*B*	44,500	34,000	15.00	12.50	1,390	5988582
	CHPF4860D6D*	A*VC950905DXB*	44,500	34,000	15.00	12.50	1,420	5989226
	CHPF4860D6D*+EEP		44,500	34,000	14.00	12.00	1,500	5988559
	CHPF4860D6D*+EEP+TXV		45,500	34,600	14.50	12.00	1,500	5753132
	CHPF4860D6D*+MBVC2000**-1A*		44,500	34,000	15.50	12.50	1,500	5988560
	CHPF4860D6D*+MBVC2000**-1A*+TXV		44,500	34,000	16.00	13.00	1,500	5988561
	CHPF4860D6D*+TXV	A*VC950905CXB*	44,500	34,000	15.50	12.50	1,440	5989219
	CHPF4860D6D*+TXV	A*VC80805C*B*	44,500	34,000	15.50	12.50	1,385	5989207
	CHPF4860D6D*+TXV	A*EH800805D*A*	44,500	34,000	16.00	13.00	1,300	6946078
	CHPF4860D6D*+TXV	A*EH801005C*A*	44,500	34,000	15.50	12.50	1,390	6946079
	CHPF4860D6D*+TXV	A*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	5989255
	CHPF4860D6D*+TXV	G*VC961005CNA*	45,000	34,200	15.50	12.50	1,450	7361867
	CHPF4860D6D*+TXV	GME950805CXA*	44,500	34,000	15.00	12.50	1,485	5988659
	CHPF4860D6D*+TXV	A*EC961205DNA*	45,000	34,200	16.00	13.00	1,500	7367910
	CHPF4860D6D*+TXV	A*VC81005C*B*	44,500	34,000	15.50	12.50	1,520	5989213
	CHPF4860D6D*+TXV	G*EC961004CNA*	45,000	34,200	15.50	12.80	1,500	7367741
	CHPF4860D6D*+TXV	G*VM970804CNA*	45,000	34,200	15.50	12.50	1,520	7362050
	CHPF4860D6D*+TXV	G*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	5988641
	CHPF4860D6D*+TXV	G*VC951155DXB*	44,500	34,000	16.00	13.00	1,400	5988623
	CHPF4860D6D*+TXV	AMEH961005DXA*	45,000	34,200	16.00	13.00	1,400	6946081
	CHPF4860D6D*+TXV	G*E80805D*A*	44,500	34,000	16.00	13.00	1,300	5753134
	CHPF4860D6D*+TXV	A*VM971205DNA*	45,000	34,200	16.00	13.00	1,450	7362473

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CHPF4860D6D*+TXV	G*VM961155DXB*	44,500	34,000	16.00	13.00	1,400	5988647
	CHPF4860D6D*+TXV	G*E80805C*B*	44,500	34,000	15.00	12.50	1,480	5988569
	CHPF4860D6D*+TXV	G*VC80805C*B*	44,500	34,000	15.50	12.50	1,385	5988591
	CHPF4860D6D*+TXV	A*VM971005CNA*	45,000	34,200	15.50	12.50	1,450	7362467
	CHPF4860D6D*+TXV	G*VC960804CNA*	45,000	34,200	15.50	12.50	1,520	7361861
	CHPF4860D6D*+TXV	A*VM961155DXB*	44,500	34,000	16.00	13.00	1,400	5989261
	CHPF4860D6D*+TXV	G*VC961205DNA*	45,000	34,200	16.00	13.00	1,450	7361873
	CHPF4860D6D*+TXV	A*VM960805DXB*	44,500	34,000	16.00	13.00	1,450	5989250
	CHPF4860D6D*+TXV	G*VM960805DXB*	44,500	34,000	16.00	13.00	1,450	5988636
	CHPF4860D6D*+TXV	G*VM960805CXB*	44,500	34,000	15.50	12.50	1,440	5988630
	CHPF4860D6D*+TXV	A*EC961004CNA*	45,000	34,200	15.50	12.80	1,500	7367905
	CHPF4860D6D*+TXV	G*VM971005CNA*	45,000	34,200	15.50	12.50	1,450	7362056
	CHPF4860D6D*+TXV	G*VC81005C*B*	44,500	34,000	15.50	12.50	1,520	5988597
	CHPF4860D6D*+TXV	G*VC950905CXB*	44,500	34,000	15.50	12.50	1,440	5988603
	CHPF4860D6D*+TXV	AMEH960805CXA*	44,500	34,000	15.00	12.50	1,485	6946080
	CHPF4860D6D*+TXV	A*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5989227
	CHPF4860D6D*+TXV	A*VC961005CNA*	45,000	34,200	15.50	12.50	1,450	7362278
	CHPF4860D6D*+TXV	G*VM971205DNA*	45,000	34,200	16.00	13.00	1,450	7362062
	CHPF4860D6D*+TXV	GME951005DXA*	45,000	34,200	16.00	13.00	1,400	6090119
	CHPF4860D6D*+TXV	A*VC961205DNA*	45,000	34,200	16.00	13.00	1,450	7362284
	CHPF4860D6D*+TXV	G*EC961205DNA*	45,000	34,200	16.00	13.00	1,500	7367746
	CHPF4860D6D*+TXV	A*VM960805CXB*	44,500	34,000	15.50	12.50	1,440	5989244
	CHPF4860D6D*+TXV	G*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5988611
	CHPF4860D6D*+TXV	A*VM970804CNA*	45,000	34,200	15.50	12.50	1,520	7362461
	CHPF4860D6D*+TXV	A*VC960804CNA*	45,000	34,200	15.50	12.50	1,520	7362272
	CHPF4860D6D*+TXV	A*VC951155DXB*	44,500	34,000	16.00	13.00	1,400	5753136
	CHPF4860D6D*+TXV	A*EH800805C*A*	44,500	34,000	15.00	12.50	1,480	6946077
	CHPF4860D6D*+TXV	G*E81005C*B*	44,500	34,000	15.50	12.50	1,390	5988583
	CSCF4860N6D*	A*EH800805C*A*	44,000	33,600	14.50	12.00	1,480	6946082
	CSCF4860N6D*	A*VC950905DXB*	44,000	33,600	14.50	12.00	1,420	5989228
	CSCF4860N6D*	A*VC961205DNA*	44,500	34,000	14.50	12.00	1,450	7362286
	CSCF4860N6D*	A*VM971005CNA*	45,000	34,200	14.50	12.00	1,450	7362469
	CSCF4860N6D*	A*VC950905CXB*	44,000	33,600	14.50	12.00	1,440	5989220
	CSCF4860N6D*	G*VC960804CNA*	45,000	34,200	14.50	12.00	1,520	7361863
	CSCF4860N6D*	G*E80805C*B*	44,000	33,600	14.50	12.00	1,480	5988570
	CSCF4860N6D*	A*VC960804CNA*	45,000	34,200	14.50	12.00	1,520	7362274
	CSCF4860N6D*	G*VC950905DXB*	44,000	33,600	14.50	12.00	1,420	5988612
	CSCF4860N6D*	G*VM971205DNA*	44,500	34,000	14.50	12.00	1,450	7362064
	CSCF4860N6D*	G*VC961005CNA*	45,000	34,200	14.50	12.00	1,450	7361869
	CSCF4860N6D*	G*VC950905CXB*	44,000	33,600	14.50	12.00	1,440	5988604
	CSCF4860N6D*	A*VC951155DXB*	44,000	33,600	14.50	12.00	1,395	5989238
	CSCF4860N6D*	A*EH800805D*A*	44,000	33,600	15.00	12.50	1,490	6946083
	CSCF4860N6D*	G*E80805D*A*	44,000	33,600	15.00	12.50	1,490	5988576
	CSCF4860N6D*	G*VC961205DNA*	44,500	34,000	14.50	12.00	1,450	7361875
	CSCF4860N6D*	G*VC951155DXB*	44,000	33,600	14.50	12.00	1,395	5988624
	CSCF4860N6D*	G*VM971005CNA*	45,000	34,200	14.50	12.00	1,450	7362058
	CSCF4860N6D*	A*EH801005C*A*	44,000	33,600	14.50	12.00	1,390	6946084
	CSCF4860N6D*	A*VC961005CNA*	45,000	34,200	14.50	12.00	1,450	7362280
	CSCF4860N6D*	G*VM970804CNA*	45,000	34,200	14.50	12.00	1,520	7362052
	CSCF4860N6D*	A*VM970804CNA*	45,000	34,200	14.50	12.00	1,520	7362463
	CSCF4860N6D*	G*E81005C*B*	44,000	33,600	14.50	12.00	1,390	5988584
	CSCF4860N6D*	A*VM971205DNA*	44,500	34,000	14.50	12.00	1,450	7362475
	CSCF4860N6D*+EEP		44,000	33,600	14.00	12.00	1,500	5988562
	CSCF4860N6D*+EEP+TXV		44,000	33,600	14.50	12.00	1,500	5988563
	CSCF4860N6D*+TXV	G*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7361868
	CSCF4860N6D*+TXV	G*E81005C*B*	44,500	34,000	15.00	12.50	1,390	5988585
	CSCF4860N6D*+TXV	A*EH800805C*A*	44,500	34,000	15.00	12.50	1,480	6946085

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0481F* (cont.)	CSCF4860N6D*+TXV	G*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5988605
	CSCF4860N6D*+TXV	A*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362462
	CSCF4860N6D*+TXV	A*VC961205DNA*	44,500	34,000	15.00	12.50	1,450	7362285
	CSCF4860N6D*+TXV	G*E80805D*A*	44,500	34,000	15.50	12.50	1,490	5988577
	CSCF4860N6D*+TXV	A*VC961005CNA*	45,000	34,200	15.00	12.50	1,450	7362279
	CSCF4860N6D*+TXV	A*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5989239
	CSCF4860N6D*+TXV	G*VM971205DNA*	44,500	34,000	15.00	12.50	1,450	7362063
	CSCF4860N6D*+TXV	G*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362057
	CSCF4860N6D*+TXV	A*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	6521099
	CSCF4860N6D*+TXV	G*VM961005DXB*	44,500	34,000	16.00	13.00	1,400	6521098
	CSCF4860N6D*+TXV	G*VC961205DNA*	44,500	34,000	15.00	12.50	1,450	7361874
	CSCF4860N6D*+TXV	G*VC951155DXB*	44,500	34,000	15.00	12.50	1,395	5988625
	CSCF4860N6D*+TXV	A*VC950905CXB*	44,500	34,000	15.00	12.50	1,440	5989221
	CSCF4860N6D*+TXV	A*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5989229
	CSCF4860N6D*+TXV	A*EH800805D*A*	44,500	34,000	15.50	12.50	1,490	6946086
	CSCF4860N6D*+TXV	A*VM971005CNA*	45,000	34,200	15.00	12.50	1,450	7362468
	CSCF4860N6D*+TXV	A*VM971205DNA*	44,500	34,000	15.00	12.50	1,450	7362474
	CSCF4860N6D*+TXV	G*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7361862
	CSCF4860N6D*+TXV	G*VC950905DXB*	44,500	34,000	16.00	13.00	1,450	5988613
	CSCF4860N6D*+TXV	A*VC960804CNA*	45,000	34,200	15.00	12.50	1,520	7362273
	CSCF4860N6D*+TXV	G*E80805C*B*	44,500	34,000	15.00	12.50	1,480	5988571
	CSCF4860N6D*+TXV	A*EH801005C*A*	44,500	34,000	15.00	12.50	1,390	6946087
	CSCF4860N6D*+TXV	G*VM970804CNA*	45,000	34,200	15.00	12.50	1,520	7362051
ASX16 0601F*	ARPT60D14A*		52,500	40,500	14.00	12.00	1,455	5988664
	ASPT60D14A*		54,000	41,500	16.00	13.00	1,600	5756186
	ASUF49C14A*		50,000	38,500	13.50	11.50	1,525	5988665
	ASUF49C14A*+TXV		50,000	38,500	13.50	11.50	1,525	5988666
	ASUF59D14A*		52,000	40,000	14.50	12.00	1,615	5988667
	ASUF59D14A*+TXV		52,000	40,000	15.00	12.50	1,615	5988668
	AVPTC60D14A*		54,000	41,500	16.00	13.00	1,580	5924388
	CA*F4860*6D*	G*VM961005DXB*	51,500	39,500	14.50	12.00	1,550	5988733
	CA*F4860*6D*	G*VC950905DXB*	51,500	39,500	14.00	12.00	1,540	5988708
	CA*F4860*6D*	A*VC950905CXB*	51,500	39,500	14.00	12.00	1,550	5989270
	CA*F4860*6D*	G*VC950905CXB*	51,500	39,500	14.00	12.00	1,550	5988700
	CA*F4860*6D*	A*VM960805CXB*	51,500	39,500	14.50	12.00	1,550	5989292
	CA*F4860*6D*	G*VM960805CXB*	51,500	39,500	14.50	12.00	1,550	5988724
	CA*F4860*6D*	A*VC950905DXB*	51,500	39,500	14.00	12.00	1,540	5989278
	CA*F4860*6D*	G*VM960805DXB*	51,500	39,500	14.50	12.00	1,675	5988728
	CA*F4860*6D*	A*VM961005DXB*	51,500	39,500	14.50	12.00	1,550	5989301
	CA*F4860*6D*	A*VM960805DXB*	51,500	39,500	14.50	12.00	1,675	5989296
	CA*F4860*6D*	G*VC951155DXB*	51,500	39,500	14.00	12.00	1,540	5988716
	CA*F4860*6D*	A*VC950915DXB*	51,500	39,500	14.50	12.00	1,570	5989284
	CA*F4860*6D*	G*VC950915DXB*	51,500	39,500	14.50	12.00	1,570	5988714
	CA*F4860*6D*	A*VM961155DXB*	51,500	39,500	14.50	12.00	1,550	5989305
	CA*F4860*6D*	G*VM961155DXB*	51,500	39,500	14.50	12.00	1,550	5988737
	CA*F4860*6D*	A*VC951155DXB*	51,500	39,500	14.00	12.00	1,540	5989286
	CA*F4860*6D*+EEP		51,500	39,500	14.00	12.00	1,675	5988669
	CA*F4860*6D*+EEP+TXV		53,000	40,500	14.50	12.00	1,675	5753138
	CA*F4860*6D*+MBVC2000**-1A*		51,500	39,500	14.50	12.00	1,630	5988670
	CA*F4860*6D*+MBVC2000**-1A*+TXV		51,500	39,500	15.00	12.50	1,630	5988671
	CA*F4860*6D*+TXV	G*VC950905CXB*	51,500	39,500	14.50	12.00	1,550	5988701
	CA*F4860*6D*+TXV	G*VC950905DXB*	51,500	39,500	14.50	12.00	1,540	5988709
	CA*F4860*6D*+TXV	G*VC951155DXB*	51,500	39,500	14.50	12.00	1,540	5988717
	CA*F4860*6D*+TXV	A*VC950915DXB*	51,500	39,500	15.00	12.50	1,570	5989285
	CA*F4860*6D*+TXV	A*VC950905CXB*	51,500	39,500	14.50	12.00	1,550	5989271
	CA*F4860*6D*+TXV	A*VC950905DXB*	51,500	39,500	14.50	12.00	1,540	5989279
	CA*F4860*6D*+TXV	G*VC950915DXB*	51,500	39,500	15.00	12.50	1,570	5988715

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0601F* (cont.)	CA*F4860*6D*+TXV	A*VC951155DXB*	51,500	39,500	14.50	12.00	1,540	5989287
	CA*F4961*6D*	A*VM961155DXB*	52,000	40,000	14.50	12.00	1,550	5989306
	CA*F4961*6D*	A*VM971005CNA*	52,000	40,000	15.00	12.50	1,450	7362477
	CA*F4961*6D*	A*VC961205DNA*	52,000	40,000	15.00	12.00	1,460	7362294
	CA*F4961*6D*	G*VC80805C*B*	52,000	40,000	14.50	12.00	1,520	5988692
	CA*F4961*6D*	G*VM971005CNA*	52,000	40,000	15.00	12.50	1,450	7362066
	CA*F4961*6D*	G*VC950905CXB*	52,000	40,000	14.50	12.00	1,550	5988702
	CA*F4961*6D*	G*VM960805DXB*	52,000	40,000	14.50	12.00	1,675	5988729
	CA*F4961*6D*	GME950805CXA*	52,000	40,000	14.50	12.00	1,580	6079813
	CA*F4961*6D*	G*VC81005C*B*	52,000	40,000	14.50	12.00	1,500	5988695
	CA*F4961*6D*	A*EC961205DNA*	52,000	40,000	15.50	12.50	1,630	7367911
	CA*F4961*6D*	A*VC81005C*B*	52,000	40,000	14.50	12.00	1,500	5989265
	CA*F4961*6D*	A*VC951155DXB*	52,000	40,000	14.50	12.00	1,540	5989288
	CA*F4961*6D*	AMEH960805CXA*	52,000	40,000	14.50	12.00	1,580	6946088
	CA*F4961*6D*	GME951005DXA*	52,000	40,000	15.50	12.50	1,655	6079864
	CA*F4961*6D*	A*VM971205DNA*	52,000	40,000	15.00	12.00	1,460	7362483
	CA*F4961*6D*	A*VM961005DXB*	52,000	40,000	14.50	12.00	1,550	5989302
	CA*F4961*6D*	A*VM960805CXB*	52,000	40,000	14.50	12.00	1,550	5989293
	CA*F4961*6D*	G*EC961205DNA*	52,000	40,000	15.50	12.50	1,630	7367747
	CA*F4961*6D*	G*VC951155DXB*	52,000	40,000	14.50	12.00	1,540	5988718
	CA*F4961*6D*	A*VM960805DXB*	52,000	40,000	14.50	12.00	1,675	5989297
	CA*F4961*6D*	A*VC961005CNA*	52,000	40,000	15.00	12.50	1,450	7362288
	CA*F4961*6D*	G*VM971205DNA*	52,000	40,000	15.00	12.00	1,460	7362072
	CA*F4961*6D*	A*VC950905DXB*	52,000	40,000	14.00	12.00	1,540	5989280
	CA*F4961*6D*	G*VC961005CNA*	52,000	40,000	15.00	12.50	1,450	7361877
	CA*F4961*6D*	G*VM961005DXB*	52,000	40,000	14.50	12.00	1,550	5988734
	CA*F4961*6D*	A*VC80805C*B*	52,000	40,000	14.50	12.00	1,520	5989262
	CA*F4961*6D*	G*VM961155DXB*	52,000	40,000	14.50	12.00	1,550	5988738
	CA*F4961*6D*	G*VM960805CXB*	52,000	40,000	14.50	12.00	1,550	5988725
	CA*F4961*6D*	G*VC961205DNA*	52,000	40,000	15.00	12.00	1,460	7361883
	CA*F4961*6D*	AMEH961005DXA*	52,000	40,000	15.50	12.50	1,655	6946089
	CA*F4961*6D*	G*VC950905DXB*	52,000	40,000	14.00	12.00	1,540	5988710
	CA*F4961*6D*	A*VC950905CXB*	52,000	40,000	14.50	12.00	1,550	5989272
	CA*F4961*6D*+EEP		52,000	40,000	14.50	12.00	1,675	5988672
	CA*F4961*6D*+EEP+TXV		54,000	41,500	15.00	12.50	1,675	5753137
	CA*F4961*6D*+MBVC2000**-1A*		52,000	40,000	15.00	12.50	1,675	5988673
	CA*F4961*6D*+MBVC2000**-1A*+TXV		52,000	40,000	15.50	12.50	1,675	5988674
	CA*F4961*6D*+TXV	G*VM961155DXB*	52,000	40,000	15.50	12.50	1,450	5988739
	CA*F4961*6D*+TXV	G*VM961005DXB*	52,000	40,000	16.00	13.00	1,450	6107318
	CA*F4961*6D*+TXV	GME951005DXA*	53,000	40,500	16.00	13.00	1,500	6090120
	CA*F4961*6D*+TXV	A*VC80805C*B*	52,000	40,000	15.20	12.50	1,520	6107327
	CA*F4961*6D*+TXV	G*VC950905CXB*	52,000	40,000	15.00	12.50	1,550	5988703
	CA*F4961*6D*+TXV	A*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362476
	CA*F4961*6D*+TXV	GME950805CXA*	52,000	40,000	15.00	12.50	1,580	5988747
	CA*F4961*6D*+TXV	G*VC951155DXB*	52,000	40,000	16.00	13.00	1,450	5988719
	CA*F4961*6D*+TXV	G*E80805C*B*	52,000	40,000	15.00	12.50	1,645	5988681
	CA*F4961*6D*+TXV	A*VC950905CXB*	52,000	40,000	15.00	12.50	1,550	5989273
	CA*F4961*6D*+TXV	G*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	5988730
	CA*F4961*6D*+TXV	ADVC80805C*B*	52,000	40,000	15.00	12.50	1,585	5988742
	CA*F4961*6D*+TXV	G*E80805D*A*	53,000	40,500	16.00	13.00	1,500	5753140
	CA*F4961*6D*+TXV	A*VC951155DXB*	52,000	40,000	16.00	13.00	1,450	5753142
	CA*F4961*6D*+TXV	A*VM961005DXB*	52,000	40,000	16.00	13.00	1,450	6107331
	CA*F4961*6D*+TXV	G*VC80805C*B*	52,000	40,000	15.20	12.50	1,520	6107314
	CA*F4961*6D*+TXV	A*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5989266
	CA*F4961*6D*+TXV	A*EH800805D*A*	53,000	40,500	16.00	13.00	1,500	6946091
	CA*F4961*6D*+TXV	A*EH800805C*A*	52,000	40,000	15.00	12.50	1,645	6946090
	CA*F4961*6D*+TXV	A*VM960805CXB*	52,000	40,000	15.20	12.50	1,550	6107330

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0601F* (cont.)	CA*F4961*6D*+TXV	A*EH801005C*A*	52,000	40,000	15.00	12.50	1,690	6946092
	CA*F4961*6D*+TXV	AMEH960805CXA*	52,000	40,000	15.00	12.50	1,580	6946093
	CA*F4961*6D*+TXV	A*VC961205DNA*	52,000	40,000	16.00	13.00	1,460	7362293
	CA*F4961*6D*+TXV	G*VC950905DXB*	52,000	40,000	16.00	13.00	1,450	6107315
	CA*F4961*6D*+TXV	A*VC950915DXB*	52,000	40,000	15.20	12.50	1,570	6107329
	CA*F4961*6D*+TXV	G*VC950915DXB*	52,000	40,000	15.20	12.50	1,570	6107316
	CA*F4961*6D*+TXV	G*VC961205DNA*	52,000	40,000	16.00	13.00	1,460	7361882
	CA*F4961*6D*+TXV	A*VM971205DNA*	52,000	40,000	16.00	13.00	1,460	7362482
	CA*F4961*6D*+TXV	G*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5988696
	CA*F4961*6D*+TXV	G*VM960805CXB*	52,000	40,000	15.20	12.50	1,550	6107317
	CA*F4961*6D*+TXV	G*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362065
	CA*F4961*6D*+TXV	ADV81005C*B*	52,000	40,000	15.00	12.50	1,620	5988744
	CA*F4961*6D*+TXV	A*VM961155DXB*	52,000	40,000	15.50	12.50	1,450	5989307
	CA*F4961*6D*+TXV	G*EC961205DNA*	52,000	40,000	16.00	13.00	1,630	7367748
	CA*F4961*6D*+TXV	A*EC961205DNA*	52,000	40,000	16.00	13.00	1,630	7367912
	CA*F4961*6D*+TXV	AMEH961005DXA*	53,000	40,500	16.00	13.00	1,500	6946094
	CA*F4961*6D*+TXV	G*E81005C*B*	52,000	40,000	15.00	12.50	1,690	5988687
	CA*F4961*6D*+TXV	G*VM971205DNA*	52,000	40,000	16.00	13.00	1,460	7362071
	CA*F4961*6D*+TXV	A*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	5989298
	CA*F4961*6D*+TXV	G*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7361876
	CA*F4961*6D*+TXV	A*VC950905DXB*	52,000	40,000	16.00	13.00	1,450	6107328
	CA*F4961*6D*+TXV	A*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7362287
	CAPT4961*4A*	G*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7361878
	CAPT4961*4A*	GME950805CXA*	52,000	40,000	14.50	12.00	1,580	6950631
	CAPT4961*4A*	G*VC951155DXB*	52,000	40,000	15.00	12.50	1,450	6950480
	CAPT4961*4A*	G*VM960604CXB*	52,000	40,000	14.50	12.00	1,665	6950512
	CAPT4961*4A*	G*VM971205DNA*	52,000	40,000	15.00	12.50	1,460	7362073
	CAPT4961*4A*	A*VM960604CXB*	52,000	40,000	14.50	12.00	1,665	6950509
	CAPT4961*4A*	A*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	6950556
	CAPT4961*4A*	A*EC961205DNA*	52,000	40,000	15.00	12.50	1,630	7367913
	CAPT4961*4A*	G*VC950905CXB*	52,000	40,000	14.50	12.50	1,550	6950410
	CAPT4961*4A*	A*VM960805CXB*	52,000	40,000	14.50	12.50	1,550	6950532
	CAPT4961*4A*	ADV81005C*B*	52,000	40,000	15.00	12.50	1,620	5988745
	CAPT4961*4A*	A*VC951155DXB*	52,000	40,000	15.00	12.50	1,450	6950477
	CAPT4961*4A*	A*VC950905CXB*	52,000	40,000	14.50	12.50	1,550	6950408
	CAPT4961*4A*	G*VC950905DXB*	52,000	40,000	15.00	12.50	1,450	6950434
	CAPT4961*4A*	G*VC950704CXB*	52,000	40,000	14.50	12.00	1,650	6950367
	CAPT4961*4A*	A*VM961155DXB*	52,000	40,000	14.50	12.00	1,450	6950599
	CAPT4961*4A*	G*VC961205DNA*	52,000	40,000	15.00	12.50	1,460	7361884
	CAPT4961*4A*	G*E81005C*B*	52,000	40,000	15.00	12.50	1,690	6950307
	CAPT4961*4A*	G*VC80805C*B*	52,000	40,000	15.00	12.50	1,520	5988693
	CAPT4961*4A*	G*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5988697
	CAPT4961*4A*	A*VC80805C*B*	52,000	40,000	15.00	12.50	1,520	5989263
	CAPT4961*4A*	G*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	6950558
	CAPT4961*4A*	A*VM961005DXB*	52,000	40,000	14.50	12.00	1,450	6950579
	CAPT4961*4A*	A*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7362289
	CAPT4961*4A*	G*VC950915DXB*	52,000	40,000	15.00	12.50	1,570	6950457
	CAPT4961*4A*	A*VC950704CXB*	52,000	40,000	14.50	12.00	1,650	6950365
	CAPT4961*4A*	G*E80805D*A*	52,000	40,000	15.00	12.50	1,500	6950296
	CAPT4961*4A*	A*VM971205DNA*	52,000	40,000	15.00	12.50	1,460	7362484
	CAPT4961*4A*	A*VC950915DXB*	52,000	40,000	15.00	12.50	1,570	6950454
	CAPT4961*4A*	A*VC961205DNA*	52,000	40,000	15.00	12.50	1,460	7362295
	CAPT4961*4A*	G*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362067
	CAPT4961*4A*	G*VM960805CXB*	52,000	40,000	14.50	12.50	1,550	6950535
	CAPT4961*4A*	G*VM961005DXB*	52,000	40,000	14.50	12.00	1,450	6950581
	CAPT4961*4A*	A*VC950714CXB*	52,000	40,000	14.50	12.00	1,685	6950393
	CAPT4961*4A*	A*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362478

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0601F* (cont.)	CAPT4961*4A*	G*E80805C*B*	52,000	40,000	15.00	12.50	1,645	6950291
	CAPT4961*4A*	G*EC961205DNA*	52,000	40,000	15.00	12.50	1,630	7367749
	CAPT4961*4A*	G*VM961155DXB*	52,000	40,000	14.50	12.00	1,450	6950602
	CAPT4961*4A*	A*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5989267
	CAPT4961*4A*	G*VC950714CXB*	52,000	40,000	14.50	12.00	1,685	6950395
	CAPT4961*4A*	A*VC950905DXB*	52,000	40,000	15.00	12.50	1,450	6950431
	CAPT4961*4A*	GME951005DXA*	52,000	40,000	15.00	12.50	1,500	6950643
	CAPT4961*4A*	ADVC80805C*B*	52,000	40,000	15.00	12.50	1,585	5988743
	CAPT4961*4A*+EEP		52,000	40,000	15.00	12.50	1,675	5988675
	CAPT4961*4A*+MBVC1600**-1A*		52,000	40,000	15.00	12.50	1,560	6950282
	CHPF4860D6D*	G*VM961155DXB*	52,000	40,000	14.50	12.00	1,550	5988740
	CHPF4860D6D*	G*VC961205DNA*	52,000	40,000	15.00	12.00	1,460	7362965
	CHPF4860D6D*	A*VM971205DNA*	52,000	40,000	15.00	12.00	1,460	7362992
	CHPF4860D6D*	A*VC951155DXB*	52,000	40,000	14.50	12.00	1,540	5989289
	CHPF4860D6D*	G*VC961005CNA*	51,500	39,500	15.00	12.50	1,450	7362964
	CHPF4860D6D*	G*VM971205DNA*	52,000	40,000	15.00	12.00	1,460	7362974
	CHPF4860D6D*	G*VM961005DXB*	52,000	40,000	14.50	12.00	1,550	5988735
	CHPF4860D6D*	G*VC951155DXB*	52,000	40,000	14.50	12.00	1,540	5988720
	CHPF4860D6D*	A*VC950905CXB*	52,000	40,000	14.50	12.00	1,550	5989274
	CHPF4860D6D*	A*VM971005CNA*	51,500	39,500	15.00	12.50	1,450	7362991
	CHPF4860D6D*	G*VM971005CNA*	51,500	39,500	15.00	12.50	1,450	7362973
	CHPF4860D6D*	A*VC961005CNA*	51,500	39,500	15.00	12.50	1,450	7362982
	CHPF4860D6D*	A*VM960805CXB*	52,000	40,000	14.50	12.00	1,550	5989294
	CHPF4860D6D*	AMEH960805CXA*	52,000	40,000	14.50	12.00	1,580	6946097
	CHPF4860D6D*	G*VC81005C*B*	52,000	40,000	14.50	12.00	1,500	5988698
	CHPF4860D6D*	A*EH800805C*A*	52,000	40,000	14.50	12.00	1,645	6946095
	CHPF4860D6D*	G*E81005C*B*	52,000	40,000	14.50	12.00	1,690	6079814
	CHPF4860D6D*	A*VC80805C*B*	52,000	40,000	14.50	12.00	1,520	5989264
	CHPF4860D6D*	A*EC961205DNA*	52,000	40,000	15.50	12.50	1,630	7367914
	CHPF4860D6D*	G*EC961205DNA*	52,000	40,000	15.50	12.50	1,630	7367750
	CHPF4860D6D*	G*VM960805CXB*	52,000	40,000	14.50	12.00	1,550	5988726
	CHPF4860D6D*	GME950805CXA*	52,000	40,000	14.50	12.00	1,580	6079866
	CHPF4860D6D*	A*EH801005C*A*	52,000	40,000	14.50	12.00	1,690	6946096
	CHPF4860D6D*	A*VC961205DNA*	52,000	40,000	15.00	12.00	1,460	7362983
	CHPF4860D6D*	G*E80805C*B*	52,000	40,000	14.50	12.00	1,645	6079865
	CHPF4860D6D*	A*VM961155DXB*	52,000	40,000	14.50	12.00	1,550	5989308
	CHPF4860D6D*	G*VC80805C*B*	52,000	40,000	14.50	12.00	1,520	5988694
	CHPF4860D6D*	A*VM961005DXB*	52,000	40,000	14.50	12.00	1,550	5989303
	CHPF4860D6D*	AMEH961005DXA*	52,000	40,000	15.50	12.50	1,655	6946098
	CHPF4860D6D*	GME951005DXA*	52,000	40,000	15.50	12.50	1,655	6079867
	CHPF4860D6D*	A*VM960805DXB*	52,000	40,000	14.50	12.00	1,675	5989299
	CHPF4860D6D*	A*VC81005C*B*	52,000	40,000	14.50	12.00	1,500	5989268
	CHPF4860D6D*	G*VM960805DXB*	52,000	40,000	14.50	12.00	1,675	5988731
	CHPF4860D6D*	A*VC950905DXB*	52,000	40,000	14.50	12.00	1,540	5989281
	CHPF4860D6D*	G*VC950905DXB*	52,000	40,000	14.50	12.00	1,540	5988711
	CHPF4860D6D*	G*VC950905CXB*	52,000	40,000	14.50	12.00	1,550	5988704
	CHPF4860D6D*+EEP		52,000	40,000	14.50	12.00	1,675	5988676
	CHPF4860D6D*+EEP+TXV		53,500	41,000	15.00	12.50	1,675	5753139
	CHPF4860D6D*+MBVC2000**-1A*		52,000	40,000	15.00	12.50	1,675	5988677
	CHPF4860D6D*+TXV	GME950805CXA*	52,000	40,000	15.20	12.50	1,580	6107322
	CHPF4860D6D*+TXV	G*E80805C*B*	52,000	40,000	15.20	12.50	1,645	6107319
	CHPF4860D6D*+TXV	G*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362068
	CHPF4860D6D*+TXV	AMEH960805CXA*	52,000	40,000	15.20	12.50	1,580	6946102
	CHPF4860D6D*+TXV	A*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7362290
	CHPF4860D6D*+TXV	A*VC950905DXB*	52,000	40,000	16.00	13.00	1,450	6107333
	CHPF4860D6D*+TXV	A*EH800805D*A*	53,000	40,500	16.00	13.00	1,500	6946100
	CHPF4860D6D*+TXV	G*E81005C*B*	52,000	40,000	15.00	12.50	1,690	5988689

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0601F* (cont.)	CHPF4860D6D*+TXV	G*VC951155DXB*	52,000	40,000	16.00	13.00	1,450	5988721
	CHPF4860D6D*+TXV	A*VM971205DNA*	52,000	40,000	16.00	13.00	1,460	7362485
	CHPF4860D6D*+TXV	A*VC951155DXB*	52,000	40,000	16.00	13.00	1,450	5753143
	CHPF4860D6D*+TXV	G*VC961205DNA*	52,000	40,000	16.00	13.00	1,460	7361885
	CHPF4860D6D*+TXV	G*VC80805C*B*	52,000	40,000	15.20	12.50	1,520	6107320
	CHPF4860D6D*+TXV	A*VC961205DNA*	52,000	40,000	16.00	13.00	1,460	7362296
	CHPF4860D6D*+TXV	GME951005DXA*	53,000	40,500	16.00	13.00	1,500	6090122
	CHPF4860D6D*+TXV	A*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	5989300
	CHPF4860D6D*+TXV	G*VC950905CXB*	52,000	40,000	15.00	12.50	1,550	5988705
	CHPF4860D6D*+TXV	G*VM960805CXB*	52,000	40,000	15.00	12.50	1,550	5988727
	CHPF4860D6D*+TXV	G*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5988699
	CHPF4860D6D*+TXV	G*VM961005DXB*	52,000	40,000	16.00	13.00	1,450	5988736
	CHPF4860D6D*+TXV	G*VM971205DNA*	52,000	40,000	16.00	13.00	1,460	7362074
	CHPF4860D6D*+TXV	A*VM971005CNA*	52,000	40,000	15.50	12.50	1,450	7362479
	CHPF4860D6D*+TXV	A*VM960805CXB*	52,000	40,000	15.00	12.50	1,550	5989295
	CHPF4860D6D*+TXV	AMEH961005DXA*	53,000	40,500	16.00	13.00	1,500	6946103
	CHPF4860D6D*+TXV	G*VC950905DXB*	52,000	40,000	16.00	13.00	1,450	6107321
	CHPF4860D6D*+TXV	G*VM961155DXB*	52,000	40,000	15.50	12.50	1,450	5988741
	CHPF4860D6D*+TXV	A*VM961005DXB*	52,000	40,000	16.00	13.00	1,450	5989304
	CHPF4860D6D*+TXV	A*EH800805C*A*	52,000	40,000	15.20	12.50	1,645	6946099
	CHPF4860D6D*+TXV	G*E80805D*A*	53,000	40,500	16.00	13.00	1,500	5753141
	CHPF4860D6D*+TXV	G*EC961205DNA*	52,000	40,000	16.00	13.00	1,630	7367751
	CHPF4860D6D*+TXV	A*VM961155DXB*	52,000	40,000	15.50	12.50	1,450	5989309
	CHPF4860D6D*+TXV	G*VM960805DXB*	52,000	40,000	15.00	12.50	1,675	5988732
	CHPF4860D6D*+TXV	A*EC961205DNA*	52,000	40,000	16.00	13.00	1,630	7367915
	CHPF4860D6D*+TXV	A*VC81005C*B*	52,000	40,000	15.00	12.50	1,500	5989269
	CHPF4860D6D*+TXV	G*VC961005CNA*	52,000	40,000	15.50	12.50	1,450	7361879
	CHPF4860D6D*+TXV	A*EH801005C*A*	52,000	40,000	15.00	12.50	1,690	6946101
	CHPF4860D6D*+TXV	A*VC80805C*B*	52,000	40,000	15.20	12.50	1,520	6107332
	CHPF4860D6D*+TXV	A*VC950905CXB*	52,000	40,000	15.00	12.50	1,550	5989275
	CSCF4860N6D*	A*VC961205DNA*	51,500	39,500	14.50	12.00	1,460	7362298
	CSCF4860N6D*	G*VC951155DXB*	51,500	39,500	14.00	12.00	1,540	5988722
	CSCF4860N6D*	GME951005DXA*	51,500	39,500	15.00	12.50	1,655	6079817
	CSCF4860N6D*	A*VC950905DXB*	51,500	39,500	14.00	12.00	1,540	5989282
	CSCF4860N6D*	A*VC951155DXB*	51,500	39,500	14.00	12.00	1,540	5989290
	CSCF4860N6D*	A*EH800805C*A*	51,500	39,500	14.50	12.00	1,645	6946104
	CSCF4860N6D*	G*VC961205DNA*	51,500	39,500	14.50	12.00	1,460	7361887
	CSCF4860N6D*	GME950805CXA*	51,500	39,500	14.50	12.00	1,580	6079868
	CSCF4860N6D*	AMEH961005DXA*	51,500	39,500	15.00	12.50	1,655	6946107
	CSCF4860N6D*	G*VM971205DNA*	51,500	39,500	14.50	12.00	1,460	7362076
	CSCF4860N6D*	A*EH801005C*A*	51,500	39,500	14.50	12.00	1,690	6946105
	CSCF4860N6D*	G*VC950905DXB*	51,500	39,500	14.00	12.00	1,540	5988712
	CSCF4860N6D*	G*E81005C*B*	51,500	39,500	14.50	12.00	1,690	6079816
	CSCF4860N6D*	G*E80805C*B*	51,500	39,500	14.50	12.00	1,645	6079815
	CSCF4860N6D*	G*VM971005CNA*	51,500	39,500	14.50	12.00	1,450	7362070
	CSCF4860N6D*	A*VC950905CXB*	51,500	39,500	14.00	12.00	1,550	5989276
	CSCF4860N6D*	A*VM971205DNA*	51,500	39,500	14.50	12.00	1,460	7362487
	CSCF4860N6D*	A*VM971005CNA*	51,500	39,500	14.50	12.00	1,450	7362481
	CSCF4860N6D*	G*VC961005CNA*	51,500	39,500	14.50	12.00	1,450	7361881
	CSCF4860N6D*	A*VC961005CNA*	51,500	39,500	14.50	12.00	1,450	7362292
	CSCF4860N6D*	AMEH960805CXA*	51,500	39,500	14.50	12.00	1,580	6946106
	CSCF4860N6D*	G*VC950905CXB*	51,500	39,500	14.00	12.00	1,550	5988706
	CSCF4860N6D*+EEP		51,500	39,500	14.00	12.00	1,675	5988678
	CSCF4860N6D*+EEP+TXV		51,500	39,500	14.50	12.00	1,675	5988679
	CSCF4860N6D*+TXV	A*VC961205DNA*	51,500	39,500	15.00	12.00	1,460	7362297
	CSCF4860N6D*+TXV	A*EH800805D*A*	51,500	39,500	15.50	12.50	1,690	6946109
	CSCF4860N6D*+TXV	G*VC950905CXB*	51,500	39,500	14.50	12.00	1,550	5988707

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0601F* (cont.)	CSCF4860N6D*+TXV	A*EH800805C*A*	51,500	39,500	15.00	12.50	1,645	6946108
	CSCF4860N6D*+TXV	G*VC950905DXB*	51,500	39,500	14.50	12.00	1,540	5988713
	CSCF4860N6D*+TXV	A*VC951155DXB*	51,500	39,500	14.50	12.00	1,540	5989291
	CSCF4860N6D*+TXV	A*VM971005CNA*	51,500	39,500	15.00	12.50	1,450	7362480
	CSCF4860N6D*+TXV	G*VM971005CNA*	51,500	39,500	15.00	12.50	1,450	7362069
	CSCF4860N6D*+TXV	G*VC951155DXB*	51,500	39,500	14.50	12.00	1,540	5988723
	CSCF4860N6D*+TXV	G*VC961005CNA*	51,500	39,500	15.00	12.50	1,450	7361880
	CSCF4860N6D*+TXV	G*VC961205DNA*	51,500	39,500	15.00	12.00	1,460	7361886
	CSCF4860N6D*+TXV	A*VC950905CXB*	51,500	39,500	14.50	12.00	1,550	5989277
	CSCF4860N6D*+TXV	A*VM971205DNA*	51,500	39,500	15.00	12.00	1,460	7362486
	CSCF4860N6D*+TXV	G*E80805C*B*	51,500	39,500	15.00	12.50	1,645	5988684
	CSCF4860N6D*+TXV	GME950805CXA*	51,500	39,500	14.50	12.00	1,580	5988750
	CSCF4860N6D*+TXV	G*E80805D*A*	51,500	39,500	15.50	12.50	1,690	5988685
	CSCF4860N6D*+TXV	GME951005DXA*	51,500	39,500	15.50	12.50	1,655	5988754
	CSCF4860N6D*+TXV	AMEH960805CXA*	51,500	39,500	14.50	12.00	1,580	6946111
	CSCF4860N6D*+TXV	G*E81005C*B*	51,500	39,500	15.00	12.50	1,690	5988691
	CSCF4860N6D*+TXV	A*VC961005CNA*	51,500	39,500	15.00	12.50	1,450	7362291
	CSCF4860N6D*+TXV	G*VM971205DNA*	51,500	39,500	15.00	12.00	1,460	7362075
	CSCF4860N6D*+TXV	A*EH801005C*A*	51,500	39,500	15.00	12.50	1,690	6946110
	CSCF4860N6D*+TXV	A*VC950905DXB*	51,500	39,500	14.50	12.00	1,540	5989283
	CSCF4860N6D*+TXV	AMEH961005DXA*	51,500	39,500	15.50	12.50	1,655	6946112
ASX16 0611F*	ASPT60D14A*		57,000	40,000	14.00	12.00	1,620	6775456
	ASUF59D14A*		55,500	39,000	13.50	11.50	1,600	6841559
	ASUF59D14A*+TXV		56,000	39,000	14.00	11.50	1,600	6775458
	AVPTC60D14A*		57,000	40,000	14.00	12.00	1,620	6775460
	CA*F4961*6D*	G*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841581
	CA*F4961*6D*	A*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367916
	CA*F4961*6D*	A*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7362306
	CA*F4961*6D*	G*VM971005CNA*	56,500	39,500	13.50	11.00	1,525	7362078
	CA*F4961*6D*		56,500	39,500	13.50	11.00	1,545	6841730
	CA*F4961*6D*	GME950805CXA*	56,500	39,500	13.50	11.00	1,565	6841584
	CA*F4961*6D*	G*E80805D*A*	56,500	39,500	14.00	11.50	1,500	6841583
	CA*F4961*6D*	A*EH800805C*A*	56,500	39,500	14.00	11.50	1,525	6946113
	CA*F4961*6D*	AMEH960805CXA*	56,500	39,500	13.50	11.00	1,565	6946116
	CA*F4961*6D*	A*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841562
	CA*F4961*6D*	ADVC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841570
	CA*F4961*6D*	A*VC961005CNA*	56,500	39,500	13.50	11.00	1,525	7362300
	CA*F4961*6D*	G*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362084
	CA*F4961*6D*	G*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841575
	CA*F4961*6D*	ADVC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841571
	CA*F4961*6D*	G*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841578
	CA*F4961*6D*	A*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841561
	CA*F4961*6D*	A*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841567
	CA*F4961*6D*	A*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841569
	CA*F4961*6D*	A*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362495
	CA*F4961*6D*	G*VC950905CXB*	56,500	39,500	13.50	11.00	1,580	6841576
	CA*F4961*6D*	G*E81005C*B*	56,500	39,500	13.50	11.50	1,600	6841573
	CA*F4961*6D*	A*VC950905CXB*	56,500	39,500	13.50	11.00	1,580	6841563
	CA*F4961*6D*	G*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841580
	CA*F4961*6D*	G*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7361895
	CA*F4961*6D*	A*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841566
	CA*F4961*6D*	G*E80805C*B*	56,500	39,500	14.00	11.50	1,525	6841572
	CA*F4961*6D*	G*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367752
	CA*F4961*6D*	AMEH961005DXA*	56,500	39,500	14.00	11.50	1,470	6946117
	CA*F4961*6D*	G*VC961005CNA*	56,500	39,500	13.50	11.00	1,525	7361889
	CA*F4961*6D*	A*EH801005C*A*	56,500	39,500	13.50	11.50	1,600	6946115
	CA*F4961*6D*	A*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841564

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0611F* (cont.)	CA*F4961*6D*	G*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841579
	CA*F4961*6D*	A*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841568
	CA*F4961*6D*	GME951005DXA*	56,500	39,500	14.00	11.50	1,470	6841585
	CA*F4961*6D*	G*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841574
	CA*F4961*6D*	A*EH800805D*A*	56,500	39,500	14.00	11.50	1,500	6946114
	CA*F4961*6D*	A*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841565
	CA*F4961*6D*	A*VM971005CNA*	56,500	39,500	13.50	11.00	1,525	7362489
	CA*F4961*6D*	G*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841577
	CA*F4961*6D*	G*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841582
	CA*F4961*6D*+EEP+TXV		57,000	40,000	14.00	11.50	1,545	6809897
	CA*F4961*6D*+MBVC2000**-1A*		56,500	39,500	14.00	11.50	1,620	6841560
	CA*F4961*6D*+MBVC2000**-1A*+TXV		57,000	40,000	14.50	12.00	1,620	6775462
	CA*F4961*6D*+TXV	G*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362077
	CA*F4961*6D*+TXV	G*E80805D*A*	57,000	40,000	14.50	12.00	1,500	6775488
	CA*F4961*6D*+TXV	A*EH800805D*A*	57,000	40,000	14.50	12.00	1,500	6946119
	CA*F4961*6D*+TXV	A*EC961205DNA*	57,000	40,000	14.50	12.00	1,500	7367917
	CA*F4961*6D*+TXV	A*EH801005C*A*	57,000	40,000	14.50	12.00	1,600	6946120
	CA*F4961*6D*+TXV	A*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775476
	CA*F4961*6D*+TXV	AMEH960805CXA*	57,000	40,000	14.00	11.50	1,565	6946121
	CA*F4961*6D*+TXV	A*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775468
	CA*F4961*6D*+TXV	G*E81005C*B*	57,000	40,000	14.50	12.00	1,600	6775490
	CA*F4961*6D*+TXV	G*EC961205DNA*	57,000	40,000	14.50	12.00	1,500	7367753
	CA*F4961*6D*+TXV	G*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775492
	CA*F4961*6D*+TXV	GME950805CXA*	57,000	40,000	14.00	11.50	1,565	6775509
	CA*F4961*6D*+TXV	A*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775478
	CA*F4961*6D*+TXV	A*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362488
	CA*F4961*6D*+TXV	G*E80805C*B*	57,000	40,000	14.50	12.00	1,525	6775486
	CA*F4961*6D*+TXV	G*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7361888
	CA*F4961*6D*+TXV	A*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775466
	CA*F4961*6D*+TXV	A*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7362299
	CA*F4961*6D*+TXV	G*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775506
	CA*F4961*6D*+TXV	A*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775470
	CA*F4961*6D*+TXV	G*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775502
	CA*F4961*6D*+TXV	A*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775464
	CA*F4961*6D*+TXV	G*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775496
	CA*F4961*6D*+TXV	G*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775498
	CA*F4961*6D*+TXV	AMEH961005DXA*	57,000	40,000	14.50	12.00	1,470	6946122
	CA*F4961*6D*+TXV	G*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775508
	CA*F4961*6D*+TXV	G*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7361894
	CA*F4961*6D*+TXV	A*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775472
	CA*F4961*6D*+TXV	A*EH800805C*A*	57,000	40,000	14.50	12.00	1,525	6946118
	CA*F4961*6D*+TXV	A*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7362305
	CA*F4961*6D*+TXV	G*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775500
	CA*F4961*6D*+TXV	G*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362083
	CA*F4961*6D*+TXV	ADVC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775484
	CA*F4961*6D*+TXV	G*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775504
	CA*F4961*6D*+TXV	G*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775494
	CA*F4961*6D*+TXV	ADVC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775482
	CA*F4961*6D*+TXV	A*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362494
	CA*F4961*6D*+TXV	GME951005DXA*	57,000	40,000	14.50	12.00	1,470	6775511
	CA*F4961*6D*+TXV	A*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775480
	CA*F4961*6D*+TXV	A*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775473
	CAPT4961*4A*	A*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7362307
	CAPT4961*4A*	G*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362085
	CAPT4961*4A*	G*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362079
	CAPT4961*4A*	A*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367918
	CAPT4961*4A*	A*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7362301

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0611F* (cont.)	CAPT4961*4A*	A*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362490
	CAPT4961*4A*	A*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362496
	CAPT4961*4A*	G*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7361896
	CAPT4961*4A*	G*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7361890
	CAPT4961*4A*	G*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367754
	CHPF4860D6D*	A*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841588
	CHPF4860D6D*	A*VM971005CNA*	56,500	39,500	13.50	11.50	1,525	7362993
	CHPF4860D6D*	A*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7362985
	CHPF4860D6D*	G*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367755
	CHPF4860D6D*	G*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841604
	CHPF4860D6D*	A*EH801005C*A*	56,500	39,500	13.50	11.50	1,600	6946125
	CHPF4860D6D*	G*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362976
	CHPF4860D6D*	G*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841607
	CHPF4860D6D*	A*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841589
	CHPF4860D6D*	A*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841593
	CHPF4860D6D*	A*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841596
	CHPF4860D6D*	GME950805CXA*	56,500	39,500	13.50	11.00	1,565	6841609
	CHPF4860D6D*	AMEH960805CXA*	56,500	39,500	13.50	11.00	1,565	6946126
	CHPF4860D6D*	A*VC950905CXB*	56,500	39,500	13.50	11.50	1,580	6841590
	CHPF4860D6D*	G*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841606
	CHPF4860D6D*	A*EH800805D*A*	56,500	39,500	14.00	11.50	1,500	6946124
	CHPF4860D6D*	G*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841605
	CHPF4860D6D*	A*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362994
	CHPF4860D6D*	A*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841592
	CHPF4860D6D*	A*VC961005CNA*	56,500	39,500	13.50	11.50	1,525	7362984
	CHPF4860D6D*	G*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7362967
	CHPF4860D6D*	G*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841603
	CHPF4860D6D*	A*EC961205DNA*	56,500	39,500	14.00	11.50	1,500	7367919
	CHPF4860D6D*	GME951005DXA*	56,500	39,500	14.00	11.50	1,470	6841610
	CHPF4860D6D*	G*VC961005CNA*	56,500	39,500	13.50	11.50	1,525	7362966
	CHPF4860D6D*	G*VM971005CNA*	56,500	39,500	13.50	11.50	1,525	7362975
	CHPF4860D6D*	G*E80805D*A*	56,500	39,500	14.00	11.50	1,500	6841608
	CHPF4860D6D*	G*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841599
	CHPF4860D6D*	A*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841595
	CHPF4860D6D*	G*E80805C*B*	56,500	39,500	14.00	11.50	1,525	6841597
	CHPF4860D6D*	AMEH961005DXA*	56,500	39,500	14.00	11.50	1,470	6946127
	CHPF4860D6D*	A*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841594
	CHPF4860D6D*	G*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841600
	CHPF4860D6D*	A*EH800805C*A*	56,500	39,500	14.00	11.50	1,525	6946123
	CHPF4860D6D*	G*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841602
	CHPF4860D6D*	G*E81005C*B*	56,500	39,500	13.50	11.50	1,600	6841598
	CHPF4860D6D*	G*VC950905CXB*	56,500	39,500	13.50	11.50	1,580	6841601
	CHPF4860D6D*	A*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841591
	CHPF4860D6D*+EEP		56,500	39,500	13.50	11.00	1,545	6841586
	CHPF4860D6D*+EEP+TXV		57,000	40,000	14.00	11.50	1,545	6775515
	CHPF4860D6D*+MBVC2000**-1A*		56,500	39,500	14.00	11.50	1,620	6841587
	CHPF4860D6D*+MBVC2000**-1A*+TXV		57,000	40,000	14.50	12.00	1,620	6775517
	CHPF4860D6D*+TXV	G*E81005C*B*	57,000	40,000	14.50	12.00	1,600	6775540
	CHPF4860D6D*+TXV	G*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775546
	CHPF4860D6D*+TXV	G*E80805C*B*	57,000	40,000	14.50	12.00	1,525	6775536
	CHPF4860D6D*+TXV	A*EC961205DNA*	57,000	40,000	14.50	12.00	1,500	7367920
	CHPF4860D6D*+TXV	GME950805CXA*	57,000	40,000	14.00	11.50	1,565	6775560
	CHPF4860D6D*+TXV	A*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775521
	CHPF4860D6D*+TXV	A*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775525
	CHPF4860D6D*+TXV	G*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775556
	CHPF4860D6D*+TXV	G*E80805D*A*	57,000	40,000	14.50	12.00	1,500	6775538
	CHPF4860D6D*+TXV	A*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775519

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0611F* (cont.)	CHPF4860D6D*+TXV	A*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775529
	CHPF4860D6D*+TXV	GME951005DXA*	57,000	40,000	14.50	12.00	1,470	6775562
	CHPF4860D6D*+TXV	A*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775534
	CHPF4860D6D*+TXV	G*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775552
	CHPF4860D6D*+TXV	G*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775548
	CHPF4860D6D*+TXV	A*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775523
	CHPF4860D6D*+TXV	AMEH961005DXA*	57,000	40,000	14.50	12.00	1,470	6946132
	CHPF4860D6D*+TXV	G*EC961205DNA*	57,000	40,000	14.50	12.00	1,500	7367756
	CHPF4860D6D*+TXV	G*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775550
	CHPF4860D6D*+TXV	G*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362086
	CHPF4860D6D*+TXV	G*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775542
	CHPF4860D6D*+TXV	A*EH800805D*A*	57,000	40,000	14.50	12.00	1,500	6946129
	CHPF4860D6D*+TXV	AMEH960805CXA*	57,000	40,000	14.00	11.50	1,565	6946131
	CHPF4860D6D*+TXV	G*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362080
	CHPF4860D6D*+TXV	G*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775558
	CHPF4860D6D*+TXV	A*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775527
	CHPF4860D6D*+TXV	G*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775545
	CHPF4860D6D*+TXV	A*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775533
	CHPF4860D6D*+TXV	A*EH800805C*A*	57,000	40,000	14.50	12.00	1,525	6946128
	CHPF4860D6D*+TXV	G*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7361891
	CHPF4860D6D*+TXV	G*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7361897
	CHPF4860D6D*+TXV	G*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775554
	CHPF4860D6D*+TXV	A*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7362308
	CHPF4860D6D*+TXV	A*EH801005C*A*	57,000	40,000	14.50	12.00	1,600	6946130
	CHPF4860D6D*+TXV	A*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362491
	CHPF4860D6D*+TXV	A*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7362302
	CHPF4860D6D*+TXV	A*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775531
	CHPF4860D6D*+TXV	A*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362497
	CSCF4860N6D*	A*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841619
	CSCF4860N6D*	AMEH961005DXA*	56,500	39,500	14.00	11.50	1,470	6946137
	CSCF4860N6D*	G*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841627
	CSCF4860N6D*	G*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7361899
	CSCF4860N6D*	A*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841614
	CSCF4860N6D*	G*E80805C*B*	56,500	39,500	14.00	11.50	1,525	6841622
	CSCF4860N6D*	A*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841620
	CSCF4860N6D*	A*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841613
	CSCF4860N6D*	A*EH800805C*A*	56,500	39,500	14.00	11.50	1,525	6946133
	CSCF4860N6D*	G*VM961005DXB*	56,500	39,500	14.00	11.50	1,575	6841631
	CSCF4860N6D*	G*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841632
	CSCF4860N6D*	G*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841629
	CSCF4860N6D*	AMEH960805CXA*	56,500	39,500	13.50	11.00	1,555	6946136
	CSCF4860N6D*	GME951005DXA*	56,500	39,500	14.00	11.50	1,470	6841635
	CSCF4860N6D*	G*VC961005CNA*	56,500	39,500	13.50	11.00	1,525	7361893
	CSCF4860N6D*	G*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362088
	CSCF4860N6D*	A*EH801005C*A*	56,500	39,500	13.50	11.50	1,600	6946135
	CSCF4860N6D*	G*VC81005C*B*	56,500	39,500	14.00	11.50	1,525	6841625
	CSCF4860N6D*	A*VC950905DXB*	56,500	39,500	14.00	11.50	1,575	6841616
	CSCF4860N6D*	A*VM971005CNA*	56,500	39,500	13.50	11.00	1,525	7362493
	CSCF4860N6D*	G*VM960805DXB*	56,500	39,500	14.00	11.50	1,575	6841630
	CSCF4860N6D*	A*VM971205DNA*	56,500	39,500	14.00	11.50	1,520	7362499
	CSCF4860N6D*	A*VM961155DXB*	56,500	39,500	14.00	11.50	1,550	6841621
	CSCF4860N6D*	GME950805CXA*	56,500	39,500	13.50	11.00	1,555	6841634
	CSCF4860N6D*	G*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841628
	CSCF4860N6D*	A*VC961205DNA*	56,500	39,500	14.00	11.50	1,520	7362310
	CSCF4860N6D*	G*E81005C*B*	56,500	39,500	13.50	11.50	1,600	6841623
	CSCF4860N6D*	G*E80805D*A*	56,500	39,500	14.00	11.50	1,500	6841633
	CSCF4860N6D*	A*VC961005CNA*	56,500	39,500	13.50	11.00	1,525	7362304

See Notes on Page 81.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
ASX16 0611F* (cont.)	CSCF4860N6D*	G*VC80805C*B*	56,500	39,500	14.00	11.50	1,560	6841624
	CSCF4860N6D*	A*EH800805D*A*	56,500	39,500	14.00	11.50	1,500	6946134
	CSCF4860N6D*	A*VM960805CXB*	56,500	39,500	13.50	11.00	1,590	6841618
	CSCF4860N6D*	A*VC950905CXB*	56,500	39,500	13.50	11.00	1,580	6841615
	CSCF4860N6D*	A*VC951155DXB*	56,500	39,500	14.00	11.50	1,550	6841617
	CSCF4860N6D*	G*VM971005CNA*	56,500	39,500	13.50	11.00	1,525	7362082
	CSCF4860N6D*	G*VC950905CXB*	56,500	39,500	13.50	11.00	1,580	6841626
	CSCF4860N6D*+EEP		56,500	39,500	13.50	11.00	1,545	6841611
	CSCF4860N6D*+EEP+TXV		57,000	40,000	14.00	11.50	1,545	6775564
	CSCF4860N6D*+MBVC2000**-1A*		56,500	39,500	14.00	11.50	1,620	6841612
	CSCF4860N6D*+MBVC2000**-1A*+TXV		57,000	40,000	14.50	12.00	1,620	6775566
	CSCF4860N6D*+TXV	A*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775582
	CSCF4860N6D*+TXV	A*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362498
	CSCF4860N6D*+TXV	G*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775592
	CSCF4860N6D*+TXV	A*EH800805D*A*	57,000	40,000	14.50	12.00	1,500	6946139
	CSCF4860N6D*+TXV	G*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7361892
	CSCF4860N6D*+TXV	AMEH961005DXA*	57,000	40,000	14.50	12.00	1,470	6946142
	CSCF4860N6D*+TXV	A*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775578
	CSCF4860N6D*+TXV	G*VM971205DNA*	57,000	40,000	14.50	11.80	1,520	7362087
	CSCF4860N6D*+TXV	A*VC961005CNA*	57,000	40,000	14.00	11.50	1,525	7362303
	CSCF4860N6D*+TXV	A*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775576
	CSCF4860N6D*+TXV	G*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775594
	CSCF4860N6D*+TXV	A*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775584
	CSCF4860N6D*+TXV	G*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775596
	CSCF4860N6D*+TXV	A*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775580
	CSCF4860N6D*+TXV	G*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7361898
	CSCF4860N6D*+TXV	A*VC81005C*B*	57,000	40,000	14.50	12.00	1,525	6775570
	CSCF4860N6D*+TXV	G*E80805D*A*	57,000	40,000	14.50	12.00	1,500	6775588
	CSCF4860N6D*+TXV	A*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775574
	CSCF4860N6D*+TXV	G*E81005C*B*	57,000	40,000	14.50	12.00	1,600	6775590
	CSCF4860N6D*+TXV	GME951005DXA*	57,000	40,000	14.50	12.00	1,470	6775612
	CSCF4860N6D*+TXV	A*VC80805C*B*	57,000	40,000	14.50	12.00	1,560	6775568
	CSCF4860N6D*+TXV	A*VC950905CXB*	57,000	40,000	14.00	11.50	1,580	6775572
	CSCF4860N6D*+TXV	G*VM961005DXB*	57,000	40,000	14.50	12.00	1,575	6775606
	CSCF4860N6D*+TXV	A*EH800805C*A*	57,000	40,000	14.50	12.00	1,525	6946138
	CSCF4860N6D*+TXV	G*E80805C*B*	57,000	40,000	14.50	12.00	1,525	6775586
	CSCF4860N6D*+TXV	GME950805CXA*	57,000	40,000	14.00	11.50	1,555	6775610
	CSCF4860N6D*+TXV	G*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362081
	CSCF4860N6D*+TXV	G*VM960805CXB*	57,000	40,000	14.00	11.50	1,590	6775602
	CSCF4860N6D*+TXV	A*VM971005CNA*	57,000	40,000	14.00	11.50	1,525	7362492
	CSCF4860N6D*+TXV	G*VC950905DXB*	57,000	40,000	14.50	12.00	1,575	6775598
	CSCF4860N6D*+TXV	A*EH801005C*A*	57,000	40,000	14.50	12.00	1,600	6946140
	CSCF4860N6D*+TXV	G*VM961155DXB*	57,000	40,000	14.50	12.00	1,550	6775608
	CSCF4860N6D*+TXV	A*VC961205DNA*	57,000	40,000	14.50	11.80	1,520	7362309
	CSCF4860N6D*+TXV	G*VM960805DXB*	57,000	40,000	14.50	12.00	1,575	6775604
	CSCF4860N6D*+TXV	G*VC951155DXB*	57,000	40,000	14.50	12.00	1,550	6775600
	CSCF4860N6D*+TXV	AMEH960805CXA*	57,000	40,000	14.00	11.50	1,555	6946141


¹ BTU/h² Seasonal Energy Efficiency Ratio; Certified per AHRI 210/240 @ 80°F/ 67°F/ 95°F³ Energy Efficiency Ratio @ 80°F/ 67°F/ 95°F

Notes

Always check the S&R plate for electrical data on the unit being installed.

When matching the outdoor unit to the indoor unit, use the piston supplied with the outdoor unit or that specified on the piston kit chart supplied with the indoor unit.

EEP - Order from Service Dept. Part No. B13707-38 or new Solid State Board B13707-35S. Part No. B13707-38 is not interchangeable with B13707-35S. The Goodman Gas Furnace contains the EEP cooling time delay




Wiring is subject to change. Always refer to the wiring diagram or the unit for the most up-to-date wiring.



WARNING


High Voltage: Disconnect all power before servicing or installing this unit. Multiple power sources may be present. Failure to do so may cause property damage, personal injury, or death.



Wiring is subject to change. Always refer to the wiring diagram or the unit for the most up-to-date wiring.

WARNING

High Voltage: Disconnect all power before servicing or installing this unit. Multiple power sources may be present. Failure to do so may cause property damage, personal injury, or death.



MODEL	DIMENSIONS		
	W"	D"	H"
ASX160181F*	29	29	32¼
ASX160241F*	29	29	32¼
ASX160301F*	29	29	36¼
ASX160361F*	29	29	38¼
ASX160421F*	35½	35½	36¼
ASX160481F*	35½	35½	38¼
ASX160601F*	35½	35½	38¼
ASX160611F*	35½	35½	38¼

ACCESSORIES

MODEL	DESCRIPTION	ASX16 0181F*	ASX16 0241F*	ASX16 0301F*	ASX16 0361F*	ASX16 0421F*	ASX16 0481F*	ASX16 0601F*	ASX16 0611F*
ABK-20	Anchor Bracket Kit [^]		X	X	X	X	X	X	X
ABK-21	Anchor Bracket Kit [^]	X							
ASC-01	Anti-Short Cycle Kit	X	X	X	X	X	X	X	X
CSR-U-1	Hard-start Kit	X	X	X	X	X	X	X	X
FSK01A ¹	Freeze Protection Kit	X	X	X	X	X	X	X	X
LSK02A ²	Liquid Line Solenoid Kit	X	X	X	X	X	X	X	X
TXV-30 ²	TXV Kit	X	X	X					
TXV-42 ²	TXV Kit				X	X			
TXV-48 ²	TXV Kit						X		
TXV-60 ²	TXV Kit							X	X

[^] Contains 20 brackets; four brackets needed to anchor unit to pad

¹ Installed on indoor coil

² Field-installed, non-bleed, expansion valve kit